

# 2022 PRODUCT INFO GUIDE

**KANSAS CITY** 









**TOP PHOTO:** Black Hills Rustic Random Height

MIDDLE PHOTO: Black Hills Rustic Flagstone

LANDSCAPE & BUILDING STONE

**BOTTOM PHOTO:** Black Hills Rustic Machine Cut Steps



 $\star$  The Semco Promise  $\star$ 

Semco Stone owns and operates our own quarries. We pride ourselves in providing a natural and quality product. Our diverse building stone collection has some of the most unique products you will find. The beauty of our products is they are made from natural stone, therefore variations should and can be expected. Even though colors in this brochure are as close to the actual stone as possible, photographic and printing techniques – and even actual viewing conditions – can alter perception of color.

Selections should be made from actual samples whenever possible, but even samples can vary from the delivered product simply because the beauty of natural stone is that each piece is unique. Semco Stone does the best we can to maintain consistent colors and textures. Communication is key with masons, contractors and your sales representative so that Semco can do our best to provide exactly what you need to complete your dream project.

As the largest distributor of natural stone products in the Midwest, at Semco Stone, we have earned our reputation through consistent products, advancements in technology, and quality and service that exceed industry standards, laying a solid groundwork for your success. We operate to ensure lasting satisfaction and something our customers can enjoy for years to come.

"People don't buy what you do; they buy why you do it. And what you do simply proves what you believe."









SEMCOOUTDOOR.COM

## **Table of Contents**

Section 29

Prefix	Terms & Policies
	NATURAL STONES
Section 1	8" Drywall and Coping
Section 2	Natural Wall
Section 3	Steppers
Section 4	Flagstone
Section 5	Pattern Flooring
Section 6	Boulders
Section 7	Ledgerock
Section 8	Natural Stone Edging
Section 9	Natural Stone and Manufactured Steps
Section 10	Natural Step Treads
Section 11	Natural Stone Caps
Section 12	Natural Stone Slabs
Section 13	Cobbles
Section 14	Gravels
	OUTDOOR UPGRADES
Section 15	Outdoor Living
	CONCRETE PAVERS
Section 16	Belgard Pavers
Section 17	Unilock Pavers
Section 18	County Pavers
	CONCRETE WALLS & COPING
Section 19	Belgard Walls and Caps
Section 20	Unilock Walls and Coping
Section 21	County Walls and Coping
	BUILDING STONE
Section 22	Dimensional Veneer
Section 23	Random Height Veneer
Section 24	Webwall Veneer
Section 25	Ledgestone Veneer
Section 26	Sawn Drystack Veneer
Section 27	Travertine Ledge Veneer
Section 28	Building Stone Accessories

**Manufactured Accessories** 

#### ACCESSORIES

Section 30	Masonry Supplies
Section 31	Polymeric & Jointing Sand
Section 32	Mortar/Concrete Mix
Section 33	Accessories
Section 34	Adhesives, Cleaners, Sealers
Section 35	Pond
Section 36	Fabric & GeoGrid
Section 37	Lighting

#### **CONVERSION CHARTS & REFERENCE INFO.**

Section 38	Aggregate Chart
Section 39	Conversion Charts
Section 40	Glossary

#### **Terms & Conditions**

- Discrepancies/damages must be reported within 5 business days of delivery.
- Special order or non-stock material 50% non-refundable deposit prior to material being fabricated NO RETURNS.
- Delivery-Call for Quote. Alloted 30 min for Moffet unloading. Anything over retention fees will apply.
- Semco is not responsible for materials on site after delivery is completed.
- Products can be mixed to obtain full load price discounts. \*Quarry Direct Only\*
- Pallet covers \$2.00 each.

Terms: Net 30 days on approved credit. Service charges accrue at the rate of 1.5% per month (18% APR) on all

- invoices not paid by due date. Accounts 60 days or more past due are subject to COD only terms and/or suspension of delivery.
- Accepted Payment Options: Cash, check, money order, American Express/Discover/MasterCard/Visa, or Check by Fax (please call for more details).
- All Returns are subject to management approval and anything returned must be in its orginal packaging that it was received
- Prices are subject to change without notice.
- Load Changes: Cut off at 2:00 p.m. the day before shipment.
- Accounts without copies of proper tax exemption certificates on file will be assessed applicable taxes.
- Prices do not include templates, patterns or engineering unless otherwise indicated.
- Due to the fluctuations of fuel prices, loads are subject to fuel surcharges.

Semco Building Stone and Landscape Stone are natural stone products. Semco uses state-of-the-art technology to extract the stone in its natural state as safely as possible. However, products may contain cracks, pits, or other imperfections as a result of the quarrying process. The beauty of natural stone products resides in its unique characteristics; as a result, color, texture, size and bed-face variations will occur and may vary from samples provided to the customer and from shipment to shipment. Photographs, print material and items viewed on the Internet may be, in some measure, different from the stone you actually receive. All products are provided to you "AS IS" without warranty of any kind.

#### **Return and Refund Policy**

- Original receipt is required for all returned material.
- Material must be returned within 30 days of purchase date.
- Refunds will be issued in the form of a credit on account of via check
- All material is subject to a 20% restocking fee.
- Semco standard freight rates apply for any amount of returned material we pick up from jobsite
- All material, for return, picked up at a jobsite must be machine accessible, stacked according to return guidelines, and wrapped for safe hauling.
- Semco does not accept returns on Thin Veneer, except for full, unopened pallets, which are subject to a 20% restocking fee.
- Landscaping stone returns are accepted in full pallet quantity, and in original packaging only. Sorted and stacked material will not be accepted.
- Concrete products are only returnable in full pallets, sections, or layers, & must be in original packaging. Sorted and stacked material will not be accepted.
- Semco does not accept returns on bagged goods.
- Semco does not accept returns on special order items.
- Semco reserves the right to refuse any return not in saleable condition.
- Use constitutes acceptance.

# Landscape Products

8 Inch Drywall & Coping \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
S-415C-MC12	Black Hills Cap Tumbled 12 inch Deep x Random Length
	Stocked Product. Multi earthtone-colored sandstone. Snapped front & back with natural beds then tumbled for a softer edge. Heights average 3.5 - 4.5 and lengths of 12 - 36. Plt.Wt. 3200-3800 lbs. Apx. 12-13 sf/ton.
142C	Black Hills Rustic 12 inch Coping
	Stocked Product. Multi earthtone-colored sandstone. Snapped front & back with natural beds. Heights average 3.5in 4.5in. and lengths of 12in 36in. Plt.Wt. 3200-3800 lbs. Apx. 12-13 sf/ton. 55 LF/ ton
142	Black Hills Rustic 8 inch Drywall
	Stocked Material. Multi earthtone-colored sandstone. Snapped front & back with natural beds. Heights average 3.5in 4.5in. and lengths of 12in 36in. Plt.Wt. 3200-3800 lbs. Apx. 20 sf/ton.
197	Black Hills Sawn 8 inch Drywall
	Stocked Material. Multi earth-tone colored sandstone mix ranging from light brown and tan to black. Snapped front, back and ends. Sawn top and bottom with height of 6 in. 8in. deep x random lengths of 12in 36in. Plt. Wt. 3000-3400lbs. Apx. 20sf/ton
112	Blue /Brown Sandstone 8 inch Drywall
	Rust, brown to gray/blue 3in 4in. high X 8 deep with lengths of 12-36. Plt.Wt. 3600-4000 lbs. Apx. 20 sf/ton.
111-12	Blue Sandstone 12 inch Coping
	*SPECIAL ORDER* Blue/Gray sandstone. Snapped front & back with natural beds. Heights average 3 - 4 x 12 in. deep and lengths of 12 - 36. Plt.Wt. 3400-4000 lbs. Apx. 60-65 lf/ton
111	Blue Sandstone 8 inch Drywall
	Blue-gray sandstone 3in 4in. high X 8 deep with lengths of 12-36 . Plt.Wt. 3600-4000 lbs. Apx. 20 sf/ton.
S-111C-MC12	Blue Sandstone Cap Tumbled 12 inch Deep x Random Length
	*SPECIAL ORDER*Blue/Gray sandstone. Snapped front & back with natural beds then tumbled for a softer edge. Heights average 3 - 4, depths of 12 and lengths of 12 - 36. Plt.Wt. 3400-4000 lbs. Apx.60-65 lf/ton
196	Blue Sandstone Sawn 8 inch Drywall (4,6,8 Heights)
	Stocked Item. Blue-gray sandstone. Snapped front, back and ends. Sawn top and bottom with height of 6in. x 8in. deep x random lengths of 12in 36in. Plt. Wt. 3000- 3400lbs. Apx. 20sf/ton
108	Silverdale 8 inch Drywall (3.5 Thick)
	Light buff to gold in color. Split edges, sawn top & bottom in 3.5in. height x random lengths.
143	Weston Cream 8 inch Drywall
	Light buff/ cream colored limestone. Sawn top & bottom wtih a split face. 3.5 thick x 8 deep x random 1 - 3 lengths. Apx. Plt. Wt. 3000 lbs. Apx. 20 sf/ton.
170	Weston Cream Coping 12 inch Drywall
	Light buff, cream colored limestone. Snapped front/back and ends. Sawn top/bottom, Average height of 2.25 thick x 12 deep x random 1 - 3 lengths. Apx. Plt. Wt. 3000 lbs. Apx. 60-65 lf/ton

#### Natural Wall

ltem#	Product Description
202	Semco Weathered Fieldstone Thick Natural Wall (3in - 5in Thick)
	Gray & brown mossy colored sandstone, some lichens, fairly flat. 3 - 5 thick, Irregular shapes with apx. 8 - 18 diameters. Plt.Wt. 2000- 3400 lbs.
202-1	Semco Weathered Fieldstone Thin Natural Wall (1in - 3in Thick)
	*WHEN AVAILABLE* Gray & brown mossy colored sandstone, some lichens, fairly flat. 1 - 3 thick, Irregular shapes with apx. 8 - 18 diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 sf/ton.
202-2	Weathered Fieldstone - 2 Under
	Stocked Product Gray & brown mossy colored sandstone, some lichens, fairly flat. Thickness of 2 and under. Irregular shapes with apx. 8 - 18 diameters. Plt.Wt. 2000-3400 lbs. Apx. 15 sf/ton.

#### Steppers

ltem#	Product Description
302	Fond Du Lac Steppers
	Stocked material. Buff to gray colored limestone. Averaging 1in 2in. thick, irregular pieces apx. 8in 18in. in diameter with naturally smooth beds. Plt.Wt. 3800- 4200 lbs. Apx. 90 sf/ton.
330	Hickory Gray Steppers (1 inch)
	Stocked material. Medium to dark gray with a consistent 1in. thickness and diameters averaging between 12in 30in. Apx.Plt.Wt. 3000 lbs. Apx. 110-120 sf/ton.
331	Hickory Gray Steppers (2 inch)
	Stocked material. Medium to dark gray with a consistent 2in. thickness and diameters averaging between 12in 30in. Apx.Plt.Wt. 3000 lbs. Apx. 80 sf/ton.

#### Flagstone

ltem#	Product Description
415-1	<b>Black Hills Rustic Flagstone (1 inch)</b> Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 110- 120 sf/ton.
415	Black Hills Rustic Flagstone (2 inch)
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 80 sf/ton.
415-SU1-TX	Black Hills Rustic Standup Flagstone (1 inch Textured)
	Tan, rust, brown with some black. A hard sandstone with a thicknesses that varies 3/4in 1.5in. Plt.Wt. 3200- 4500 lbs. Covers Apx. 110-120 sf/ton.
415-SU1	Black Hills Rustic Standup Flagstone (1 inch)
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.
415-SU2-TX	Black Hills Rustic Standup Flagstone (2 inch Textured)
	Tan, rust, brown with some black. A hard sandstone with a thicknesses that varies 1 3/4in 2.5in. Plt.Wt. 3200- 4500 lbs. Covers Apx. 80 sf/ton.
415-SU2	Black Hills Rustic Standup Flagstone (2 inch)
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses of 1.75 in - 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.
419-1	Blue Sandstone Flagstone (1 inch)
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200- 4300 lbs. Apx. 110-120 sf/ton.
419	Blue Sandstone Flagstone (2 inch)
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses. 2 - 2.5in. x 12 - 30in. diameters. Plt.Wt. 3200- 4300 lbs. Apx. 80 sf/ton.
419-SU1	Blue Sandstone Standup Flagstone (1 inch)
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. With a Plt.Wt. of 3200- 4500 lbs. Apx. 110-120 sf/ton.
419-SU2	Blue Sandstone Standup Flagstone (2 inch)
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1.75 in 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. 80 sf/ton.

#### Flagstone

## \*\* All Products shown are considered Stock Items. \*\*

ltem#	Product Description
422-1	Blue/Brown Flagstone (1 inch)
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200-4300 lbs. Apx. 110- 120 sf/ton.
422	Blue/Brown Flagstone (2 inch)
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3200-4300 lbs. Apx. 80 sf/ton.
422-SU1	Blue/Brown Standup Flagstone (1 inch)
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.
422-SU2	Blue/Brown Standup Flagstone (2 inch)
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses of 1.75 in 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.
451-1	Cherry Blend Flagstone (1 inch)
	Gold colored stone with red, yellow & tan swirls throughout. Very flat & consistent with an apx. thickness of 1. Diameters averaging between 12 - 30. Apx.Plt.Wt. 3500 lbs.
451	Cherry Blend Flagstone (2 inch)
	Gold colored stone with red, yellow & tan swirls throughout. Very flat & consistent with an apx. thickness of 2. Diameters averaging between 12 - 30. Apx.Plt.Wt. 3500 lbs.
401	Fond Du Lac Flagstone
	Buff to gray limestone with a smooth bed. 1.5in 2in. x large sheets averaging 20in 36in. diameters. Plt.Wt. 3500- 4200 lbs. Apx. 90 sf/ton.
435	Grand Canyon Flagstone (Limited Availability)
	Rose color with plum stripes & swirls. Irregular shapes averaging 1.5 -2in. & 12 - 28in. diameters. Plt.Wt. 2800- 3800 lbs. Apx. 90 sf/ton.
450	Hickory Gray Flagstone
	Medium to dark gray irregular flagstone. 2in 2.5in. and pallet size diameters averaging 24in 40in. Plt.Wt. 3000-3500 lbs. Apx. 80 sf/ton.
407	Pennsylvania Blue Standup Irregular Flag - Full Color (1 inch)
	Full color. Irregular flagstone 1in 1.5in. thick. Large stand up sheets that are Apx. 24in 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 120 sf/ton.
406	Sandstone Flagstone
	Multi colors of brown, rust, orange, buff & white in color. Apx. 1.5in 2in. thick large irregular sheets averaging 24in 48in. diameters. Apx.Plt.Wt. 3000 lbs. Apx. 90 sf/ton.

Section 4 - 2

# Pattern Flooring \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
SAFG-1277	Pattern Flag - Castle Grey (7/8in French Pattern) 165 SF A beautiful grey colored sandstone, with riven finish, ranging from light to dark grey, with a hint of blue. Natural top, hand split edges. 165 sf./plt., 1741 lbs./plt.
SAFG-1273	Pattern Flag - Cloudy Black (7/8in French Pattern) 165 SF
	Predominately black to dark grey sandstone with minor brownish-yellow mottling. Natural Top with sawn edges. Plt. Wt. 1742 lbs., 165 sf/plt. (48 pcs).
SAFG-1343	Pattern Flag - Sedona Rustic (7/8in French Pattern) 165 SF 12x12, 12x24, 24x24, 24x36. Light to dark buff, browns and tans with dark fossil- like movements. Natural top, sawn edges. 165 sf./plt., 2006 lbs./plt.
404	Pennsylvania Blue Sawn Pattern Flag - Full Color Range
	Full color range in blues and greens with brown, yellow and lilac accents. Natural cleft top. Sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6in. nominal increments). Apx. 1in. thick. Apx.Plt.Wt. 3200 lbs. Apx. 190-285 sf/plt. (sf. based on 1/2in. joints)
404-p2	<b>Pennsylvania Full Color Pattern #2 Bluestone (1 inch)</b> VERY CONSISTENT SELECTED 1in. thick blue, green, brown variegated colors with natural cleft face. Sawn 4 sides prepalletized in classic Pattern #2. 200 sf/plt.
404-TF	Pennsylvania Full Color Sawn Thermal Top
	Blue, green, brown variegated colors with thermal finish on top, sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 30in. (in 6 in. increments). Apx. 1 in. thick. Apx.Plt.Wt. 3200 lbs. Apx. 150- 250sf/plt.
404-TF1-P2	Pennsylvania Full Color Sawn Thermal Top Pattern #2 (1 inch)
	Blue, green, brown variegated colors with thermal finish on top, sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6 in. increments). Apx. 1 in. thick & Apx.Plt.Wt. 3200 lbs. Apx. 150- 200sf/plt.
472-CC	Travertine Tumbled - Country Classic (16in x 16in) 235 sf
	16in. x 16in. Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 235 sf/plt., 3760 lbs./plt.
473-CC	Travertine Tumbled - Country Classic - Bullnose Coping 5cm (40 EA)
	Country Classic Tumbled Travertine Bullnose Coping has a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 12in. x 24in. x 2in. 40 pcs./plt., 2080 lbs./plt
470-CC	Travertine Tumbled - Country Classic - French Pattern (176 SF)
	Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. French Pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 176 sf./plt., 2816 lbs./plt.

Pattern Flooring
\*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
472-I	Travertine Tumbled - Ivory (16in x 16in) 235 sf
	16in. x 16in. Ivory Tumbled Travertine Pavers are the lightest color we offer. Best described as Off-White, Beige or Tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. 1.25in. thick. 3760 lbs./plt.
473-I	<b>Travertine Tumbled - Ivory - Bullnose Coping 5cm (40 EA)</b> Ivory Tumbled Travertine Bullnose Coping is the lightest color we offer. Best described as off-white, beige or tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. 2in. x 12in. x 24in. 40pcs/plt. 2,080 lbs./plt.
470-I	Travertine Tumbled - Ivory - French Pattern (176 SF)
	Ivory Tumbled Travertine Pavers are the lightest color we offer. Best described as off-white, beige or tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. Very popular item. French pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 1.25in. thick.
472-L	Travertine Tumbled - Leonardo (16x16) 235 SF
	16x16 Natural stone travertine ranging in color from ivory to tan with dark brown to burgundy marbling and pitting. Honed and unfilled. 235 sf./plt., 3760 lbs./plt.
473-L	Travertine Tumbled - Leonardo - Bullnose Coping (40 EA)
	Bullnose Coping 12in. x 24in. x 2in. thick. Natural stone travertine ranging in color from ivory to tan with dark brown to burgundy marbling and pitting. Honed and unfilled. 40 pcs./plt., 2080 lbs. per plt.
474-L	Travertine Tumbled - Leonardo - Eased-Edge Coping
	Eased-Edge Coping 12in. x 24in. x 2in. thick. Natural stone travertine ranging in color from ivory to tan with dark brown to burgundy marbling and pitting. Honed and unfilled. 40 pcs./plt., 2100 lbs./plt.
470-L	Travertine Tumbled - Leonardo - French Pattern (176 SF)
	8x8, 8x16, 16x16, 16x24. Natural stone travertine ranging in color from ivory to tan with dark brown to burgundy marbling and pitting. Honed and unfilled. 176 sf./plt., 2816 lbs./plt.
472-N	Travertine Tumbled - Noce (16in x 16in) 235 sf
	16in. x 16in. Noce Tumbled Travertine Pavers are dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. 1.25in. thick. 3760 lbs./plt.
473-N	Travertine Tumbled - Noce - Bullnose Coping 5cm (40 EA)
	Noce Tumbled Travertine Bullnose Coping is dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. 12in. x 24in. x 2in. 40 pcs./plt., 2,080 lbs./plt.

# Pattern Flooring \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
470-N	Travertine Tumbled - Noce - French Pattern (176 SF)
	Noce Tumbled Travertine Pavers are dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. French Pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 176 sf./plt., 2816 lbs./plt.
472-SI	Travertine Tumbled - Silver (16x16) 235 sf
	16 x 16 Polished soft grey and silver colored marble paver. The tumbled finish gives a texture to the travertine. 235 sf./plt., 3760 lbs./plt.
473-SI	Travertine Tumbled - Silver - Bullnose Coping (40 EA)
	Bullnose Coping polished soft grey and silver colored marble paver. The tumbled finish gives a texture to the travertine. 40 pcs./plt., 2100 lbs./plt.
470-SI	Travertine Tumbled - Silver French Pattern (176 sf)
	Polished soft grey and silver colored marble paver. The tumbled finish gives a texture to the travertine. French pattern consists of 8x8, 8x16, 16x16, 16x24 sizes.

#### **Boulders**

ltem#	Product Description
660	Black Ice Boulders
	Black Obsidian. 98% volcanic glass, black in color. 12in 18in. diameters. Plt.Wt. 2400- 2800 lbs.
608-MB	Glacier Boulders - Medium Bulk (18in - 24in)
	Pinks, whites, grays, multi- colored, smooth & round.
661	Misty Green Boulders (14-24)
	Light mint green in color. 12 - 18 diameters. Apx. Plt. Wt. 2400- 2800 lbs.
602	Royal Gorge Boulders
	Pink with white quartz & mica all mingled together. 12in 18in. Plt.Wt. 2400-2800 lbs.
897	Silverdale Wall Block 18
	Light buff to gold in color. Sawn top & bottom, natural front & back with split ends. 14in 20in. deep x 3ft 7ft. long. Apx. 9 face ft. per ton coverage.
604-BL	Weathered Limestone Boulders
	Light buff to cream to dark gray in color. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 2200- 3800 lbs.
609-BL	Weathered Sandstone Boulders
	Mossy, light gray to brown with lichens on boulders. Very weathered & natural looking. Small 12in 24in., medium 18in 30in. or large 30+in. SPECIEX SIZE. Plt Wt. 3200-4000 lbs

#### Ledgerock

## \*\* All Products shown are considered Stock Items. \*\*

ltem#	Product Description
639-CST&B	14 Castlewood Sawn T & B / Split Ends
	Split ends= rough edges. With clean cut or sawn top / bottom. All straight edges. Buff/Gray in color, 14 in height x 13-15 deep x 3 - 4 in length. Sawn top/bottom, split ends with natural face. Plt. Wt Apx. 3300 lbs. Apx. 11 - 12 sf/ton
639	Castlewood 14 inch Natural Widths & Lengths
	Buff and Gray in color, uniform heights of 13in 15in. 24in 30in. deep and 4 - 5 ft. in length. Plt.Wt. 3500 - 4000 lbs.
639MCP	Castlewood 14 inch Premium Machine Split
	Clean cut at 3 sides. Buff and Gray in color, uniform heights of 13in 15in. with depths of 18in 20in. +/- and 4 - 5 ft. in length. Plt.Wt. 3500 - 4000 lbs.
639-6	Castlewood 6 inch Ledge
	Buff and Gray in color, uniform heights of 4in 6in., 24in - 30in. deep and 4 - 5 ft. in length. Plt.Wt. 3500 - 4000 lbs.
604-LL	Weathered Limestone Ledgerock
	Light buff to cream to dark gray in color. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 3200- 3800 lbs.
609-LL	Weathered Sandstone Ledge
	Mossy, light gray to brown. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 3200-3800 lbs.

# Natural Stone Edging \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
747	Black Hills Rustic Tumbled Edging
	Multi-colored tumbled sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500- 4000 lbs. Apx. 110 lf/ton.
747-U	Black Hills Rustic Untumbled Edging
	Multi-colored sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500-4000 lbs. Apx. 110 lf/ton.
750	Blue Sandstone Tumbled Edging
	Medium to dark blue-gray in color. Tumbled 4 x 4 x random lengths. Plt Wt. 3500-4000. Apx. 100-110 lf/ton.
750-U	Blue Sandstone Untumbled Edging
	Medium to dark blue-gray in color. 4 x 4 x random lengths. Plt Wt. 3500-4000. Apx. 100-110 lf/ton.
716	Maple Hill Tumbled Edging
	Limited Availability. Machine split & tumbled sandstone providing a rustic look with light tan & buff colors. Sizes apx. 5in. x 5in. x random length Plt.Wt. 2800-3500 lbs. Apx. 120 lf/ton.

#### **Natural Stone Steps**

#### \*\* All Products shown are considered Stock Items. \*\*

ltem#	Product Description
814-36	Black Hills Rustic Machine Cut Steps 3 ft (8-10 Steps/plt)
	Estimated weight per step: 300lbs. Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in 8in. x 16in 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.
814-42	Black Hills Rustic Machine Cut Steps 3.5 ft (8-10 Steps/plt)
	Estimated weight per step: 350lbs. Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in 8in. x 16in 18in. x 3.5ft long. Plt.Wt. 3400-4000 lbs.
814-48	Black Hills Rustic Machine Cut Steps 4 ft (8-10 Steps/plt)
	Estimated weight per step: 400lbs. Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in 8in. x 16in 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.
815	Black Hills Rustic Natural Slab Steps
	Multi-colored, irregular- shaped sandstone. Apx. 5in 7in. x 24in 36in. x 3ft - 5ft long. Plt.Wt. 3500-4200 lbs.
804-36	Blue Sandstone Steps - 36
	Estimated weight 300 lbs. Medium to dark blue-gray in color, natural steps. Apx. 6 - 8 thick x 18 deep x 36 long. Plt.Wt. 4000-4500 lbs.
804-48	Blue Sandstone Steps - 48
	Estimated weight 400 lbs. Medium to dark blue-gray in color, natural steps. Apx. 6 - 8 thick x 18 deep x 48 long. Plt.Wt. 4000-4500 lbs.
645	Rawhide Outcroppings (7 in - 9 in thick)
	Estimated weight 400 lbs. Dark brown with rust to gold veining in color, natural top and bottom. Natural face with split edges. Apx. 7in 9in. thick x 18in 20in. deep x 48in. long. Avg. 8 - 10 steps/plt. Plt.Wt. 3600 - 3800 lbs.
807-48	Silver Mist Machine Cut Steps 4 ft (9 Steps/plt)
	Medium to dark gray limestone with random darker charcoal color throughout the stone. 9 steps per pallet. Sawn back, top & bottom, machine split 3 sides. Consistent 6in. thick x 16in deep x 4ft long. Apx.Plt.Wt. 3500 lbs
808-48	Silverdale Sawn Steps 4 ft
	Light buff to gold in color. 6in. x 18in. x 4ft long. Sawn top & bottom, machine cut all edges. Plt.Wt. 3400-3600 Ibs.
850-48	Timber Creek Sawn Steps 4 ft (8 Steps/plt)
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. Sawn top and bottom, split sides. 8 steps per pallet. 6in. x 16in. x 4ft long. Plt.Wt. 3600-4000 lbs.
833-48	Tomahawk Blue Snapped Steps - 48
	Estimated weight 400 lbs. Medium to dark blue-gray in color, natural top and bottom. Ends are Split, 1 side is natural face and 1 side is sawn. Apx. 6in 8in. thick x 18in 20in. deep x 48in. long. Avg. 8 steps/plt. Plt.Wt. 3500 lbs.

Section 9-1

#### Manufactured Steps

ltem#		Product Description
811-48B	Landing Step Unit - Blustone	
811-48M	Landing Step Unit - Moonlight	

#### **Natural Stone Treads**

ltem#	Product Description
S149TREAD12x48KC	Dove Gray Tread (12x48x2.25) KC - 18 EA
S149TREAD14x48KC	Dove Gray Tread (14x48x2.25) KC 18 EA
	Light gray in color. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. 12x36/1953lbs.,
	12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.
S191TREAD12x36	Mountain Ridge Tread (12x36x2.25) 21 EA
S191TREAD12x48	Mountain Ridge Tread (12x48x2.25) 18 EA
S191TREAD14x36	Mountain Ridge Tread (14x36x2.25) 21 EA
S191TREAD14x48	Mountain Ridge Tread (14x48x2.25) 18 EA
S108TREAD12x36KC	Silverdale Treads 12x36
S108TREAD12x48KC	Silverdale Treads 12x48x2.25
S108TREAD14x36KC	Silverdale Treads 14x36
S108TREAD14x48KC	Silverdale Treads 14x48
S139TREAD12x48KC	Weston Cream Tread (12x48x2.25) KC - 18 EA
S139TREAD14x48KC	Weston Cream Tread (14x48x2.25) KC - 18 EA
	Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece.
	12x36/1953lbs., 12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.

#### Natural Stone Caps

ltem#	Product Description
S-415C-MCF29	Black Hills Caps 29X29
	Tan/Browns with some black. 29 x 29 x 2-3 thick. Only Finish is Natural Top/Bottom.
415-MC24	Black Hills Caps M/C (24in x 24in)
	Tan/Browns with some black. 24 x 24 x 2-3 thick. Only Finish is Natural Top/Bottom.
S-415HEARTH	Black Hills Rustic Hearthstone - 19D x 21W x 2.25H
	Tan/Browns with some black. 19in. x 21in. x 2in 3in. thick. Only finish is natural top/bottom.
S-100C-MC24	Blue River Cap 24x24 (24ea)
419-MC24	Blue Sandstone Caps M/C 24x24
	Gray to Dark Blue 24 x 24 x 2-3 thick. Only Finish it comes in is with a Natural Top/Bottom.
S-419HEARTH	Blue Sandstone Hearthstone - 19D x 21W x 2.25H
	Gray to Dark Blue 19 x 21 x 2.25 +/- Only Finish it comes in is with a Natural Top/Bottom
S-149C-MC24KC	Dove Gray Cap 24in. x 24in. (24 EA) KC
	Light gray 24 x 24 x 2.25. Stocked as Sawn T/B with M/C edges. *Special Order Finishes: Honed, Polished,
	Antique Brush, Bushhammer (Prices will vary with finish) 2969 lbs per plt.
S-149C-MC32KC	Dove Gray Cap 32in. x 32in. (12/ea plt) KC
	Light gray 30 x 30 x 2.25. Stocked as Sawn T/B with M/C edges. *Special Order Finishes: Honed, Polished, Antique Brush, Bushhammer (Prices will vary with finish) 2328 lbs per plt.
S-149HEARTH	<b>Dove Gray Hearthstone- 19D x 21W x 2.25H 36 EA</b> Light gray 19 x 21 x 2.25. Stocked as Sawn T/B with M/C edges. *Special Order Finishes: Honed, Polished,
	Antique Brush, Bushhammer (Prices will vary with finish)
S-139C-MC24KC	Weston Cream Cap 24in. x 24in. (24/ea plt) KC
	Light buff and Cream 24 x 24 x 2.25. Stocked as Sawn T/B with M/C edges. *Special Order Finishes: Honed, Polished, Antique Brush, Bushhammer (Prices will vary with finish) 2969 lbs per plt.
S-139C-MC32KC	Weston Cream Cap 32in. x 32in. (14/ea plt) KC
	Light buff and Cream 32 x 32 x 2.25. Stocked as Sawn T/B with M/C edges. *Special Order Finishes: Honed, Polished, Antique Brush, Bushhammer (Prices will vary with finish) 2325 lbs per plt.
S-139HEARTH	Weston Cream Hearthstone- 19D x 21W x 2.25H
3-1331EANIN	Light buff to cream 19 x 21 x 2.25. Stocked as Sawn T/B with M/C edges. *Special Order Finishes: Honed,
	Polished, Antique Brush, Bushhammer (Prices will vary with finish)

#### Natural Stone Slabs

ltem#	Product Description
S-100SLAB2.25	Blue River Slab - Unfinished
	Dense blue-gray limestone. Sizes: 2.25in. (6 cm) thickness x up to 30in. widths x 6ft. lengths. Finishes: Sawn 2 sides
S-149SLAB2.25KC	Dove Gray Slabs (2.25) No Finish (P) KC
	Light gray colored limestone. 2.25" thick. (Sold per sf)
S-192SLAB2.25	Silverdale Slabs (2.25) No Finish
	Light buff to gold in color. 2.25" thick. (Sold per sf)
S-139SLAB2.25KC	Weston Cream Slabs 2 1/4 Unfinished (P) KC
	Light Buff Colored Stone 2.25" thick. (Sold per sf)
476-CC	Travertine Tumbled Slabs - Country Classic (3x6)
	3 ft. x 6 ft. x 2 in. thick
476-I	Travertine Tumbled Slabs - Ivory (3x6)
	3 ft. x 6 ft. x 2 in. thick
476-S	Travertine Tumbled Slabs - Silver (3x6)
	3 ft. x 6 ft. x 2 in. thick
476-W	Travertine Tumbled Slabs - Walnut (3x6)
	3 ft. x 6 ft. x 2 in. thick
S-139SLAB2.25KC	Weston Cream Slabs 2 1/4 Unfinished (P) KC
	Light Buff Colored Stone 2.25 thick. (Sold per sf for anything larger than 3 ft. x 3 ft.)

#### Cobbles

#### \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
505	Bucks Creek Cobbles (4in - 8in)
	Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 30 sf/ton.
505-SM	Bucks Creek Cobbles - Small (3in - 5in)
	Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.
502-B	Canadian Colored Cobbles Unsorted Bulk (4in - 8in)
	Multi-colored pinks, whites & grays. Round granite cobbles in 4in 8in. size. Plt.Wt. 3300-3700 lbs. Apx. 30 sf/ton.
501	Kewanee Creek Flats
	Hand selected naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy, etc. Average size is 6in 12in. Plt.Wt. 2500-3500 lbs. Apx. 60 sf/ton.
522-C1	Kewanee Skippers (1.5in - 3 inch)
	Hand selected, sorted by size, naturally smooth, flat stones. A very colorful mix of red, white, black, gray,
	burgundy etc. 1.5in 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.
522-C4	Kewanee Skippers (4in - 7in)
	Hand selected, sorted by size, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy etc. 1.5in 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.
504-C1	Mexican Beach Pebbles (1in - 2in)
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.
504-C2	Mexican Beach Pebbles (2in - 3in)
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.
504-C3	Mexican Beach Pebbles (3in - 5in)
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.
508-B2	Salt & Pepper Cobbles 2-4 (Bulk)
	Size: Aprox. 2in 4in. Color: white with black spleckles. 45-55 sq.ft. per ton. @ 2 depth
508-B	Salt & Pepper Cobbles 4-8 (Bulk)
	Size: Aprox. 4in 8in. Color: white with black spleckles. 25 sq.ft. per ton. @ 2 depth
520	Sedona Cobbles (2.5in - 4in)
	Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 35 - 40 sf/ton.
520-C6	Sedona Cobbles (4in - 12in)
	Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 30-35 sf/ton.

Section 13-1

#### Cobbles

#### \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
517-L	Tennessee River Flats - Large (10 - 18 inch)
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 20-25 sf/ton.
517-M	Tennessee River Flats - Medium (6in - 10in)
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.
517-S	Tennessee River Flats - Small (4in - 6in)
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.
525-M	Tennessee River Rounds - Medium (6in - 10in)
	Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.
525-S	Tennessee River Rounds - Small (4in - 6in)
	Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.

#### Gravels

ltem#	Product Description
1015-B	1 Clean - Bulk
	Size 3/4 - 1 Color: white 100 sq.ft. per ton @ 2 depth
1015KC-B	1 Minus - Bulk
	Or known in industry as AB3 Size: 1 - fines Color: white 100 sq.ft. per ton @ 2 depth
1015	1in. Clean - Bagged
	1/2 cu.ft. bag, Crushed aggregate. 60 bags/plt
1077-В	3/8 Inch Chips (Bulk)
	Known in industry as Buckshot 3/8 - Fines. White in color. Covering 100 sq.ft. per ton @ 2 depth
1014	3/8in. Minus - Bagged
	1/2 cu.ft. bag, Size: fine material up to 3/8. Crushed aggregate. 60 bags/plt
1010	Alabama Sunset - Bagged
	1/2 cu.ft. bag, Size: 3/4 Color: tan, brown, white, burgundy. Naturally rounded pebbles. 60 bags/plt
1093-В	Avalanche
	Multi-colored whites, grays, and pinks. 2 round stones. 1 ton covers appx 80 sf at 2 depth.
1090-В	Colorado River Rock 2
	2 Naturally smooth flat stones, colored in whites, pinks, reds, and greys. Approximately 80 - 120 sf per ton.
1091-B	Colorado River Rock 2-4
	2-4 Naturally smooth flat stones, colored in whites, pinks, reds, and greys. Approximately 80 - 120 sf per ton.
1092-B	Colorado River Rock 4-8
	4-8 Naturally smooth flat stones, colored in whites, pinks, reds, and greys. Approximately 80 - 120 sf per ton.
1042-B	Duck Lake Large - Bulk 3/4-1.5
	Size: 3/4 - 1 1/2 Color: green, blue, and burgundy 90 sq.ft. per ton @ 2 depth
1041-B	Duck Lake XL - Bulk
	Size: 1 1/2 - 2 1/2 Color: green, blue, and burgundy 80 sq.ft. per ton. @ 2 depth
1011	Iowa Rainbow - Bagged
	1/2 cu.ft. bag, Size: 1 1/2 Color: gold, burgundy, blue & white. 60 bags/plt
1038-В	Meramec A - Bulk
	Size: 3-5 Color: brown and tan 40-50 sq.ft. per ton @ 2 depth

#### Gravels

Item#	Product Description
1012-В	Meramec B - Bulk
1012	Meramec B - Bagged
	1/2 cu.ft. bag, Size: 1 - 1 1/2 Color: brown & tan river rock. 60 bags/plt
1013-B	Meramec C - Bulk
1013	Meramec C - Bagged
	1/2 cu.ft. bag, Size: 3/4 - 1 Color: brown & tan river rock. 60 bags/plt
1036-B	Missouri Rainbow 1 - Bulk
	Size: 1 Color: tan, brown, blue, gray, burgundy 100 sq.ft. per ton. @ 2 depth
1037-В	Missouri Rainbow 2 - Bulk
	Size: 2 Color: tan, brown, blue, gray, burgundy 80 sq.ft. per ton. @ 2 depth
1052-B	Missouri Rainbow 3-9 - Bulk
	Size: 3-9 Color: tan, brown, blue, gray, burgundy 30 sq.ft. per ton @ 2 depth
1016	Sand - Bagged
	1/2 cu.ft. bag, Course & clean. Perfect filler sand. 60 bags/plt
1016-B	Sand - Bulk
	Brick Sand . Color: Tan. 80 sq ft per ton @ 2 depth
1016-BMC	Sand Bulk - Med Concrete
	Coarse sand with pebbles. Color: tan 80 sq.ft. per ton @ 2 depth
1006	Semco Pea Pebbles - Bagged
	1/2 cu.ft. bag, Size: 3/8 Color: brown, white & tan smooth pebbles. 60 bags/plt
1006-В	Semco Pea Pebbles - Bulk
1266	Supersola (1 Cubic Yord)
1200	Supersacks (1 Cubic Yard) Nylon bag. Can hold up to 2000 lbs. (NON REFUNDABLE)
1001	Trap 3/4in Bagged
	1/2 cu. ft. bag, Size: 3/4in. Color: bluish purple & light gray. 60 bags/plt
1031	Trap Fines - Bagged
	1/2 cu.ft. bag, Size: fine material up to 1/8 - 1/4 Color: dark black very fine filler gravel. 60 bags/plt
1001-B1.5KC	Trap Rock 1.5 - Bulk
	Size: 1 1/2 Color: bluish purple & light gray. 80-100 sq.ft. per ton. @ 2 depth

#### **Outdoor Living**

ltem#	Product Description
2586	Belgard Fire Ring Insert - Round (31 Round x 10 Tall)
	*WHILE SUPPLIES LAST*
20031T-BD	Belgard Weston Wall Firepit (Black Diamond) 1 EA
20031T-BB	Belgard Weston Wall Firepit (Brittany Beige) 1 EA
	53 Outside Diameter, Steel Ring Insert Included
SAFL1717-6	Chimney Extensions - Large Flue
	6in. tall. Fits 36in 48in. Contractor Series. 100 lbs.
SA-S1006	Firebrick Full Size Buff 9X4.5x2.5 Thickness
	456 / plt
SA-S1001	Firebrick Splits Buff - 9in. x 4.5in. x 1.5 Thick
	Splits, 9in. x 4.5in. x 1.25in. 4 lbs. 888 ea/pallet
SA-36CN	Fireplace - Contractor Series 36 inch w/ Arched Lintel
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 85 Firebrick required and 4 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 85sf. of surface, including 26lf. corners. 1760 lbs.
SA-48CN	Fireplace - Contractor Series 48 inch w/ Arched Lintel
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 105 Firebrick required and 5 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 109sf. of surface, including 26lf. corners. 2120 lbs.
SA-APO48	Pizza Oven - Amerigo
	Features an arched cooking chamber & over 1500sq.in. of cooking surface. Cooking surface measures 36in. deep x 42in. wide. 2 buckets of mortar needed to assemble kit & install firebrick. Kit includes firebrick, 9in. chimney flue & metal oven door. 35sf. of surface, including 14lf. of corners. 1650 lbs.
SA-MPO36	Pizza Oven - Mezzo *Discontinued*
	Features an arched cooking chamber with over 800sq.in. of cooking surface. Cooking surface measures 27in. deep x 30in. wide. 1 bucket of mortar needed to assemble kit and install firebrick. Kit includes firebrick, 9in. chimney flue and metal oven door. 25sf. of surface, including 14lf. of corners. 1150 lbs.
SA-APRM	Ready-Mix Mortar-5 GL BKT
	High Temperature, Multi Purpose. 5 gal. bucket

#### **Outdoor Living**

ltem#	Product Description
2556WO-G 2556WO-SI	Unilock Firepit - Sunset Round w/o grill (Granite) Unilock Firepit - Sunset Round w/o grill (Sierra)
2555-SI	Unilock Firepit - Sunset Round With Grill (Sierra)
	*SPECIAL ORDER* (Also available in Coffee Creek and Sandstone)
2557WO-SI	Unilock Firepit - Sunset Square w/o grill (Sierra)
2557-SI	Unilock Firepit - Sunset Square with Grill Sierra
SA-WCA	Wood Storage Cabinet w/ Arched Opening
	Special Order. 36in. tall x 36in. wide x 33in. deep for Standard Fireplace. Side area 29sf., Top 9sf., Corner 12lf. 585 lbs.
SA-WCS	Wood Storage Cabinet w/ Square Opening
	Special Order. 36in. tall x 36in. wide x 33in. deep for Standard Fireplace. Side area 29sf., Top 9sf., Corner 12lf. 585 lbs.

#### **Belgard Pavers**

ltem#	Product Description
35214-MID	Belgian Cobble Pavers (Midnight 68 SF
35214-Moon	Belgian Cobble Pavers (Moonlight) 68 SF
35212-BD	Catalina Grana (6x9) Paver - (Black Diamond) 113 SF
35212-BB	Catalina Grana (6x9) Paver - (Brittany Beige) 113 SF
	Formally know as Moduline 6x9
35230-AB	Dimensions 12 Amber Beige TrueColor - 60mm
35230-AW	Dimensions 12 Arctic White TruColor - 60mm NEW 2022
35230-BB 35230-SG	Dimensions 12 Brittany Beige TrueColor - 60mm
55250-50	Dimensions 12 Scandina Gray TrueColor - 60mm
35232-AB	Dimensions 18 Amber Beige TrueColor - 60mm
35238-DB	Dimensions 18 Danville Beige TextureGard - 60mm
35232-SG	Dimensions 18 Scandina Gray TrueColor - 60mm
254047 4	
35101T-A	Dublin Cobble-3Pc Paver (Aspen Blend) 128 SF
35101T-BD 35101T-FB	Dublin Cobble-3Pc Paver (Black Diamond) 128 SF
331011-FD	Dublin Cobble-3Pc Paver (Fossil Beige) 128 SF 128/pallet, 11.64/layer
35051-BD	Holland Paver TruColor 60MM (Black Diamond) 120SF
	120 sf /pallet, 12 sf/layer, 540pcs/pallet, 54pcs/layer, 180lf(soldier)/plt
3565 COAD	
3565-60AB 3565-60BB	Mega-Arbel TruColor 60 MM (Aspen Blend) 103.41 SF Mega-Arbel TruColor 60 MM (Brittany Beige) 103.41 SF
3303-0000	Mega-Arber Hucolor of Mini (Brittany Beige) 103.41 SP
35231-AB	Origins 12 Aspen Blend TrueColor - 60mm
35231-BB	Origins 12 Brittany Beige TrueColor - 60mm
35231-R	Origins 12 Rio TrueColor - 60mm
35233-AB	Origins 19 Apren Bland TrueColor Comm
35233-АВ 35233-ВВ	Origins 18 Aspen Blend TrueColor - 60mm
33233-DD	Origins 18 Brittany Beige TrueColor - 60mm
35229-BD	Origins 6 Black Diamond TrueColor - 60mm
3738-F	Turin Paver (23.54x23.54x3/4)(Frost) 232.5 SF

#### **Unilock Pavers**

Item#	Product Description
3677-AG	Beacon Hill Flagstone (Alpine Grey) 104.60 SF
3677-BB	Beacon Hill Flagstone (Bavarian Blend) 104.60 SF
3677-FO	Beacon Hill Flagstone (Fossil) 116.57 SF
3677SR-BB	Beacon Hill Smooth (Bavarian Blend) 116.57 SF
3677SR-FO	Beacon Hill Smooth (Fossil) 116.57 SF
3677SR-GF	Beacon Hill Smooth (Granite Fusion) 116.57 SF
3677XLSR-BB	Beacon Hill Smooth XL (Bavarian Blend) 116.57 SF
3677XLSR-GF	Beacon Hill Smooth XL (Granite Fusion) 116.57 SF
3619-BB	Bristol Valley (Bavarian Blend) 6CM - 104.60 SF
3619-SM	Bristol Valley (Steel Mountain) 6CM - 104.60 SF
3640-BA	Copthorne Paver (Basalt) 89.2 SF
3640-BR	Copthorne Paver (Burgundy Red) 89.2 SF
3640-BC	Copthorne Paver (Burnt Clay) 89.2 SF
3640-00	Copthorne Paver (Old Oak) 89.2 SF
3642-B	Courtstone Paver (Basalt) 98.3 SF
3642-DM	Courtstone Paver (Dawn Mist) 98.3 SF
3642-PT	Courtstone Paver (Pebble Taupe) 98.3 SF
3685-OB	Series 4x8 (Onyx Black) 106.11 SF
3689-BA	Town Hall (Basalt) 88.41 SF
3689-BR	Town Hall (Burgundy Red) 88.41 SF
3689-BC	Town Hall (Burnt Clay) 88.41 SF
3689-00	Town Hall (Old Oak) 88.41 SF
UNIDEP	\$22 - Unilock Pallet Deposit
	\$20 - Refunded once returned
UNIPREM\$28	\$30 - Unilock Premium Pallet Deposit
	\$28 - Refunded once returned

# County Pavers \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
3562-H	Discover Paver (Haven) 99.60 SF
3562-M	Discover Paver (Majestic) 99.60 SF
3562-T	Discover Paver (Timeless) 99.60 SF
3550-R	Elements 4x8 Paver (Reflection) 88 SF
3550-V	Elements 4x8 Paver (Vision) 88 SF
3551-R	Elements 8x8 Paver (Reflection) 105.60 SF
3551-V	Elements 8x8 Paver (Vision) 105.60 SF
3553-Н	Grand Discover Paver (Haven) 81.24 SF
3553-M	Grand Discover Paver (Majestic) 81.24 SF
3553-Т	Grand Discover Paver (Timeless) 81.24 SF
3563-Н	Grand Milestone (Haven) 90.88 SF
3563-M	Grand Milestone (Majestic) 90.88 SF
3563-Т	Grand Milestone (Timeless) 90.88 SF
3557-Н	Grand Vantage Paver (Haven) 81.24 SF
3557-M	Grand Vantage Paver (Majestic) 81.24 SF
3557-Т	Grand Vantage Paver (Timeless) (81.24sf)
3558-R	Influence Plank Paver - Smooth (Reflection)
3558-V	Influence Plank Paver - Smooth (Vision) (85.92sf)
3582-D	Skyland 24in x 24in (Dream) 92 SF
3582-D 3582-M	Skyland 24in x 24in (Dieani) 92 SF Skyland 24in x 24in (Majestic) 92 SF
3582-W	Skyland 24in x 24in (Majestic) 92 SF
3582-K	Skyland 24in x 24in (Kenection) 92 SF Skyland 24in x 24in (Timeless) 92 SF
5502-1	
3552-H	Tranguility Paver (Haven) 86.16 SF
3552-M	Tranquility Paver (Majestic) 86.16 SF
3552-T	Tranquility Paver (Timeless) 86.16 SF
3556-H	Vantage Paver (Haven) 99.60 SF
3556-M	Vantage Paver (Majestic) 99.60 SF
3556-Т	Vantage Paver (Timeless) 99.60 SF

#### **Belgard Walls and Caps**

ltem#	Product Description
2098KC-BB	Anchor Corner Unit (Brittany Beige) 40 EA
2086KC-OX	Anchor Corner Unit (Oxford Gray) 40 EA
2005КС-В	Anchor Diamond Pro (Straight Face) - Buff
2005KC-CB	Anchor Diamond Pro (Straight Face) - Carolina Blend
2005KC-C	Anchor Diamond Pro (Straight Face) - Charcoal
2005KC-G	Anchor Diamond Pro (Straight Face) - Grey
2005KC-MB	Anchor Diamond Pro (Straight Face) - Merriam Blend
2090KC-BB	Anchor Multi Piece FSW Large (Brittany Beige)
2090KC-OX	Anchor Multi Piece FSW Large (Oxford Gray)
2091KC-BB	Anchor Multi Piece FSW Medium & Small (Brittany Beige)
2091KC-DD	Anchor Multi Piece FSW Medium & Small (Oxford Gray)
ZUJIKC-UK	
2092KC-BB	Anchor Multi Piece SRW Large (Brittany Beige) 35.52 SF
2088KC-OX	Anchor Multi Piece SRW Large (Oxford Gray) 35.52 SF
2093KC-BB	Anchor Multi Piece SRW Medium/Small (Brittany Beige) 35.52 SF
2087KC-OX	Anchor Multi Piece SRW Medium/Small (Oxford Gray) 35.52 SF
20006-BB	Anchor XL Cap (Brittany Beige)
20009KC-OX	Anchor XL Cap (Oxford Gray)
2154-G4R	Concrete Blocks (SOLID) - 4X8X16 108 EA
2154-G4	Concrete Blocks 4X8X16 144 EA
2154-G6	Concrete Blocks 6X8X16 120 EA
2154-G8	Concrete Blocks 8X8X16 90 EA
35215-M	Marina Coping 60mm (Midnight) 97.5 LF
JJZ 1J-1VI	
35218-P	Melville Tandem Column Veneer - Pewter
35217-P	Melville Tandem Wall - Pewter
35219KC-BD	Melville Wall Black Diamond KC 26.67
35220KC-SC	Melville Wall Scandia KC 26.67
35221KC-M	Melville Wall Cap KC - Midnight

#### **Belgard Walls and Caps**

ltem#	Product Description
35222KC-SC	Melville Wall Cap KC - Scandia
3524-FB	Sterling Wall (Fossil Beige) 35 SF
3524-G	Sterling Wall (Graphite) 35 SF
3760-CON	Tandem 8 Wall Connector - 30/Bag
3762	Tandem Column Veneer Connectors (Bag of 50)
5702	Tandem Column Veneer Connectors (Bag of 50)
3761-DB	Tandem Column Veneer Danville Beige 45.43 SF
3761-SB	Tandem Column Veneer Shelby Blend 45.43 SF
3767	Tandem Modular Block
27C2 CD	Tandam Wall Ashlar Shalby Dland 70.1 SF
3763-SB 3763-DB	Tandem Wall Ashlar Shelby Blend 70.1 SF Tandem Wall Ashlar Danville Beige 70.1 SF
5705-00	
3764-DB	Tandem Wall Cap Danville Beige 32 EA
3764-P	Tandem Wall Cap Pewter 32 EA
3764-SB	Tandem Wall Cap Shelby Blend 32 EA
3771KC-S	Tandem Wall Column Veneer Lamina Sienna 45.43
3769KC-S	Tandem Wall Lamina Sienna
3770KC-S	Tandem Wall Lamina Sienna Cap
2273	U-Start Base Block - 56 Blocks
	18 7/16 x 12 x 3 1/2
20016T-A	Weston 3Pc Wall (Aspen Blend) 42 SF
20016T-BD	Weston 3Pc Wall (Black Diamond Antique) 42 SF
20016T-BB	Weston 3Pc Wall (Brittany Beige) 42 SF
20019T-M	Weston Stone Cap-Midnight
2004 7T A	Wester Universe Well (Asner Pland) 120 FA
20017T-A 20017T-BD	Weston Universal Wall (Aspen Blend) 120 EA Weston Universal Wall (Black Diamond Antique) 120 EA
20017T-BD	Weston Universal Wall (Brittany Beige) 120 EA
2001/1-00	

# Unilock Walls and Coping \*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
2041	Black River 24x24 Pillar Cap
2041-28	Black River 28x28 Pillar Cap
2042	Black River NE Coping 12x48x2
2042-14	Black River NE Coping 14x48x2
2220-L	Brussels Dimensional Wall (Limestone) 96 EA
2220-SI	Brussels Dimensional Wall (Sierra) 96 EA
3637T-L	Brussels Paver - Tumbled Fullnose (Limestone) 96 SF
3637T-S	Brussels Paver - Tumbled Fullnose (Sandstone) 96 SF
3637T-SI	Brussels Paver - Tumbled Fullnose (Sierra) 96 SF
2247-G	Ledgestone Closed End Coping (Gray) 12 EA
2247-В	Ledgestone Closed End Coping - Buff 12 EA
22.42.2	
2248-B	Ledgestone Fullnose Coping (Buff) 13
2248-G	Ledgestone Fullnose Coping 2 3/8 X 12 X 24 (Gray) 13 *While Supplies Last*
2243-В	Ledgestone Pillar Cap 24x24 (Buff)
2243-B 2243-G	Ledgestone Pillar Cap 24x24 (Burr)
2243-0	Leugestone Final Cap 24x24 (Grey)
2246-В	Ledgestone Wall Coping (Buff) 12 EA
2246-G	Ledgestone Wall Coping (Gray) 12 EA
2239C-SI	Olde Quarry Corner (Sierra) 30.89 SF
2239C-G	Olde Quarry Corners (Granite) 30.89 SF
2238-G	Olde Quarry Wallstone (Granite) 33.75 SF
2238-SI	Olde Quarry Wallstone (Sierra) 33.75 SF
2240-G	Olde Quarry-Cap/Coping (Granite) 96 EA
2240-SI	Olde quarry-Cap/Coping (Sierra) 96 EA
2226В-КС	Pillar Cap (Buff) 5 EA 28.5x28.5
2226G-КС	Pillar Cap (Gray) 5 EA 28.5x28.5

Unilock Walls and Coping
\*\* All Products shown are considered Stock Items.\*\*

ltem#	Product Description
2270-BBL 2270-GF	U-Cara Corner Fascia Pitched (Bavarian Bl) U-Cara Corner Fascia Pitched (Granite Fusion)
2269-BBL	U-Cara Standard Fascia Pitched (Bavarian Bl.)
2269-GF	U-Cara Standard Fascia Pitched (Granite Fusion)
2266	U-Cara Sure Track Large Backer (56 EA)
2265-SB	U-Cara Sure Track Standard Backer (105 EA)
2272-В	U-Cara Universal Coping Unit (Buff) 48 EA
2272-G	U-Cara Universal Coping Unit (Grey) 48 EA
2275	Unilock Universal Base Block - 54 EA
UNIDEP	\$22 - Unilock Pallet Deposit
	\$20 - Refunded once returned
UNIPREM\$28	\$30 - Unilock Premium Pallet Deposit
	\$28 - Refunded once returned

County Walls and Coping
\*\* All Products shown are considered Stock Items.\*\*

Item#	Product Description
3564-Н	Crest Bullnose Paver (Haven) 280 EA
3564-R	Crest Bullnose Paver (Reflection) 280 EA
3564-T	Crest Bullnose Paver (Timeless) 280 EA
3564-V	Crest Bullnose Paver (Vision) 280 EA
3573-R	Summit Stone Landscape Large Units - Smooth (Reflection)
3573-Т	Summit Stone Landscape Large Units - Smooth (Timeless)
3573-V	Summit Stone Landscape Large Units - Smooth (Vision)

# Building Stone Products

#### **Dimensional Veneer**

ltem#	Product Description
S149KC-TVC	Dove Gray Dimensional T/V Corners KC
S149KC-TV	Dove Gray Dimensional T/V Flats KC
S104-TVCKC	Fond Du Lac Dimensional T/V Corners
S104-TVKC	Fond Du Lac Dimensional T/V Flats
	Gray shades cut at 2.25, 5, and 7.75heights.
S919-TVC	Gulf Grey Dimensional Thin Veneer Corner
S919-TV	Gulf Grey Dimensional Thin Veneer Flats
	Sawn top & bottom, split ends & face. Heights: 4, 6, 8. Lengths: Random up to 30. Color: Silver/Gray & Blue.
S191B-TV	Mountain Ridge Dimensional Blanks T/V Flats
S191-TVC	Mountain Ridge Dimensional T/V Corners
S191-TV	Mountain Ridge Dimensional T/V Flats
	100% Split-face. Lengths: Random up to 24in. Color: Gray, blue & buff tones.
S419KC-TVC	Silver Mist Dimensional T/V Corners KC
S419KC-TV	Silver Mist Dimensional T/V Flats KC
S950-TVC	Stella Cream Tumbled 4/6/8 TV Corners
S950-TV	Stella Cream Tumbled 4/6/8 TV Flats
S139KC-TVC	Weston Cream Dimensional T/V Corners KC
S139KC-TV	Weston Cream Dimensional T/V Flats KC

### **Random Height Veneer**

ltem#	Product Description
M415	Black Hills Rustic Full Veneer
M415-TVC	Black Hills Rustic T/V Corners
M415-TV	Black Hills Rustic T/V Flats
	50% Bed-face, 50% Split- face. Heights: 3in 8in. Lengths: 6in 24in. Random. Color: Light brown, tan, dark brown some rust
M100-TVC	Blue River T/V Corners
M100-TV	Blue River T/V Flats
M148	Chestnut Hill Castlerock Full Veneer
M148-TVC	Chestnut Hill Castlerock T/V Corners
M148-TV	Chestnut Hill Castlerock T/V Flats
	100% Bed-face, Random Squares & Rectangles. Heights: 4in 10.5in. Lengths: Squares & Rectangles Random. Color: Light brown, tan, dark brown some rust
M131	Chopped Fieldstone Full Veneer
	50% Weathered Bed-face, 50% Split-face. Heights: 2in 6in. Unfinished ends. Lengths: 4in. to 12in. Random. Color: Range of browns with some whites & reds
M149KC-TVC	Dove Gray T/V Corners KC
M149KC-TV	Dove Gray T/V Flats KC
M191-TVC	Mountain Ridge T/V Corners
M191-TV	Mountain Ridge T/V Flats
202BL-TVC	Premium Fieldstone Blend T/V Corners 50lf
202BL-TV	Premium Fieldstone Blend T/V Flats
M419KC-TVC	Silver Mist Thin Veneer Corners KC
M419KC-TV	Silver Mist Thin Veneer Flats KC
202MC-TVC	Split Face Fieldstone T/V Corners 50lf
202MC-TV	Split Face Fieldstone T/V Flats
M949-TVC	Tundra Blend TV 3-10 Rubble Corners
M949-TV	Tundra Blend TV 3-10 Rubble Flats
M416KC-TVC	Tuscan Tan T/V Corners KC
M416KC-TV	Tuscan Tan T/V Flats KC

### **Random Height Veneer**

Item#	Product Description
202-TVC-KCES	Weathered Fieldstone T/V Corners
202-TV-KCES	Weathered Fieldstone T/V Flats 3-5
	100% Weathered Edge. Heights: 2in 7in. Lengths: 5in 15in. Random. Colors: Earthtones with some moss & lichens
M139	Weston Cream Full Veneer
M139KC-TVC	Weston Cream T/V Corners KC
M139KC-TV	Weston Cream T/V Flats KC
	**NON STOCK. 100% Split- face. Heights: 4in 12in. ThinCut cannot exceed 10.5in. high. Lengths: Random up to 24in. Color: Light buff cream colored
M146	Willowbrook Blue Castlerock Full Veneer
M146-TVC	Willowbrook Blue Castlerock T/V Corners
M146-TV	Willowbrook Blue Castlerock T/V Flats
	100% Bed-face Squares & Rectangles. Heights: 4in 10in. Lengths: Squares & Rectangles Random. Color: Blue/gray, brown with some rust
M144	Willowbrook Blue Full Veneer
M144-TVC	Willowbrook Blue T/V Corners
M144-TV	Willowbrook Blue T/V Flats
	50% Bed-face, 50% Split- face. Heights: 3in 7in. Lengths: Random. Color: Blue/gray, brown with some rust
M145	Willowbrook Brown Castlerock Full Veneer
M145-TVC	Willowbrook Brown Castlerock T/V Corners
M145-TV	Willowbrook Brown Castlerock T/V Flats
	100% Bed-face Squares & Rectangles. Heights: 4in 10in. Thickness: 2in 6in. Lengths: Squares & Rectangles Random. Color: Shades of rust, brown, tan, dark brown with some blue.
M143	Willowbrook Brown Full Veneer
M143-TVC	Willowbrook Brown T/V Corners
M143-TV	Willowbrook Brown T/V Flats
	50% Bed-face, 50% Split- face. Heights: 3in 7in. Lengths: Random. Color: Shades of brown, tan, dark brown with some rust & blue.

#### Webwall Veneer

ltem#	Product Description
202WEB-TVC-KCES	Weathered Fieldstone Webwall Corners
202WEB-TV-KCES	Weathered Fieldstone Webwall Flats

#### Ledgestone Veneer

ltem#	Product Description
S1502LSKC-TV	Fond Du Lac Multi Ledge 1-2-3
S1506LSKC-TVC	Fond Du Lac Multi Ledge 1-2-3 TV Corners
	Gray shades cut 2.25, 5, and 7.75 height random length.
S907-TV	Grayhawk Dimensional Ledgestone Thin Veneer Flats
S907-TVC	Grayhawk Dimensional Thin Veneer Corners
	Sawn top & bottom, split face. Height: 4,6,8,10. Lengths: Random. Color: Gray
S196-TV	Hawkeye Sawn Ledge T/V Flats
S196-TVC	Hawkeye Sawn Ledge T/V Corners
	100% Bed-face. Natural back. Heights: 2in., 3in., 4in. Lengths: Random up to 24in. Color: Light to dark buffs & browns
S197-TV	Iron Mountain Sawn Ledge T/V Flats
S197-TVC	Iron Mountain Sawn Ledge T/V Corners
	100% Bed-face. Natural back. Heights: 2in., 3in., 4in. Lengths: Random up to 24in. Color: Light to dark blues & browns
S922-TV	Lonestar Ledge Thin Veneer Flats
S922-TVC	Lonestar Ledge Thin Veneer Corner
	Sawn top/bottom & ends. Heights: 2.25. Lengths: Random. Color: Light cream/ buff.
S198-TV	Platinum Sawn Ledge T/V Flats
S198-TVC	Platinum Sawn Ledge T/V Corners
	100% Bed-face. Heights: 2in., 3in., 4in. Lengths: Random up to 24in. Color: Light to dark grays & blues
S1501LSKC-TV	Southern Lime Multi Ledge 1-2-3
S1505LSKC-TVC	Southern Lime Multi Ledge 1-2-3 TV Corners
	Gray shades cut 2.25, 5 , and 7.75 height random length.
S948-TV	Stella Neo Ledge Split 4,6,8 Flats
S948-TVC	Stella Neo Ledge Split 4,6,8 Corners
M163-TV	Yukon Ledge T/V Flats
M163-TVC	Yukon Ledge T/V Corners
	Heights: 1 - 4 Random. Lengths: 5 - 20 Random. Color: Deep rust to dark brown seamface.

# Sawn Drystack Veneer

#### \*\* All Products shown are considered Stock Items. \*\*

ltem#	Product Description
S937-TVC	Comanche Sawn Drystack Thin Veneer Corners
	Sawn top, bottom and ends with a split-face. Natural back. Heights: 3in. & 6in. Lengths: Random up to 30in. Color: Blue
S937-TV	Comanche Sawn Drystack Thin Veneer Flats
	Sawn top, bottom and ends with a split-face. Natural back. Heights: 3in. & 6in. Lengths: Random up to 30in. Color: Blue.
S936-TVC	Muscogee Sawn Drystack Thin Veneer Corners
	Sawn top, bottom and ends with a split-face. Natural back. Heights: 3in. & 6in. Lengths: Random. Color: Blues & browns.
S936-TV	Muscogee Sawn Drystack Thin Veneer Flats
	Sawn top, bottom and ends with a split-face. Natural back. Heights: 3in. & 6in. Lengths: Random. Color: Blues & browns.
S938-TVC	Osage Sawn Drystack Thin Veneer Corners
	Sawn top, bottom and ends with a split-face. Natural back. Heights: 3in. & 6in. Lengths: Random. Color: Brown
S938-TV	Osage Sawn Drystack Thin Veneer Flats
	Sawn top, bottom and ends with a split-face. Natural back. Heights: 3in. & 6in. Lengths: Random. Color: Brown

Travertine Ledge Veneer
\*\* All Products shown are While Supplies Last. \*\*

ltem#	Product Description
474-CC2	Travertine Tumbled 2 Inch T/V (Country Classic) 215.28 SF
477-CC2	Travertine Tumbled 2 Inch T/V Corners (Country Classic) 500 EA
474-12	Travertine Tumbled 2 Inch T/V (Ivory) 193.68 SF
477-12	Travertine Tumbled 2 Inch T/V Corners (Ivory) 500 EA
474-N2	Travertine Tumbled 2 Inch T/V (Noce) 193.68 SF
477-SI2	Travertine Tumbled 2 Inch T/V Corners (Silver) 500 EA
474-SI2	Travertine Tumbled 2 Inch T/V (Silver) 193.68 SF
474-CC4	Travertine Tumbled 4 Inch T/V (Country Classic) 204.44 SF
477-CC4	Travertine Tumbled 4 Inch T/V Corners (Country Classic) 500 EA
474-14	Travertine Tumbled 4 Inch T/V (Ivory) 204.44 SF
477-14	Travertine Tumbled 4 Inch T/V Corners (Ivory) 500 EA
474-N4	Travertine Tumbled 4 Inch T/V (Noce) 204.44 SF
477-N4	Travertine Tumbled 4 Inch T/V Corners (Noce) 500 EA
477-SI4	Travertine Tumbled 4 Inch T/V Corners (Silver) 500 EA
474-CC6	Travertine Tumbled 6 Inch T/V (Country Classic) 193.68 SF
477-CC6	Travertine Tumbled 6 Inch T/V Corners (Country Classic) 500 EA
474-16	Travertine Tumbled 6 Inch T/V (Ivory) 193.68 SF
477-16	Travertine Tumbled 6 Inch T/V Corners (Ivory) 500 EA
474-N6	Travertine Tumbled 6 Inch T/V (Noce) 193.68 SF
477-N6	Travertine Tumbled 6 Inch T/V Corners (Noce) 500 EA
477-SI6	Travertine Tumbled 6 Inch T/V Corners (Silver) 500 EA

### **Building Stone Accessories**

\*\* All Products shown are considered stock items unless otherwise noted.\*\*

ltem#	Product Description
MAN-001	60 inch Notty Pine Mantle with Corbels
	*WHILE SUPPLIES LAST* Comes in Finishes of: Oak, Cherry, Walnut, and No Finish
S-415C-C	Black Hills Corbel (12x8x4)
	12 in. x 8 in. x 4 in. Natural top & bottom. Machine-split on all sides. Colors: Tan, Brown, rust & black.
S-415SIL3	Black Hills Sill 3in. x 24in. (192/ea plt)
S-415SIL6	Black Hills Sill 6in. x 24in. (96/ea plt)
	Sawn back, machine cut three sides. 2.25in. high x 3in. or 6in. deep x 24in. long. Colors: Tan, pink, rust & black *Finishes: Natural top & bottom ONLY!
S-419SIL3	Blue Sandstone Sill 3in. x 24in. (192/PLT)
S-419SIL6	Blue Sandstone Sill 6in. x 24in. (96/PLT)
	*SPECIAL ORDER* Gray to Dark Blue
S-149SIL3	Dove Gray Sill 3in. x 24in.
S-149SIL3x48	Dove Gray Sill 3in. X 48in.
	2.25in. high x 3in. deep x 24in. or 48in. long. Colors: Light gray. Sawn top/bottom and back with three machine cut sides. *Finishes: Honed, Polished, Antique Brush, Bushhammer, Thermal
S-149SIL6	Dove Gray Sill 6in. x 24in.
S-149SIL6x48	Dove Gray Sill 6in. X 48in.
	2.25in. high x 6in. deep x 24in. or 48in. long. Colors: Light gray. Sawn top/bottom and back with three machine cut sides. *Finishes: Honed, Polished, Antique Brush, Bushhammer, Thermal
1802G-701RD	Indiana Limestone Gray Sill 3in. x 48in. (4lf per pc. 60/ea plt)
1802G-110RD	Indiana Limestone Gray Sill 5.5in. x 48in. (4lf per pc. 36/ea per plt)
	2.25in. high x 3in. or 5.5in. deep x 48in. long Honed top, Sawn ends, bottom & back. Face is Rock Face with a Drip Edge. Colors: Gray *Finishes: Antique Brush, Bushhammer, Polished
MAN-004B	Mortise Barn Wood Mantle 5ft (Brown)
MAN-004S	Mortise Barn Wood Mantle 5ft (Silver)
MAN-005B	Mortise Barn Wood Mantle 6ft (Brown)
MAN-005S	Mortise Barn Wood Mantle 6ft (Silver)
S-191SIL3	Mountain Ridge Sill 3in. x 24in. (192/ea plt)
S-191SIL6	Mountain Ridge Sill 6in. x 24in. (96/ea plt)
	2.25in. high x 3in. or 6in. deep x 24in. long Colors: Gray, blue & buff tones. *Finishes: Antique Brush, Bushhammer, Honed, Polished, Thermal

# **Building Stone Accessories**

\*\* All Products shown are considered stock items unless otherwise noted.\*\*

ltem#	Product Description
MAN-002B MAN-002S MAN-003B	Natural Wood Mantle 5ft (Brown) Natural Wood Mantle 5ft (Silver) Natural Wood Mantle 6ft (Brown)
MAN-003S	Natural Wood Mantle 6ft (Silver)
20001-R	Round Outlet Cover
20001-S	Square Outlet Cover
S-139SIL3x48	Weston Cream Sill 3in. X 48in.
	2.25in. high x 3in. deep x 48in. long. Colors: Light buff/cream. Sawn top/bottom and back with three machine cut sides. *Finishes: Honed, Polished, Antique Brush, Bushhammer, Thermal
S-139SIL6	Weston Cream Sill 6in. X 24in.
	2.25in. high x 6in. deep x 24in. long. Colors: Light buff/cream. Sawn top/bottom and back with three machine cut sides. *Finishes: Honed, Polished, Antique Brush, Bushhammer, Thermal

### **Manufactured Accessories**

\*\* All Products shown are considered stock unless otherwise noted.\*\*

ltem#	Product Description
10210LCC	Manufactured Light Cream Pillar Cap (24x24)
	Manufactured Wall Cap 24in. x 24in x 2in 3in. thick with a Natural top and all 4 sides rock faced.
10100LC	Manufactured Light Cream Sill
	3in. deep x 24in. long x 2in. thick. Natural top with rock face ends and front. Flat back.
10200LCWC	Manufactured Light Cream Wall Cap (12x24)
	Manufactured Wall Cap 12in. x 24in. x 2in. with a Natural top and all 4 sides rock faced.

# Accessories

# **Masonry Supplies**

ltem#	Product Description
30531-141	14 Industrial Diamond Blade
50551-141	
30531-41	4 Industrial Diamond Blade
5567	2.5 Ti-Lath (Paper Back) (250EA/Plt)
	10 ea/bundle - 25 bundles/pallet
5567-GS	Galv. Self-Furred Lath
	10 ea/bundle - 25 bundles/pallet
5566	Grade D Tar Paper
	400 sf per roll
5569	1/2 Expansion Joint Double V
	10 ft. per ea 300 ft. per case
5568	X-66 Casing Bead
	10 ft. per ea 300 ft. per case
5565	X2 Corner Bead
	10 ft per ea - 300 ft. per case.

# **Polymeric Sand**

ltem#	Product Description			
EZJ-BAS	Easyjoint Polymeric Sand - Basalt			
EZJ-MUS EZJ-SG	Easyjoint Polymeric Sand - Mushroom Easyjoint Polymeric Sand - Stone Grey			
3560-PG	NextGel Polymeric Sand HP (Prairie Gray) 50# EA			
3560-PT	NextGel Polymeric Sand HP (Prairie Tan) 50# EA			
	56 bags/pallet			
3571-В	Polysweep Polysand Black 50LB			
3571-Р	Polysweep Polysand Platinum 50LB			
3571-Т	Polysweep Polysand Tan 50LB			
	50 lb bag will cover 25-45 sq ft			

### Mortar and Concrete Mix

ltem#	Product Description
PLT-ASH	15.00 Pallet Deposit-Ash Grov
	\$15.00 pallet charge will be charged on of the below products. 100% REFUNDED WHEN RETURNED.
1073	Ash Grove Portland Cement
	92 lb bag - 35 bags / pallet
3601-Shingle	Ashgrove PLS Shingle P-4240
	80 lb bag - 42 bags / pallet
3601-PW	Blend Mortar Type N (White)
3601	Blended Mortar Type S
3601-B	Blend Mortar Type S (Blonde)
3601-R	Blend Mortar Type S (Chocolate)
3601-T	Blend Mortar Type S (Tan/Buff)
	80 lb bag - 42 bags / pallet
3601-CM-1653	Pls Cream Lm 1653
3601-PLS	Portland Lime Type S - Pls
	80 lb bag - 42 bags / pallet
3600	Blended Mortar Type N- 42/Plt
	*NON STOCK* 80 lb bag - 42 bags / pallet
3605	Concrete Mix - 42/Plt
	80 lb bag - 42 bags / pallet
1069	One Coat Stucco Concentrate
	80 lb bag - 40 bags / pallet
1068	Premix Stucco
	80 lb bag - 42 bags / pallet
1070	Quikrete Pre-Mix Stucco 80lb
	80 lb bag - 42 bags / pallet

#### Accessories

ltem#	Product Description			
1280	Caulking Gun - 29 Oz			
3555-8	Diamond Paver Edge - 8 ft.			
	Diamond Paver Edge easily converts to flexible with use of a pruner. 8ft. strips, 10 per bundle. Stakes sold separately #765. 5 stakes recommended per 8ft. strip. Sold by the piece.			
765	Metal Anchoring Stakes (Bulk)			
	9in. galvanized metal stakes, 200 pieces per case. Used for #3555-8 Diamond. Sold by the piece.			
PEPE	Perma Edge - Paver Edging			
	Perma Edge is forumulated to be stronger than concrete but flexible enough to withstand frost heaves and moisture. Its over 700% more flexible than standard concrete and 40% more permeable. Perma edge uses non-porous aggregates. Water and moisture cannot get into the base of the product. It is easier and faster to install than standard plastic edging.			
708-В	Pro Steel Edging (4in x 10ft) 14 GA (1/16) Black			
708	Pro-Steel Edging - 10 ft. (Green) with 4 stakes			
700	14 gauge steel edging, green proclad protective coating 10ft. in length, 10 pcs per bundle, 100lf/ per			
	bundle, 30 bundles per skid. Sold by the piece. Comes with 4 stakes per piece. Corners & Edge kits available on request.			
FCMST 10-50#SS	Spiral Spikes 10 (250 Per Box)			
	10 in. Spiral Spike. 250 spikes per box.			
60050803	StickyStone Gun			
(0050803	Structure Dand Adhasing Curr II			
60050802	Structure Bond Adhesive Gun II			

# Adhesives, Cleaners and Sealers

**\*\*** All Products shown are considered stock.**\***\*

ltem#	Product Description			
3460-1	Bp Pro Wet Look 1 Gal.			
	Wetlook Stabilizing sealer darkens and enhances your pavers, bringing them to life with a semi-gloss finish. Ideal for new or old projects.			
SSE CTN	EF - Efflorescence Cleaner 1 GAL.			
	EF Efflorescence Paver Clean is a product which acts quickly to dissolve efflorescence (white mineral deposits). Prepares surface for sealer. Restores original paver color. Contains no muriatic or hydrochloric acid. Applications: Retaining Walls, Pavers, Brick, Masonry and should be used after spot treatments. Coverage: Up to 200 sf per gallon			
SSPSPRO CTN	HG - High Gloss Paver Sealer 1 GAL.			
SSPSPRO 5GAL	HG - High Gloss Paver Sealer 5 Gal.			
	HG High Gloss Paver Seal is a wet-look, high-gloss paver sealer that protects against sand washout, weed growth & ant infestation. Water based. Creates a barrier against elements that stain & deteriorate paver appearance. Interior/exterior use: Pavers, Retaining Walls, Travertine & Limestone. Not for use on Clay Pavers/Brick, Granite, Bluestone, Slate, Wetcast or structures under hydrostatic pressure. (Coverage is apx. 150 sf/gal. *May vary*)			
SSPC HGX CTN	HGX - High Gloss Cure & Seal X-Treme Paver Seal 1 Gal			
SSPC HGX 5GAL	HGX - High Gloss Cure & Seal X-Treme Paver Seal 5 Gal			
	HGX High Gloss Cure & Seal is a wet-look, high quality paver sealer that extends paver life. Solvent based. Protects any commercial or high traffic area from rust, dirt, pool chemicals, salt & everyday weathering. Stabilizes joint sand, prevents weed growth & ant infestation. Applications: Natural Stone, Exposed Aggregate & Colored Concrete. Not for use on Clay Pavers/Brick, Bluestone, Wetcast or structures under hydrostatic pressure. (Coverage is apx. 250 sf/gal. *May Vary*)			
SSPS CTN	LG - Low Gloss Paver Seal 1 GAL. Wtr. B/Sand S.			
SSPS 5GAL	LG - Low Gloss Paver Seal 5 GAL. Wtr. B / Sand Stabilizer			
	PS Paver Seal Penetrating/Invisible is an invisible/natural-looking penetrating sealer. Water based. Protects surfaces against the damaging effects of water intrusion, acid rain, deicing chemicals, freeze/thaw exposure, airborne dirt & smog. Interior/exterior use. Applications: Pavers, Retaining Walls, Travertine & Limestone. Not for use on Clay Pavers/Brick, Granite, Bluestone, Slate, Wetcast or structures under hydrostatic pressure. (Coverage is apx. 150 sf/gal. *May vary*)			
SSPSPLUS CTN	PS - Paver Seal Penetrating/Invisible - 1 Gal			
SSPSPLUS 5GAL	PS - Paver Seal Penetrating/Invisible - 5 Gal			
	PS Paver Seal Penetrating/Invisible is an invisible/natural-looking penetrating sealer. Water based. Protects surfaces against the damaging effects of water intrusion. Interior/exterior use. Applications: Vertical & Horizontal. Concrete, Retaining Walls, Bluestone, Cultured Stone, Sandstone, Slate, Granite, Clay. Not for use on Limestone, Marble or structures under hydrostatic pressure. (Coverage is apx. 200 sf/gal. *May vary*)			

# Adhesives, Cleaners and Sealers

Item#	Product Description
SSPW CTN	PW - Paver Wash - 1 Gal.
	PW Paver Wash is a general-purpose paver wash. It is a must-use product to prepare pavers for sealing. Removes polyhaze, efflorescence & ground-in dirt. Opens surface pores to accept sealer. Restores original paver color. Contains no muriatic or hydrochloric acid. Applications: Retaining Walls, Pavers, Brick, Masonry and should be used after spot treatments. Coverage: Up to 200 sf per gallon
SSRE CTN 2	RE - Rust Eliminator 1 QT
	RE Rust Eliminator is a heavy- duty concentrated spot treatment that removes rust caused by metal, hard water, high iron aggregate & fertilizer granules. Applications: Pavers, Brick, Concrete and Masonry. Not recommended for use on previously sealed surfaces.
STONE S-HGX CTN	S-HGX High Gloss X-treme Premium Stone Sealer 1 GAL(4/Case)
	Coverage is apx. 250 sf/gal. (May Vary)
1288	Sb8700 Solvent Based Wet Look (1 Gallon)
1288-5	Sb8700 Solvent Based Wet Look (5 Gallon)
	Arcylic sealer that will not yellow under exposure to sunlight. SB-8700 is a 2 in 1 product; it protects the substrate surface and stabilizes jointing sans at the same time. Can be applied immediately after paver installation, as it is a breathable and will not trap the naturally occurring efflorescence. Rain safe in 90 minutes.
AP 10	SRW Adhesive - 10 OZ
A 28	SRW Adhesive - 28 OZ
	Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze - Permanent bond - Solvent- based - Interior/exterior use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. (10oz) 32 ft. (28oz) 89 ft. Bead Size 3/8in. (10oz) 14 ft. (28oz) 35 ft. 12 tubes per case.
SSCG CTN QT4	SRW CG Counter Guard Sealer - 1 QT
	Solvent-based Creates an invisible barrier of defense for outdoor countertops, benches and other work surfaces. Protects surfaces from staining by water, oils, grease, wine, coffee, food and more. Recommended Surfaces: Concrete, wet-cast, granite, bluestone, sandstone and polished and thermaled surfaces. 50-75 sf per quart. Not for use on limestone, marble, structures under hydrostatic pressure.
600507989	StickyStone 20 oz Sausages
34100	Techni-Seal Color Boost 5 Gal
60050798	Techniseal Structure Bond Adhesive (24 Oz) 12
60050800	Techniseal Structure Bond Polyurethan Cleaner (16.4 Oz) 12

# Adhesives, Cleaners and Sealers

ltem#	Product Description
171247	Tenax Ager Tiger Color Enhancer - 1 QT
	Excellent on exotic stone. Suitable for aging marbles, travertines, stones, granites and agglomerates when the
	surface is very porous. Seals against oil and household stains. Provides an excellent wet effect stone
	enhancement.
900000	Tenax Proseal Premium Sealer - 1 QT

#### Pond

ltem#	Product Description
51130	Aquabasin Large 45x45
51133	Aquabasin Small 30x30x10
51617	Aquasurge Pro 2000-4000
51618	Aquasurge Pro 4000-8000
51500	Check Valve Assembly 3 inch
51728	Foam - Diy Waterfall - Black
LF1325	Gun Cleaner 12 Oz. Atlantic
	Model# LF1325. Application LF1310/1315 gun
51727-10.1	Silicone 10.1 Oz
51621	Ultra Pump 800 Gph

#### Fabric and Geo-Grid

ltem#	Product Description				
FCMST 620240	Fabric Staples 6in 11 Gauge (20 Per Bag)				
	6 in. 11 gauge Steel Fabric Staples. 20 staples per bag. 12 bags/box.				
FNW4 04100	SRW NW4 4OZ Weed Mat (4 X 100)				
FNW4 06300	SRW NW4 4OZ Weed Mat (6 x 300)				
FGC3 03050	SRW Professional Weed Mat 4 OZ (3 x 50)				
1245	Steel Fabric Stick Pins 1000/cs				
GSRW U350	Universal Geogrid 3 X 50 (Bi-Directional)				
GSRW U450	Universal Geogrid 4 X 50 (Bi-Directional)				

# Lighting

ltem#	Product Description			
15714BZ	Arc Path Light - Bronze			
1518BZ-LED	Atlantis Path Light Bronze LED			
1580DT	Digital Astronomic Timer (Discontinued)			
1544BK-LED	Ellipse Path Light - Black LED			
1544SC-LED	Ellipse Path Light - Southern Clay			
1561AR-LED	Harbor Path Light - Anchor Bronze			
1561SK-LED	Harbor Path Light - Satin Black			
16016MZ-LED	Hardy Island Round Mini Classic Path Light -Brass- Matte Bronze			
	Hardy Island Dound Cide Mount Dath Light Dross Matta Pronze			
16012MZ-LED	Hardy Island Round Side Mount Path Light -Brass- Matte Bronze			
TN111RM40	Intermatic Plug-In Lighting Timer			
milinato				
00G2SE-75	Led Module -(12W LED Insert for 1536 Series) 10 Pak (Discontinued)			
00G2SE-50	Led Module - (8W LED Insert for 1536 Series) 10 Pak (Discontinued)			
00G2SE-35	Led Module -(5W LED Insert for 1536 Series) 10 Pak (Discontinued)			
00G2SE-20	Led Module - (3W LED Insert for 1536 Series) 10 Pak (Discontinued)			
15508BZ	Luna Step Light - Bronze			
15442BZ	Nexus Hardscape Deck Light - Large Bronze			
15440BZ	Nexus Hardscape Deck Light - Small Bronze			
15448BZ	Nuvi Hardscape Cap Light - 10 Inch Bronze Vinyl Alloy			
15448ST	Nuvi Hardscape Cap Light - 10 Inch Sandstone Vinyl Alloy			
15444ST	Nuvi Hardscape Cap Light - 3 Inch Sandstone Vinyl Alloy			
15444ST-10	Nuvi Hardscape Cap Light - 3 Inch Sandstone Vinyl Alloy - 10 Pak			
4544000	Nuni Handasana Can Linkt. E Ingh Dugung Minut Allau			
15446BZ	Nuvi Hardscape Cap Light - 5 Inch Bronze Vinyl Alloy			
15446BZ-10	Nuvi Hardscape Cap Light - 5 Inch Bronze Vinyl Alloy - 10 Pak			

# Lighting

ltem#	Product Description
15446ST	Nuvi Hardscape Cap Light - 5 Inch Sandstone Vinyl Alloy
15446ST-10S	Nuvi Hardscape Cap Light - 5 Inch Sandstone Vinyl Alloy - 10 Pak (Discontinued)
00G2FO-FLOOD	Optic FLood Lens Insert for 00G2SE Led Insert (Discontinued)
00G2FO-MEDIUM	Optic Medium Lens Insert for 00G2SE Led Insert (Discontinued)
00G2FO-SPOT	Optic Spot Lens Insert for 00G2SE Led Insert (Discontinued)
0150SS	Pro Series Transformer - 150 W
PT-BUL1-BZ-NL	Pro-Trade BUL1 Up Light Aluminum Housing Bronze Finish No Lamp
PT-BUL1-BS-LED-3FL	Pro-Trade BUL1 Up Light Brass Antique Finish with 3W 2700K 38 Degree MR16 LED
PT-FL1-BK-NL	Pro-Trade FL1 Flood Light Aluminum Housing Black Finish No Lamp
PT-FL1-BS-NL	Pro-Trade FL1 Flood Light Brass Housing Antique Finish No Lamp
PT-FL2-BS-LED	Pro-Trade FL2 Flood Lighting Brass Housing Antique Finish w/ 2.5W 2700K T3 LED
PT-HL1-BS-LED	Pro-Trade HL1 Hanging Light Brass Housing Antique Finish w/ 2.5W 2700K T3 LED
PT-IG1-BS-NL	Pro-Trade IG1 In-Ground Light Composite Housing Antique Brass Clear Cover No Lamp
PT-IG2-BS-NL	Pro-Trade IG2 In-Ground Light Composite Housing Antique Brass Louvered Cover No Lamp
PT-LL1-BK-LED	Pro-Trade LL1 7 in. Ledge Light Black Finish & Stainless Steel Mounting Plate w/ 1.25W 2700K LED
PT-MR16-3FL-27	Pro-Trade MR16 LED 3W 250 Lumens 2700K 38 Degree
PT-DL1-BS-LED	Pro-Trade PT-DL1 Deck Light Brass Housing Antique Finish with 2.5W 2700K T3 LED
PT-PTH1-BZ-LED	Pro-Trade PTH1 Path Light Aluminum Housing Bronze Finish w/180 Lumen 2.5W 2700K T3 LED
PT-PTH1-BS-LED	Pro-Trade PTH1 Path Light Brass Housing Antique Finish w/180 Lumen 2.5W 2700K T3 LED

# Lighting

ltem#	Product Description		
PT-SL1-BS-LED	Pro-Trade SL1 Surface Mounted Step Light 4.5 in. Antique Brass Faceplate Integrated 2W 2700K LED		
PT-SL2-BS-LED	Pro-Trade SL2 9 in. Surface Mounted Step Light Antique Brass Faceplate Integrated 4W 2700K LED		
PT-T3-2.5-27	Pro-Trade T3 LED G4 Bi-Pin Base 2.5W 2700K		
PT-TR1-150SS	Pro-Trade TR1 Transformer 150W Stainless Steel		
27G2SE-20 27G2SE-35	Spot Light - 3 Watt LED (Discontinued) Spot Light - 5 Watt LED (Discontinued)		
1536BZ 1536MZ	Spot Light - 50W MR16 Spot - Bronze w/Spike Spot Light - (Hardy Island) 50W MR16 Spot - Matte Bronze w/Spike		
27G2SE-75 27G2SE-50	Spot Light -12 Watt LED (Discontinued) Spot Light -8 Watt LED (Discontinued)		
0300SS	Transformer - 300 Watt - Stainless Steel		
0250FT	Wire (12 Gauge) 250 FT		
0500FT	Wire (12 Gauge) 500 FT		

# **Conversion Charts** & Reference Info.

# Aggregate Chart

2 4 57	2.5"-3"	Bases and filling in bad mud			oximate	
	4 51	bases and mining in bad mud	conditions	Size of baseballs and softb		
57	1.5"	Mass concrete, railroad balla	Mass concrete, railroad ballast, filler stone		Size of golf balls	
÷.	1/4" - 1"	Concrete, asphalt base, fill		Size of a walnut		
8	3/8"	Asphalt, pipe bedding, draina	age, driveways	Size of a peanut	Size of a peanut	
9	1/4"	Ice control, roofing, drainage	e, road topping	Size of a pencil eraser (pea)		
304	2" down	Base for roads, parking lots a	and drives	Golf ball size down to dust,		
411	3/4" down	Road berms, topping for driv	es, parking lots, patios	Walnut size down to dust,		
703	1/4" down	Topping, screening, patios		1/4" to dust fines to level,		
Type A	18" x 30"	Rip-Rap material				
Туре В	12" x 24"	Rip-Rap material		Reservoirs, ponds, dams. The more water, the larger the stone should be		
Type C	6" x 18"	Rip-Rap material				
Type D	3" x 12"	Rip-Rap material		1		
	Type A, B, C, D dum	oed rock filling conforms with C	DDOT Specification 317.07	, which reads as follows:		
<ul> <li>Type A</li> </ul>	18" x 30"					
	O At least 85% larger than	18" but less than 30"	o At least 50	% larger than 24"		
	<ul> <li>Materials smaller than</li> </ul>	18" consisting predominantly of	rock spalls and fines and s	hall be free of soil		
●Type B	12" x 24"					
	• At least 85% larger than 12" but less than 24" • At least 50% larger than 18"					
	o Materials smaller than 12" consisting predominantly of rock spalls and fines and shall be free of soil					
	e C 6" x 18"					
	o At least 85% larger than			% larger than 12"		
		6" consisting predominantly of r	ock spalls and fines and sh	all be free of soil		
<i>,</i> ,	3" x 12"					
	<ul> <li>At least 85% larger than</li> </ul>		<ul> <li>At least 50% larger than 6"</li> <li>rock spalls and fines and shall be free of soil</li> </ul>			
	o Materials smaller than		-	all be free of soil		
		Rule Of	Thumb			
	f anything clean ( 2, 4, 57		1.5 Tons			
	f anything w/dust ( 304, 4	-	2 Tons			
A cubic yard o	f rip-rap ( Type A, B, C, D		1.5 Tons			
	To Convert To	lons		nches To Feet (decimal)		
	length X width	an las also suitelals	1" = .0833	7" = .5833		
-	h (in feet) and multiply th	hat by the width	2" = .1667	8" = .6666		
(in feet) To convert inches to feet see table at side			2 = .1667 3" = .2500	8 = .6666 9" = .7500		
	ver and divide by 27	uc	3 = .2500 4" = .3333	9 = .7500 10" = .8333		
TUNE LIIS ALISM	ver and divide by 27		43335	100555		
Then to figure	tonnage multiply that an	swer by one of the following:	5" = .4167	11" = .9166		
#2, 4, 57, 8, 9 Multiply that answer by one of the following.		6" = .5000	12" = 1.000			
304, 411, 703	(sands)	Multiply by 2.0				
		Multiply by 1.9				

#### **Conversion Chart**

Useful Conversions	Formulas for Calculations
Square Feet = Square Inches X .007	Area in Square Feet = Length X Width
Square Yards = Square Feet X .111	Triangle Area = Base Length X .5 Perpendicular Height
1 Square Yard = 9 Square Feet	Circle Area = Diameter <sup>2</sup> X .7854
1 Cubic Yard = 27 Cubic Feet	Circle Circumference = Diameter X 3.1416
U.S. Gallons = Cubic Feet X 7.48	Circle Diameter = Circumference X .31831
Cubic Feet = 1 U.S. Gallon X .13368	Cubic Volume = Length X Width X Depth
1 U.S. Gallon weighs 8.33 pounds	
1 Acre = 43,560 Square Feet	Coverage for Various Depths
Typical Home Yards = 5 to 7,000 sq.ft.	ONE CUBIC YARD WILL COVER:
	324 Square Feet at a 1" depth
Bagged Gravel	162 Square Feet at a 2" depth
1 Cubic Foot bag spread 1" thick covers 12 sq.ft	108 Square Feet at a 3" depth
1/2 Cubic Foot bag spread 1" thick covers 6-9 sq.ft.	81 Square Feet at a 4" depth
	65 Square Feet at a 5" depth
	54 Square Feet at a 6" depth

#### Converting Tonnage to Coverage for Various Materials (Weight to Volume)

Material	Pounds per Cubic Yard	<u>1 Ton Covers</u>
Limestone Aggregate	1900	111 Square Feet at 3" depth
Limestone Grade 8	2300	93 Square Feet at 3" depth
Meramec Rock	2000	108 Square Feet at 3" depth
Sand	2250	96 Square Feet at 3" depth
Landscaping Stone (most types)	2150	100 Square Feet at 3" depth
Lava Rock	1075	200 Square Feet at 3" depth
Limestone Dry Wallstone	NA	Wall 1 Foot High X 20 Feet Long
Sandstone Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Red Granite Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Brown Natural Wallstone	NA	Wall 1 Foot High X 25 Feet Long
Limestone Flagstone	NA	Walkway 3' Wide X 30 Feet Long
Sandstone Flagstone	NA	Walkway 3' Wide X 30 Feet Long

# **Conversion Chart**

Aggregate - Coverage				
Approximate Coverage per Ton of Stone:				
Lava Chips	~	350 Sq. Ft.	-	2" Deep
All Other Pebbles	~	100 Sq. Ft.	-	2" Deep
1" to 4" Cobbles	~	60 Sq. Ft.	-	4" Deep
Sq. Ft. Coverage pe	r To	on of Stone:		
1" Deep	~	200 Sq. Ft.		
2" Deep	~	100 Sq. Ft.		
3" Deep	~	70 Sq. Ft.		
4" Deep	~	50 Sq. Ft.		
5" Deep	~	40 Sq. Ft.		
6" Deep	~	36 Sq. Ft.		

Boulders - Outcropping - Slabs						
Average weight for	Average weight for Boulders:					
12"	=	100 - 500	LBS			
24"	=	500 - 1000	LBS			
36"	=	2000 - 3000	LBS			
48"	=	4000 - 6000	LBS			
Average weight for Slabs:						
6" Thick / 3' x 3'	=	750	LBS			
8" Thick / 3' x 3'	=	1000	LBS			
10" Thick / 3' x 3'	=	1250	LBS			
12" Thick / 3' x 3'	=	1500	LBS			
Average weight for Steps:						
7"x18"x36"	=	450	LBS			
7"x18"x48"	=	575	LBS			

Irregular Wall Stone				
Average Wt. per cubic foot	=	150 to 170 lbs per cubic foot		
8" Wide Wall	=	18 to 20 Sq. Face Ft./Ton		
12" Wide Wall	=	13 to 15 Sq. Face Ft./Ton		
15" Wide Wall	=	10 to 12 Sq. Face Ft./Ton		
18" Wide Wall	=	8 to 10 Sq. Face Ft./Ton		

Adhesive
Covarage: 1 Tube of Adhesive will cover
30 feet of stone using two parallel beads.

Building Veneer Stone				
4"	=	40 Sq. Ft. per Ton		
5"	=	35 Sq. Ft. per Ton		

	Base Volume Chart					
		(in c	ubic ya	rds)		
Sq. Ft.	1"	2"	3"	4"	5"	6"
25	0.08	0.31	0.46	0.62	0.77	0.93
50	0.15	0.62	0.93	1.23	1.54	1.85
75	0.23	0.93	1.39	1.85	2.31	2.78
100	0.31	1.23	1.85	2.47	3.09	3.7
125	0.39	1.54	2.31	3.09	3.86	4.63
150	0.46	1.85	2.78	3.7	4.63	5.56
175	0.54	2.16	3.24	4.32	5.4	6.48
200	0.62	2.47	3.7	4.94	6.17	7.41
225	0.69	2.78	4.17	5.56	6.94	8.33
250	0.77	3.09	4.63	6.17	7.72	9.26
275	0.85	3.4	5.09	6.79	8.49	10.19
300	0.93	3.7	5.56	7.41	9.26	11.11

	<u>C</u>	obbles
5" to 10"	=	35 to 40 Sq. Ft./Ton
10" to 15"	=	25 to 30 Sq. Ft./Ton

Cut Drywalls				
Coverage per pre-cut dywalls:				
6" Wide = 28 to 30 Sq. Ft./Ton				
8" Wide	=	18 to 20 Sq. Ft/Ton		
12" Wide	=	13 to 15 Sq. Ft./Ton		

Flagstone - Steppers			
Square foot coverage per ton of stone:			
3/4" to 1"	=	100 to 120 Sq. Ft./Ton	
1" to 1 1/2"	=	90 to 100 Sq. Ft./Ton	
1 1/2" to 2"	=	80 to 90 Sq. Ft./Ton	

#### **Polymeric Sand to Paver Joints**

Coverage: 66 lbs. will cover 65 to 97 sq. ft. with narrow joints, or 22 to 43 sq. ft. with wide joints.

Spray Paver and Joint Sealer			
Material Sq. Ft./Gallon			
Brick	150-200		
Stone	150-200		
Concrete Walls & Floors	150-200		
Pavers, Concrete & Clay	100-150		
Retaining Walls	100-300		

#### Glossary

#### Stone Cuts

•

- Full Veneer Natural building stone with an average depth of 4".
- ThinCut<sup>™</sup> Veneer Natural building stone that is mechanically sawn to a depth of approximately 1" thick and is about 1/4 of the weight of full veneer.
- Random Height Generally, stone with heights created by the random natural horizontal layering in the quarry
- known as bed-face. The stone is snapped by a hydraulic splitter to an approx. 3" 5" depth. Random Height stone can also be created by snapping the stone to specific heights with a hydraulic splitter leaving a rough texture on all sides of the stone.

Tumbled Random Height - Generally, stone with heights created by the random natural horizontal layering in the quarry known as bed-face. The stone is snapped by a hydraulic splitter to an approx. 3" - 5" depth. Tumbled

- Random Height stone can also be created by snapping the stone to specific heights with a hydraulic splitter leaving a rough texture on all sides of the stone. Tumbled Random Height stone is then mechanically tumbled to break off the sharp edges and create a smoother appearance.
  - Dimensional Created by sawing the stone to specific heights, typically 2 1/4", 5" & 7 3/4". 10 1/2" is available in most stones at an additional charge, this size is considered a jumper. The stone will fit together in a dimensional pattern.

Tumbled Dimensional - Created by sawing the stone to specific heights, typically 2 1/4", 5" & 7 3/4". 10 1/2" is

- available in most stones at an additional charge, this size is considered a jumper. Tumbled Dimensional is then mechanically tumbled to break off the sharp edges and create a smoother appearance. The stones will fit together in a dimensional pattern.
- Webwall A pattern of different random shapes and sizes of stones that fit together as orderly as the mason or home owner desires. Typically created from natural wall stones or flagstones.

Tumbled Webwall - A pattern of different random shapes and sizes of stones that fit together as orderly as the

• mason or home owner desires. Typically created from natural wall stones or flagstones. Tumbled Webwall is then mechanically tumbled to break off the sharp edges and create a smoother appearance.

#### Stone Finishes

- Antique Brush Finish Also known as Leather-look finish. In stone, a smoothed textured surface, just short of polished, imparted by a mechanical rubbing process.
- Bullnose A convex, semicircular molding used on edges of such masonry units as stair treads, window sills, caps & coping. Can be 1/2 or full bullnose, meaning both top & bottom edges are finished.
- Bushhammer Finish A stone surface used decoratively or to provide a roughened traction surface.
- Honed Finish In stone, a very smooth surface, just short of polished, imparted by a mechanical rubbing process.
- Natural Finish In stone, the natural texture of the material, untouched by mechanical processes.
- Ogee Edge A stone profile with a reverse curved edge: concave above, convex below.
- Polished Finish The finest & smoothest finish available in stone characterized by a gloss or reflective property. Generally only possible on hard, dense materials.

Rock-face - Also known as pitched stone, rough-faced stone that has had each edge of the exposed face pitched or

- hand chiseled. It is cut at a very low bevel, nearly in the plane of the face, in a straight line to form a defined ridge at each mortar joint.
- Sawed Finish Also called sawed-face. Any stone surface left by a sawing process.
- Thermal Finish In stone, a finish created by mechanically heating the surface of a stone to create a unique texture.

Section 40-1

#### GLOSSARY

#### Stone Faces

- Bed-face The natural horizontal layers found in rock formations. Can produce a variety of colors depending on the mineral deposits within the formation.
- Face 1) The exposed surface of a wall or masonry unit.

NOTES	







# www.SemcoOutdoor.com





# OUR LOCATIONS

#### **CORPORATE OFFICE**

(800) 814-1072 50 Robinson Industrial Dr. Perryville, MO 63775 info@semcostone.com

#### CINCINNATI, OHIO

(513) 725-0070 11864 Chesterdale Road Cincinnati, OH 45246 infoOH@semcostone.com

#### **COLUMBUS, OHIO**

(614) 861-4668 6015 Taylor Road Columbus, OH 43230 infoOH@semcostone.com

#### **KANSAS CITY, MO**

(816) 318-1203 2515 Semco Drive Belton, MO 64012 infoKC@semcostone.com