2022 PRODUCT INFO GUIDE

CINCINNATI









TOP PHOTO: Weathered Limestone / Sandstone Boulders and Ledgerock

MIDDLE PHOTO: Black Hills Rustic Flagstone

LANDSCAPE STONE

BOTTOM PHOTO: Black Hills Rustic Machine Cut Steps



 \star The Semco Promise \star

Semco Stone owns and operates our own quarries. We pride ourselves in providing a natural and quality product. Our diverse building stone collection has some of the most unique products you will find. The beauty of our products is they are made from natural stone, therefore variations should and can be expected. Even though colors in this brochure are as close to the actual stone as possible, photographic and printing techniques – and even actual viewing conditions – can alter perception of color.

Selections should be made from actual samples whenever possible, but even samples can vary from the delivered product simply because the beauty of natural stone is that each piece is unique. Semco Stone does the best we can to maintain consistent colors and textures. Communication is key with masons, contractors and your sales representative so that Semco can do our best to provide exactly what you need to complete your dream project.

As the largest distributor of natural stone products in the Midwest, at Semco Stone, we have earned our reputation through consistent products, advancements in technology, and quality and service that exceed industry standards, laying a solid groundwork for your success. We operate to ensure lasting satisfaction and something our customers can enjoy for years to come.

"People don't buy what you do; they buy why you do it. And what you do simply proves what you believe."









SEMCOOUTDOOR.COM

Table of Contents

Prefix

Terms & Policies Return Policy

LANDSCAPE PRODUCTS

	NATURAL STONES
Section 1	8" Drywall and Coping
Section 2	Natural Wall Stone
Section 3	Steppers
Section 4	Flagstone
Section 5	Pattern Flooring
Section 6	Cobbles
Section 7	Boulders
Section 8	Ledgerock
Section 9	Natural Stone Edging
Section 10	Natural Stone Steps
Section 11	Step Treads
Section 12	Stone Caps
	OUTDOOR UPGRADES
Section 13	Outdoor Living
Section 14	Aggregates
Section 15	Mulches
	CONCRETE PAVERS
Section 16	Pavers Unilock
Section 17	Pavers Hessit
Section 18	Pavers County Materials
Section 19	Polymeric & Jointing Sand
	CONCRETE WALLS & COPING
Section 20	Retaining Wall Unilock
Section 21	Retaining Wall Hessit
Section 22	Retaining Wall County Materials
	ACCESSORIES
Section 23	Accessories
Section 24	Lighting
Section 25	Adhesives, Cleaners, Sealers
Section 26	Fabric & GeoGrid
	Table of Contents

BUILDING STONE PRODUCTS

Section 27	Random Height
Section 28	Ledgestone
Section 29	Travertine Ledge
Section 30	Manufactured Veneer
Section 31	Building Stone Accessories
Section 32	Masonry Supplies

CONVERSION CHARTS & REFERENCE INFO.

Section 33	Aggregate Chart
Section 34	Conversion Charts
Section 35	Delivery Rates

Phone: 513-725-0070 * Fax: 513-725-0067 www.SemcoOutdoor.com * infoOH@semcostone.com

Table of Contents

TERMS & POLICIES

- Prices are subject to change without notice.
- Please call for current freight rates. Freight rates will include any fuel surcharges.
- For Direct Ship Prices, please contact your Semco Outdoor Sales Representative
- Freight Rate includes 30 minutes of unload time at site, extended time is subject to an additional fee.
- All quotes by Semco Outdoor are approximate amounts based on measurements given by the customer. We are not liable for any shortages or overages of material based on our quotes.
- Quotes are vaild for 30 days. After 30 days project and/or material may need to be requoted.
- Prices do not include templates, patterns or engineering unless otherwise indicated.
- Special order or non-stock material 50% non-refundable deposit prior to material being fabricated or brought into our yard NO RETURNS.
- Stone products are a natural product and subject to the natural variances in color, size and quantity.
- Breakage up to 5% is considered normal with natural stone products.
- Discrepancies/damage must be reported within 5 business days of delivery.
- Warranty Policy: All products with warranties must be returned with a copy of the original invoice.
- Return Policy: All returns are subject to a 20% restocking fee. Discontinued material is not able to be
 returned. No returns after 30 days. Original receipt is required. A freight rate applies to any picked up returned material from jobsite.
- Accepted Payment Options: Cash, Check, Credit Card (American Express, Discover, MasterCard, Visa), or Check by Fax (please call for more details).
- Accounts without copies of proper tax exemption certificates on file will be assessed applicable taxes.

Terms & Policies

RETURN POLICY

- 1. All Returns including pallets must be completed no later than 60 days from date of Invoice.
- 2. Restock and Freight will be deducted from Return Credit.
- 3. Proof of Original Invoice must be provided to initiate return.
- 4. There are NO returns allowed on Non-Stock and Special-Order items.
- 5. Natural Stone must be in original packaging and in resaleable condition. All returned product is subject to a 20% Restock Fee
- 6. Concrete products are returnable in Full pallets only, in original packaging.
- 7. We do not accept returns of any bagged products, including Polymeric Sand.
- 8. Semco reserves the right to refuse any return not in saleable condition.
- 9. Only approved materials with pictures will be picked up from jobsites.
- 10. Materials picked up from jobsite will be charged a full Freight Charge regardless of the quantity picked up. All pick-ups are subject to additional charges if time on site is longer than 30 minutes.
- 11. It is our discretion if material is ready for pick up once on site.

Revised 1/10/2022

Landscape Products

8 Inch Drywall & Coping	
	** All Products shown are considered Stock Items. * *
ltem#	Product Description
142	Black Hills Rustic 8 inch Drywall
	Multi earthtone-colored sandstone. Snapped front & back with natural beds. Heights average 3.5in 4.5in. and
	lengths of 12in 36in. Plt.Wt. 3200-3800 lbs. Apx. 20 fc. ft./ton.
115	Chilton 8 inch Drywall (2in-3in Thick)
	Blue-gray Limestone with lavender surfaces snapped 8in. depth x 2in 3in. thick x 12in - 36in. length. Plt.Wt. 3000-
	3200 lbs. Apx. 20 fc. ft./ton.
101-2	Fond Du Lac 8 inch Drywall (2in-3in Thick)
101 2	Buff to gray color. Natural layered, very dense limestone in 2in 3in. heights, random lengths. Apx.Plt.Wt. 4000 lbs.
	Apx. 18 fc. ft./ton.
101-3	Fond Du Lac 8 inch Drywall (3-4 Thick)
101-5	GBuff to gray color. Natural layered, very dense limestone in 3in 4in. heights, random lengths. Apx.Plt.Wt. 4000
	lbs. Apx. 18 sf/ton.
27005 402	
2700F-102	Indiana Limestone Garden Wall (3in x 8in x Random) Creamy buff and gray colored limestone, sawn 3in. thick. 12in. to 24in. random lengths. Apx. Plt. Wt. 4000 lbs. Apx.
	20 fc. ft./ton.
2700F-103	Indiana Limestone Garden Wall (6in x 8in x Random) Creamy buff and gray colored limestone, sawn 6in. thick. 12in. to 24in. random lengths. Apx. Plt. Wt. 4000 lbs. Apx.
	20 fc. ft./ton.
159	Indiana Tumbled 8 inch Sawn Top & Bottom Drywall
	Creamy buff and gray colored limestone, sawn and tumbled 3in. and 6in. thicknesses 12in 24in. random lengths. Apx. Plt. Wt. 4000 lbs. Apx. 20 fc. ft./ton.
116-12B	Lannon Buff Splitface 12 inch Coping (2in - 3in Thick)
	Buff and Tan Limestone snapped 12in. deep and runs 2in 3in. thick. Plt.Wt. 3000-3200 lbs. Apx. 12 fc. ft./ton.
116-B	Lannon Buff Splitface 8 inch Drywall (2in-3in Thick)
	Buff color snapped 8in. deep and runs 2in 3in. thick. Plt.Wt. 3000-3200 lbs. Apx. 20 fc. ft./ton
116-12G	Lannon Grey Splitface 12 inch Coping (2in - 3in Thick)
	Grey Limestone snapped 12in. deep and runs 2in 3in. thick. Plt.Wt. 3000-3200 lbs. Apx. 12 fc. ft./ton.

Section 1-1

	8 Inch Drywall & Coping	
	** All Products shown are considered Stock Items. * *	
ltem#	Product Description	
116-G	Lannon Grey Splitface 8 inch Drywall (2in-3in Thick)	
	Grey Limestone snapped 8in. deep and runs 2in 3in. thick. Plt.Wt. 3000-3200 lbs. Apx. 20 fc. ft./ton	
102	Oakfield 8 inch Drywall	
	Light buff colored limestone, textured beds with quartz pockets, 2in 3in. heights, random lengths. Apx.Plt.Wt. 4000 lbs. Apx. 18 fc. ft./ton.	
135	Summit Gray 8 inch Drywall	
	Gray and brown in color, snapped 8in. x 4in 5in. x random lengths up to 36in. Apx.Plt.Wt. 3500-4000 lbs. Apx. 20 fc. ft./plt.	
1355	Summit Gray 8 inch Drywall (3in and 6in Mixed)	
	Gray and brown in color, snapped 8in. deep & sawn top & bottom in 3in. and 6in. heights, random lengths up to 36in. Apx.Plt.Wt. 3500- 4000 lbs. Apx. 20 fc. ft./plt.	
136	Wind River 8 inch Drywall	
	Tan, pink, rust & dark brown in color, snapped 8in. x 4in 5in. x random lengths up to 36in. Apx.Plt.Wt. 3500-4000 Ibs. Apx. 20sf/plt.	
136S	Wind River 8 inch Drywall (3in and 6in Mixed)	
	Tan, pink, rust & dark brown in color, snapped 8in. x 3in. and 6in. x random lengths up to 36in. Apx.Plt.Wt. 3500-4000 lbs. Apx. 20 fc. ft./plt.	



Natural Wall Stone

** All Products shown are considered Stock Items.**

ltem#	Product Description
227	Choctaw Tumbled Natural Wall (2in - 3in Thick)
	Light mocha brown with dark brown edges & highlights. Tumbled. Average thickness is 2in 3in. and is apx. 6in 24in. in diameter. Plt.Wt. 3000- 3500 lbs. Apx. 15 fc. ft./ton.
227-U	Choctaw Untumbled Natural Wall (2in - 3in Thick)
	Light mocha brown color with dark brown edges & highlights. Average thickness is 2in 3in. and is apx. 6in 24in. in diameter. Plt.Wt. 3000- 3700 lbs. Apx. 15 fc. ft./ton.
241-U	Hickory Gray Untumbled Natural Wall
	Medium to dark gray in color. 2in 3in. thick with diameters ranging between 12in 24in. Plt.Wt. 3000- 3800 lbs. Apx. 15 fc. ft./ton.
250	Summit Gray Tumbled Natural Wall
	Light gray sandstone with some brown in irregular pieces averaging 2in 3in. thick, apx. 12in 24in. length. Fairly flat beds. Plt.Wt. 2500-3000 lbs. Apx. 15 fc. ft./ton.
251	Wind River Tumbled Natural Wall

Orange/rust colors in irregular pieces averaging 2in. - 3in. thick, apx. 12in. - 24in. length. Fairly flat beds. Plt.Wt. 2500-3000 lbs. Apx. 15 fc. ft./ton.

Steppers

** All Products shown are considered Stock Items.**

ltem#	Product Description
305	Chilton Steppers
	Gray, blue, burgundy & red in color, averaging 1in 2in. thick, & apx. 12in 20in. in diameter. Plt.Wt. 3800- 4300 lbs. Apx. 90 sf/ton.
302	Fond Du Lac Steppers
	Buff to gray colored limestone. Averaging 1in 2in. thick, irregular pieces apx. 8in 18in. in diameter with naturally smooth beds. Plt.Wt. 3800- 4200 lbs. Apx. 90 sf/ton.
330	Hickory Gray Steppers (1 inch)
	Medium to dark gray with a consistent 1in. thickness and diameters averaging between 12in 30in. Apx.Plt.Wt. 3000 lbs. Apx. 110-120 sf/ton.
331	Hickory Gray Steppers (2 inch)
	Medium to dark gray with a consistent 2in. thickness and diameters averaging between 12in 30in. Apx.Plt.Wt. 3000 lbs. Apx. 80 sf/ton.
316-B	Lannon Buff Steppers (1 1/2in - 3in Thick)
	Multi colors of brown, rust, orange, buff & gold. Apx. 1.5in 3in. thick and average diameters of 12in 24in. Plt.Wt. 3800-4300 lbs. Apx. 90 sf/ton.
316-G	Lannon Grey Steppers (1 1/2in - 3in Thick)
	Multi colors of light to dark grey. Apx. 1.5in 3in. thick and average diameters of 12in 24in. Plt.Wt. 3800- 4300 lbs. Apx. 90 sf/ton.
303	Oakfield Steppers

Light buff colored limestone, averaging 1in. - 2in. thick, irregular pieces apx. 8in. - 18in. in diameter. Highly textured bed with quartz pockets. Plt.Wt. 3800-4200 lbs. Apx. 90 sf/ton.

Section 3-1

Flagstone

ltem#	Product Description
415-1	Black Hills Rustic Flagstone (1 inch)
	Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses. 1in 1.5in. x 12in 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 110- 120 sf/ton.
415	Black Hills Rustic Flagstone (2 inch)
	Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 80 sf/ton.
415-SU1	Black Hills Rustic Standup Flagstone (1 inch)
	Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses of 1in 1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.
415-SU2	Black Hills Rustic Standup Flagstone (2 inch)
	Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses of 1.75in - 2.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.
419-SU1	Blue Sandstone Standup Flagstone (1 inch)
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200- 4500 lbs. Apx. 110-120 sf/ton
419-SU2	Blue Sandstone Standup Flagstone (2 inch)
	Gray to dark blue. A hard and very flat sandstone with consistent thicknesses of 1.75in 2.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. 80 sf/ton.
422-SU1	Blue/Brown Standup Flagstone (1 inch)
	RRust, brown to gray/blue. A hard and very flat sandstone with consistent thicknesses of 1in 1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.
422-SU2	Blue/Brown Standup Flagstone (2 inch)
	Rust, brown to gray/blue. A hard and very flat sandstone with consistent thicknesses of 1.75in 2.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.
401	Fond Du Lac Flagstone
	BBuff to gray limestone with a smooth bed. 1.5in 2in. x large sheets averaging 20in 36in. diameters. Plt.Wt. 3500- 4200 lbs. Apx. 90 sf/ton.

Flagstone	
** All Products shown are considered Stock Items.**	
ltem#	Product Description
450	Hickory Gray Flagstone
	Medium to dark gray irregular flagstone. 2in 2.5in. thick with diameters averaging 24in 40in. Plt.Wt. 3000-3500 lbs. Apx. 80 sf/ton.
416-B	Lannon Buff Flagstone (1 1/2in - 3in Thick)
	Multi colors of brown, rust, orange, buff & gold. Apx. 1.5in 3in. thick and average diameters of 24in 36in. Plt.Wt. 3000- 3800 lbs. Apx. 90 sf/ton.
416-G	Lannon Grey Flagstone (1 1/2in - 3in Thick)
	Multi colors of grey light to dark. Uniform thickness of apx. 1.5in 3in. and average diameters of 24in 36in. Plt.Wt. 3000-3800 lbs. Apx. 90 sf/ton.
402	Oakfield Flagstone
	Light buff limestone, highly textured bed with quartz pockets. Apx. 2in 3in. thick, large sheets averaging 24in 40in. diameters. Plt.Wt. 3200- 3700 lbs. Apx. 90 sf/ton.
407-2	Pennsylvania Blue Standup Irregular Flag - Full Color (2 inch)
	Full color. Irregular flagging 1.5in 2.5in. thick. Large stand up sheets. Apx. 24in 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 80 sf/ton.
411-2	Summit Gray Flagstone (2 inch)
	Sandstone, light gray with some brown. Very smooth consistent beds. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton.
411-SU1	Summit Gray Standup Flagstone (1 inch)
	Sandstone, light gray with some brown. Very smooth consistent beds. 1in 1.75in. thick and sizes ranging from 2ft. x 2ft. up to 3ft. x 4ft. Plt.Wt. 3800-4500 lbs. Apx. 110-120 sf/ton.
411-S	Summit Gray Supreme Flagstone
	Sandstone, light gray with some brown. Very smooth consistent beds. 2in 2.5in. x 2ft 5ft. Plt.Wt. 3800- 4500 lbs. For 1in. flag apx. 110-120 sf/ton & 2in. flag apx. 80 sf/ton.
412-2	Wind River Flagstone (2 inch)
	Tan, pink, rust & dark brown in color with smooth beds. 2in 2.5in. x 12in 30in. diameter. Plt.Wt. 3800- 4500 lbs. Apx.80 sf/ton.
412-S	Wind River Supreme Flagstone (2in - 2 1/2in)
	Tan, pink, rust & dark brown in color with smooth beds. 2in 2.5in. x 2ft 5ft. dia. Plt.Wt. 3800-4500 lbs. 1in. Flag apx. 110-120 sf/ton. 2in. flags 80 sf/ton. Sandstone, light gray with some brown. Very smooth consistent beds. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton.

	Pattern Flooring
	** All Products shown are considered Stock Items.**
ltem#	Product Description
SAFG-1340	Coping - Castle Grey (14in x 24in x 2in) 30 EA/Plt
	A beautiful grey colored sandstone, ranging from light to dark grey, with a hint of blue. Shotblasted/Brushed finish, 3 sawn edges, 1 long edge bullnosed. 2ft. long x 14in. wide x 2in. thick. 30 pcs./plt., 2116 lbs./plt.
SAFG-1341	Coping - Sunset Buff (14in x 24in x 2in) 30 EA/Plt
	Beige to buff and light brown tones. Shotblasted/Brushed finish, 3 sawn edges, 1 long edge bullnosed. 2ft. long x 14in. wide x 2in. thick. 30 pcs./plt., 2006 lbs./plt.
SAFG-1280	Pattern Flag - Autumn Brown (7/8in French Pattern) 165 SF *While Supplies Last*
	Consistent light chocolate brown colors. Hard- wearing quartzitic sandstone, relatively consistent in both texture and color. Natural top, hand split edges. 165 sf./plt., 1720 lbs./plt.
SAFG-1277	Pattern Flag - Castle Grey (7/8in French Pattern) 165 SF
	A beautiful grey colored sandstone, with natural cleft finish, ranging from light to dark grey, with a hint of blue. Natural top, hand split edges. 165 sf./plt., 1741 lbs./plt.
SAFG-1278	Pattern Flag - Desert Buff (1in French Pattern) 165 SF *While Supplies Last*
	Warm cream, buff and white tones with some orange veining. Very distinctive texture that gives each flagstone its own unmistakable character; some are almost smooth, while others have a unique riven profile. Natural top, hand split edges. 165 sf./plt., 1918 lbs./plt.
SAFG-1343	Pattern Flag - Sedona Rustic (7/8in French Pattern) 165 SF
	Light to dark buff, browns and tans with dark fossil- like movements. Natural top, sawn edges. 165 sf./plt., 2006 lbs./plt.
404	Pennsylvania Blue Sawn Pattern Flag - Full Color Range
	Full color range in blues and greens with brown, yellow and lilac accents. Natural cleft top. Sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6in. nominal increments). Apx. 1in. thick. Apx.Plt.Wt. 3200 lbs. Apx. 190-285 sf/plt. (sf. based on 1/2in. joints)
404-p2	Pennsylvania Full Color Pattern #2 Bluestone (1 inch)
	VERY CONSISTENT SELECTED 1in. thick blue, green, brown variegated colors with natural cleft face. Sawn 4 sides prepalletized in classic Pattern #2. 200 sf/plt.
404-TF1	Pennsylvania Full Color Sawn Thermal Top (1 inch)
	Blue, green, brown variegated colors with thermal finish on top, sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6 in. increments). Apx. 1 in. thick. Apx.Plt.Wt. 3200 lbs. Apx. 150- 250sf/plt.

	Pattern Flooring
	** All Products shown are considered Stock Items.**
ltem#	Product Description
404-TF1-P2	Pennsylvania Full Color Sawn Thermal Top Pattern #2 (1 inch)
	Blue, green, brown variegated colors with thermal finish on top, sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6 in. increments). Apx. 1 in. thick & Apx.Plt.Wt. 3200 lbs. Apx. 150- 200sf/plt.
472-CC	Travertine Tumbled - Country Classic (16in x 16in) 235 sf
	16in. x 16in. Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light
	gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 235 sf/plt.
473-CC	Travertine Tumbled - Country Classic - Bullnose Coping 5cm (40 EA)
	Country Classic Tumbled Travertine Bullnose Coping has a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 12in. x 24in. x 2in. 40 pcs./plt., 2080 lbs./plt
470-CC	Travertine Tumbled - Country Classic - French Pattern (176 SF)
	Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. French Pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 176 sf./plt., 2816 lbs./plt.
472-SB	Tumbled Marble - Sky Blue (16in x 16in) 235 sf
	Sky Blue Tumbled Marble has a polished blue-grey color. The tumbled finish gives texture to the marble. 16in. x 16in. 1.25in. thick. 3760 lbs./plt.
473-SB	Tumbled Marble - Sky Blue - Bullnose Coping 5cm (40 EA)
	Sky Blue Tumbled Marble Bullnose Coping has a polished blue-grey color. The tumbled finish gives texture to the marble. 12in. x 24in. x 2in. 40 pcs./plt., 2080 lbs./plt.
470-SB	Tumbled Marble - Sky Blue - French Pattern (176 SF)
	Sky Blue Tumbled Marble has a polished blue-grey color. The tumbled finish gives texture to the marble. French Pattern consists of 8x8, 8x16, 16x24 sizes. 176 sf/plt., 2816 lbs./plt.

Cobbles ** All Products shown are considered Stock Items.**	
ltem#	Product Description
505	Bucks Creek Cobbles (4in - 8in)
	Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.
505-SM	Bucks Creek Cobbles - Small (3in - 5in)
	Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.
502-B	Canadian Colored Cobbles Unsorted Bulk (4in - 8in)
	Multi-colored pinks, whites & grays. Round granite cobbles in 4in 8in. size. Plt.Wt. 3300-3700 lbs. Apx. 30 sf/ton.
515	Grand Canyon Cobbles (Limited Availability)
	Unique lavender colored cobbles with smooth surface & tan swirls. 6in 8in. Plt.Wt. 3000-3500 lbs. Apx. 30 sf/ton.
501	Kewanee Creek Flats
	Hand selected, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy, etc.
	Average size is 6in 12in. Plt.Wt. 2500-3500 lbs. Apx. 60 sf/ton.
522-C1	Kewanee Skippers (1.5in - 3 inch)
	Hand selected, sorted by size, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy etc. 1.5in 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.
522-C4	Kewanee Skippers (4in - 7in)
	Hand selected, sorted by size, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy etc. 1.5in 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.
504-C1	Mexican Beach Pebbles (1in - 2in)
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.
504-1	Mexican Beach Pebbles (1in - 2in) 40 Bags/plt
	Hand selected, smooth, flat & rounded, black in color. Each 75 lb. bag covers apx. 3 sf depending on application. Sold by the bag - 40 bags per pallet.
504-C2	Mexican Beach Pebbles (2in - 3in)
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.
504-2	Mexican Beach Pebbles (2in - 3in) 40 Bags/plt
504-C3	Mexican Beach Pebbles (3in - 5in)
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.

|--|

** All Products shown are considered Stock Items.**

ltem#	Product Description
504-3	Mexican Beach Pebbles (3in - 5in) 40 Bags/plt
509-B3	Mexican Rainbow Cobbles (3in - 6in) Bulk
	Rounded, multi-colored with grays, browns & burgundy. Some elongated pieces may be up to 18in. with diameters up to 10in. Apx. 25-30 sf/ton.
520	Sedona Cobbles (2.5in - 4in)
	Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 35 - 40 sf/ton.
520-C6	Sedona Cobbles (4in - 12in)
	Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 30-35 sf/ton.
517-M	Tennessee River Flats - Medium (6in - 10in)
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.
517-S	Tennessee River Flats - Small (4in - 6in)
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.
525-M	Tennessee River Rounds - Medium (6in - 10in)
	Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.
525-S	Tennessee River Rounds - Small (4in - 6in)

Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.

Section 6-2

** All Products shown are considered Stock Items.** Item# **Product Description** 660 **Black Ice Boulders** Black Obsidian. 98% volcanic glass, black in color. 12in. - 18in. diameters. Plt.Wt. 2400- 2800 lbs. 696-BL-L Eastern Weathered Sandstone Boulders - Large Light grey to light brown. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Apx.Plt.Wt. 3000 lbs. 696-BL-M **Eastern Weathered Sandstone Boulders - Medium** Light grey to light brown. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Apx.Plt.Wt. 3000 lbs. 608-MB Glacier Boulders - Medium Bulk (18in - 24in) Pinks, whites, grays, multi- colored, smooth & round. Medium 18in. - 24in. 661 Misty Green Boulders (14-24) Light mint green in color. 12 - 18 diameters. Apx. Plt. Wt. 2400- 2800 lbs. 636-BL **Mossy Mountain Boulders** Blend of brown, tan, gray, green & some pink. Small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 2500-3000 lbs. 616-B12 **Ohio Boulders 12in Bulk** Tan, brown and gray granite and limestone local boulders. Irregular shapes with smooth surfaces. Bulk only. Small, medium or large - PLEASE SPECIFY SIZE. 616-B24 **Ohio Boulders 24in Bulk** Tan Brown & Gray granite and limestone local boulders. Irregular shapes with smooth surfaces. Bulk Only. Small, medium or large - PLEASE SPECIFY SIZE.

Boulders

616-B36 Ohio Boulders 36in Bulk

Tan Brown & Gray granite and limestone local boulders. Irregular shapes with smooth surfaces. Bulk Only. Small, medium or large - PLEASE SPECIFY SIZE.

603 Red Lava Boulders

Red, burgundy & black blend, 15in. - 24in. Very lightweight. Plt.Wt. 1200-2000 lbs.

602 Royal Gorge Boulders

Pink with white quartz & mica all mingled together. 12in. - 18in. Plt.Wt. 2400-2800 lbs.

Section 7-1

Boulders

ltem#	Product Description
604-BL	Weathered Limestone Boulders
	Light buff to cream to dark gray in color. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 2200-3800 lbs.
609-BL	Weathered Sandstone Boulders
	Mossy, light gray to brown with lichens on boulders. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 3200-4000 lbs.
	Pink with white quartz & mica all mingled together. 12in 18in. Plt.Wt. 2400-2800 lbs.

	Ledgerock
** All Products shown are considered Stock Items.**	
ltem#	Product Description
847-18	Chilton Winnebago (12in - 18in)
	Tan, rust and brown colored limestone, Up to 36in. thick in random 2ft 6ft. lengths. Apx. Plt. Wt. 2700 - 3600 lbs.
846-24	Delaware Grey Chunks 18in - 24in
	White to Gray colored limestone. Great for Benches, 18in 24in. thick in random 2ft 4ft. lengths. Apx. Plt. Wt. 4000 lbs.
846	Delaware Grey Slabs
	White to Gray colored limestone, 6in 8in. thick in random 2ft 4ft. lengths. Apx. Plt. Wt. 4000 lbs.
665	Delaware Grey Split 12in Slabs
	White to grey colored limestone. 18in 24in. thick, split 12in. deep and 2ft 4ft. lengths. Apx.Plt.Wt. 4000 Ibs.
696-LL-M	Eastern Weathered Sandstone Ledgerock - Medium
	Light grey to light brown. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Apx. Plt. Wt. 3000 lbs.
616-8	Lannon Weatheredge (5in - 8in)
	Buff, rust, orange to brown colored limestone, 4in 18in. thick in random 18in 6ft. lengths. Apx. Plt. Wt. 3400 to 4200 lbs.
636-LL	Mossy Mountain Ledge
	Blend of brown, tan, gray, green & some pink. Small, medium or large - PLEASE SPECIFY SIZE. Apx. Plt. Wt. 2500-3000 lbs.
630	Summit Gray Split Ledge
	Sandstone, light gray with some brown with one split face side. 8in 14in. thick x 18in. deep x 36in 48in. Iong. Plt.Wt. 3900 - 4200 lbs. Apx. 8 sf/ton.
604-LL	Weathered Limestone Ledgerock
	Light buff to cream to dark gray in color. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 3200-3800 lbs.
609-LL	Weathered Sandstone Ledge
	Mossy, light gray to brown with lichens. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 3200-3800 lbs.
631	Wind River Split Ledge
	Tan, pink, rust & dark brown in color. 8in 14in. thick x 18in. deep x 36in 48in. long. Plt.Wt. 3800- 4000 lbs. Apx. 8 sf/ton.
	Section 8-1

	Natural Stone Edging
	** All Products shown are considered Stock Items.**
ltem#	Product Description
747	Black Hills Rustic Tumbled Edging
	Multi-colored tumbled sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500- 4000 lbs. Apx. 110 lf/ton.
747-U	Black Hills Rustic Untumbled Edging
	Multi-colored sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500-4000 lbs. Apx. 110 lf/ton.
720	Fond Du Lac Tumbled Edging
	Machine cut limestone, gray to buff in color, 4in. x 4in 5in. x random lengths. Plt.Wt. 2800-3000 lbs. Apx. 120 lf/ton.
701	Fond Du Lac Untumbled Edging
	Machine cut limestone, gray to buff in color, 4in. x 4in 5in. x random lengths. Plt.Wt. 3500-4300 lbs. Apx. 120 lf/ton.
740	Summit Gray Tumbled Edging (Limited Availability)
	Light gray in color with some brown. Machine split & tumbled sandstone. Apx. 3.5in. x 4.5in. x 6in 11in. Plt.Wt. 2800- 3300 lbs. Apx. 130 lf/ton.
740-U	Summit Gray Untumbled
	Light gray in color with some brown. Machine split sandstone. Apx. 3.5in. x 4.5in. x 6in 11in. Plt.Wt. 2800- 3300 lbs. Apx. 130 lf/ton.
703	Wind River Tumbled Edging (Limited Availability)
	Machine split & tumbled sandstone provides an antiqued rustic look with tan, rust & black colors. 3.5in. x 4.5in. x 6in 11in. Apx.Plt.Wt. 3000 lbs. Apx. 130 lf/ton.
703-U	Wind River Untumbled Edging
	Machine split sandstone provides an antiqued rustic look with tan, rust & black colors. 3.5in. x 4.5in. x 6in 11in. Apx.Plt.Wt. 3000 lbs. Apx. 130 lf/ton.

	Natural Stone Steps
	** All Products shown are considered Stock Items. * *
ltom#	Droduct Deceription
ltem#	Product Description
871-3	Baltic Buff Sawn Steps 3 ft (8 Steps/plt) *While Supplies Last*
	Buff with darker variegation sandstone. 8 steps per pallet. 6in. x 16in. x 3ft long. Sawn top and bottom and
	split 4 sides. Apx.Plt.Wt. 2600 lbs.
871-4	Baltic Buff Sawn Steps 4 ft (8 Steps/plt) *While Supplies Last*
	Buff with darker variegation sandstone. 8 steps per pallet. 6in. x 16in. x 4ft long. Sawn top and bottom and
	split 4 sides. Apx.Plt.Wt. 3520 lbs.
871-6	Baltic Buff Sawn Steps 6 ft (8 Steps/plt)
	Buff with darker variegation sandstone. 8 steps per pallet. 6in. x 16in. x 6ft long. Sawn top and bottom and
	split 4 sides. Apx.Plt.Wt. 4000 lbs.
814-36	Black Hills Rustic Machine Cut Steps 3 ft (8-10 Steps/plt)
01.00	Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in 8in. x
	16in 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.
814-48	Black Hills Rustic Machine Cut Steps 4 ft (8-10 Steps/plt)
014-40	Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in 8in. x
	16in 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.
815	Plack Hills Dustis Natural Slah Stone
015	Black Hills Rustic Natural Slab Steps Multi-colored, irregular- shaped sandstone. Apx. 5in 7in. x 24in 36in. x 3ft - 5ft long. Plt.Wt. 3500-4200
	lbs.
6456 442466	Contraction Channel A ft / C Channel (alta)
SAFG-1424CG	Castle Gray Steps 4 ft (6 Steps/plt) Dark blue-gray in color, natural steps. 6 steps per pallet. Apx. 6in.+/- thick x 16in. x 4ft. long. Suede Surface,
	3 edges rock faced & 1 long edge sawn. Apx.Plt.Wt. 2756 lbs.
2810-300	Indiana Limestone Full Color Steps 3 ft (6 Steps/plt) Full color blend of buff to dark gray. 6 steps per pallet. 6in. x 16in. x 3ft. long. Split 4 sides. Apx.Plt.Wt. 1720
	lbs.
2810-301	Indiana Limestone Full Color Steps 4 ft (6 Steps/plt)
	Full color blend of buff to dark gray. 6 steps per pallet. 6in. x 16in. x 4ft long. Split 4 sides. Apx.Plt.Wt. 2300 lbs.
830-48B	Lannon Park Buff Step 4 ft (6 Steps/plt)
	Buff with grey and rust variegation limestone. 6 steps per pallet. 5in - 7in. x 18in. x 4ft long. Snapped front & back with natural beds. Apx.Plt.Wt. 3200 lbs.
830-48G	Lannon Park Grey Step 4 ft (6 Steps/plt)
	Grey limestone. 6 steps per pallet. 5in - 7in. x 18in. x 4ft long. Snapped front & back with natural beds. Apx.Plt.Wt. 3200 lbs.
	Α μλ. ΓΙ. 1911. 3200 ΙΟδ.

Section 10-1

	** All Products shown are considered Stock Items.**
	All Floudels shown are considered Stock Reins.
ltem#	Product Description
829-48B	Lannon Sawed Buff Step 4 ft (6 Steps/plt)
	Buff with grey and rust variegation limestone. 6 steps per pallet. 5in - 7in. x 18in. x 4ft long. Natural top with bottom and rockfaced on 3 sides. Apx.Plt.Wt. 3200 lbs.
829-48G	Lannon Sawed Grey Step 4 ft (6 Steps/plt)
	Grey limestone. 6 steps per pallet. 5in - 7in. x 18in. x 4ft long. Natural top with bottom and rockfaced on 3 sides. Apx.Plt.Wt. 3200 lbs.
810	Penn Bluestone Thermaled Step 4 ft (8 Steps/plt)
	Blue-green colors, Sawn and Thermaled Full Color Bluestone Steps. 6in. x 16in. x 48in. 8 Steps/plt. Apx. Plt.Wt. 3520 lbs.
840-MC36	Summit Gray Machine Cut Steps 3 ft (8-10 Steps/plt)
	Sandstone, light gray with some brown. 8 to 10 steps per pallet. 5in 7in. x 18in. x 3ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3200-3500 lbs.
840-MC48	Summit Gray Machine Cut Steps 4 ft (8-10 Steps/plt)
	Sandstone, light gray with some brown. 8 to 10 steps per pallet. 5in 7in. x 18in. x 4ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3400-4000 lbs.
840S-MC36	Summit Gray Sawn T&B M/C Steps (18 x 36) - 10 Steps
	Sandstone, light gray with some brown. 8 to 10 steps per pallet. 6in. x 18in. x 3ft long. Sawn beds top and bottom, machine split 4 sides. Plt.Wt. 3200-3500 lbs.
840S-MC48	Summit Gray Sawn T&B M/C Steps 4 ft (8-10 Steps/plt)
	Sandstone, light gray with some brown. 8 to 10 steps per pallet. 6in. x 18in. x 4ft long. Sawn beds top and bottom, machine split 4 sides. Plt.Wt. 3900-4200 lbs.
841-MC36	Wind River Machine Cut Steps 3 ft (10 Steps/plt)
	Tan, pink, rust & dark brown in color. 5in 7in. x 18in. x 3ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3200-3500 lbs.
841-MC48	Wind River Machine Cut Steps 4 ft (8 Steps/plt)
	Tan, pink, rust & dark brown in color. 5in 7in. x 18in. x 4ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3400-4000 lbs.
841S-MC36	Wind River Sawn T&B M/C Steps (18in x 36in) - 10 Steps
	Tan, pink, rust & dark brown in color. 6in. x 18in. x 3ft long. Sawn beds top and bottom, machine split 4 sides. Plt.Wt. 3200-3500 lbs.

. . .

Step Treads

ltem#	Product Description
SAFG-1303	Castle Grey Tread (12in x 72in) 10 EA
	A beautiful grey sandstone ranging from light to dark grey, with a hint of blue. Natural cleft top and rock faced edges. 2in. x 12in. x 6ft. long. Can be purchased by the piece. 10 pcs./plt., 1676 lbs./plt.
SAFG-1345	Sedona Rustic Tread (12x72) 10 EA
	Light to dark buff, browns and tans with dark fossil-like movements. Natural top, rock faced edges. 2in. x 12in. x 6ft. long. Can be purchased by the piece. 10 pcs./plt., 1676 lbs./plt.
404TREAD14x48	Thermal Top Bluestone Tread 14x48 True Blue
	Blue Sawn top/bottom, machine cut all sides.
S139TREAD12x48	Weston Cream Tread (12x48x2.25) 18 EA
	Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. Apx. Plt.Wt. 2232 lbs./plt.
S139TREAD14x48	Weston Cream Tread (14x48x2.25) 18 EA
	Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. Apx. Plt.Wt. 2610 lbs./plt.

	Stone Caps
	** All Products shown are considered Stock Items. **
ltem#	Product Description
415-MC24	Plack Hills Cons M/C (24in x 24in)
415-IVIC24	Black Hills Caps M/C (24in x 24in) Tan/Browns with some black. 24in. x 24in. x 2in 3in. Only Finish is Natural Top/Bottom.
2780-104R	Indiana Limestone Gray Cap 24in. x 24in. (12/ea plt)
	Gray to light gray 24in. x 24in. x 2.25in. Only available with Sawn T/B and M/C Edges.
2780-107R	Indiana Limestone Gray Cap 30in. x 30in. (12/ea plt)
	Gray to Light Gray 30in. x 30in. x 2.25in. Only available with Sawn T/B and M/C edges.
1802G-150R	Indiana Limestone Gray Coping (14in x 48in x 2 1/4in) RF 1L
	Gray Coping 14in x 47 5/8 in x 2.25in. Rockfaced on 1 long side and sawn 3 sides. Apx Plt. Wt. 2300 lbs. 18
	pcs/plt.
2645-100R	Indiana Limestone Wall Cap Gray (12in x 48in x 2 1/4in)
	Gray coping 12in x 48in x 2.25in. 12 pcs/plt.
2645-101R	Indiana Limestone Wall Cap Gray (14in x 48in x 2 1/4in) RF 2 L
	Gray coping 14in x 48in x 2.25in. 12 pcs/plt. RF 2 L
S-411-MC24	Summit Gray Caps (24in x 24in)
	Gray Cap 24in x 24in x 2in - 3in. Natural top and bottom
S-139C-MC24	Weston Cream Cap 24in. x 24in. (24/ea plt)
	Light buff and cream 24in. x 24in. x 2.25in. Sawn top/bottom with machine cut edges. *Special order
	finishes: honed, polished, antique brush, bushhammer (Prices will vary with finish) 2969 lbs./plt. 24pcs/plt.
S-139C-MC30	Weston Cream Cap 30in. x 30in. (12/ea plt)
	Light buff and Cream 30in x 30in. x 2.25in. Stocked as Sawn Top/Bottom with Machine Cut edges. *Special
	Order Finishes: Honed, Polished, Antique Brush, Bushhammer (Prices will vary with finish) 2325 lbs per plt.
	12 pcs./plt.
S-412-MC24	Wind River Caps (24in x 24in)
0 412 MIC24	Brown Cap 24in x 24in x 2in - 3in.



Outdoor Living ** All Products shown are considered Stock Items.**

ltem#	Product Description
FB4600	Basin - 46 inch Fountain Basin
	1,200 lb. weight capacity.
SAFL1717-6	Chimney Extensions - Large Flue
	6in. tall. Fits 36in 48in. Contractor Series.
SA-LRP	Fire Pit-Large Round
SA-S1006	Firebrick Full Size Buff 9X4.5x2.5 Thickness
	Financia Chant Davind
SA-SRP	Firepit - Short Round The Short Round Fire Pit is 42in, outside x 36in, inside diameter x 14in, tall 480 lbs.
	The Short Round Fire Pit is 42in. Outside X 36in. Inside diameter X 14in. tail 480 lbs.
SA-36CN	Fireplace - Contractor Series 36 inch w/ Arched Lintel
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 85 Firebrick required and 4 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 85sf. of surface, including 26lf. corners. 1760 lbs.
SA-48CN	Fireplace - Contractor Series 48 inch w/ Arched Lintel
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 105 Firebrick required and 5 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 109sf. of surface, including 26lf. corners. 2120 lbs.
SA36	Fireplace - Standard 36 inch w/Arched Lintel
	Standard kit includes firebox, 85 Firebrick, four 6in. chimney sections, base components, and instructions. Mortar sold separately. 4 buckets Mortar needed to assemble kit and install firebrick. 100sf. of surface, including 32lf. of corners. 2800 lbs.
SA48	Fireplace - Standard 48 inch w/Arched Lintel
	Standard kit includes firebox, 105 firebrick to line firebox, four 6in. chimney sections, base components, and instructions. Mortar sold separately. 5 buckets of Mortar needed to assemble kit and install firebrick. 125sf. of surface, including 32 lf. of corners. 3100 lbs.
SA-APRM	Ready-Mix Mortar-5 GL BKT
	High Temperature, Multi Purpose. 5 gal. bucket
2580-L	Rosetta Round Fire Pit (Limestone)

Outdoor Living ** All Products shown are considered Stock Items.**

ltem#	Product Description
2580-R	Rosetta Round Fire Pit (Ridgestone)
2580-S	Rosetta Round Fire Pit (Sandstone)
2556OH	Sunset Fire Pit Round -OH(Ring Only)
2557OH	Sunset Fire Pit Square -OH (Ring Only)

ltem#	Product Description
1010	Alabama Sunset - Bagged
	1/2 cu.ft. bag, Size: 3/4in. Color: tan, brown, white, burgundy. Naturally rounded pebbles. 60 bags/plt.
1010-В	Alabama Sunset - Bulk
	Size: 3/4in. Color: tan, brown, white, burgundy. Naturally rounded pebbles. Approx. coverage 100-120 sf/ton at 2in. depth.
1074-b	Brassfield 1in - Bulk
1076-B	Brassfield 2 Inch - Bulk
	Size: 2 in. Color: Brass- gold, crushed limestone. Approx. coverage 80 sf/ton at 2in. depth
1044-b	Brassfield Fines - Bulk (1/4in)
	Size: 5/16in. Color: Brass- gold, crushed limestone. Approx. coverage 100 sf/ton at 2in. depth
1045-B	Concrete Sand Brown
	Coarse brown concrete reese sand. Approx. 4000 lbs per cubic yard
1046-B	Crushed Limestone #2 - (2in - 3in)
	Size: 2in 3in. Color: Gray. Clean crushed Limestone. Approx. 2700 lbs per cubic yard.
1065-B	Crushed Limestone #411 (3/4in)
	Size: 3/4in. Color: Gray. Crushed Limestone 3/4in. down to dust. Approx. 4000 lbs per cubic yard compacted.
1048-B	Crushed Limestone #57 (3/4in)
	Size: 3/4in. Color: Gray. Clean crushed Limestone. Approx. 3000 lbs per cubic yard.
1050-В	Crushed Limestone #8 (1/4in)
	Size: 1/4in. Color: Gray. Clean crushed Limestone. Approx. 2400 lbs per cubic yard.
1066-B	Crushed Limestone #9
	Size: 1/8in 3/16in. Color: Gray. Clean crushed Limestone. Approx. 2700 lbs per cubic yard.
1049-В	Crushed Limestone Screenings (Dust - 1/4in)
	Size: 1/4in. Color: Gray. Crushed Limestone 1/4in. down to dust. Approx. 4000 lbs per cubic yard compacted.

Aggregates		
	** All Products shown are considered Stock Items. **	
ltem#	Product Description	
1070-В	Decomposed Honey Granite	
2070 2	Size: 3/8in. with fines, Color: Honey Orange. Decomposed Granite 3/8in. down to dust. Approx. 4000 lbs per	
	cubic yard compacted. Approx. coverage 100 sf/ton at 1in. depth.	
1071-B	Decomposed Red Granite	
1071-В	Size: 3/8in. with fines, Color: Red. Decomposed Granite 3/8in. down to dust. Approx. 4000 lbs per cubic yard	
	compacted. Approx. coverage 100 sf/ton at 1in. depth.	
1042-В	Duck Lake Large - Bulk 3/4-1.5	
	Size: 3/4 - 1 1/2 Color: green, blue, and burgundy 90 sq.ft. per ton @ 2 depth	
1024	Duck Lake Pebbles - Bagged	
	1/2 cu.ft. bag, Size: 1/2in - 3/4in Color: Very colorful. Green, buff, blue & burgundy. 60 bags/plt	
1024-B	Duck Lake Pebbles - Bulk	
	Size: 1/2in 1in. Color: Very colorful. Green, buff, blue & burgundy. Approx. coverage 100 sf/ton at 2in.	
	depth.	
1041-B	Duck Lake XL - Bulk	
1041-B	Size: 1 1/2in 3/4in. Color: green, blue, and burgundy. 80 sf/ton at 2in. depth.	
1061-B	Gravel #57 (3/4in)	
	Size: 3/4in. Color: Buff, Tan, Gray. Clean naturally rounded gravel. Also knows as Washed River Gravel.	
	Approx. 2700 lbs per cubic yard.	
1011	Iowa Rainbow - Bagged	
	1/2 cu.ft. bag, Size: 1 1/2in. Color: gold, burgundy, blue & white. 60 bags/plt	
1017-В	Mason Sand Brown	
	Fine brown masons reese sand. Approx. 4000 lbs. cubic yard.	
1064-B	Maylen Black Chips - Bulk (3/4in - 2in)	
	Size: 3/4in 2in. Color: Black sparkly colored crushed granite, Approx. coverage 100 sf/ton at 2in. depth.	
1012	Meramec B - Bagged	
1012	1/2 cu.ft. bag, Size: 1in - 1 1/2in Color: brown & tan river rock. 60 bags/plt	
1012-В	Meramec B - Bulk	
	Size: 1in 1 1/2in. Color: brown & tan river rock. Approx. coverage 80-100 sf/ton at 2in. depth.	

Section 14-2

Aggregates ** All Products shown are considered Stock Items.**		
ltem#	Product Description	
1013	Meramec C - Bagged	
	1/2 cu.ft. bag, Size: 3/4in - 1in. Color: brown & tan river rock. 60 bags/plt	
1013-B	Meramec C - Bulk	
	Size: 3/4in 1in. Color: brown & tan river rock. Approx. coverage 100 sf/ton at 2in. depth.	
1072-В	Midnight Mist Granite Chips	
	Size: 3/8in. with fines, Color: Dark Gray to Black. Approx. 4000 lbs per cubic yard compacted. Approx. coverage 100 sf/ton at 1in. depth	
1054-B	Nutmeg Nuggets - Bulk (1 1/4in)	
	Size: 1 1/4in. Color: pastel colors of black, gray, purple, buff. Naturally rounded. Approx. coverage 100 sf/ton at 2in. depth	
1055-B	Oversized Creek Gravel (2in - 8in)	
	Round Creek Gravel 2in - 8in.	
1056-B	Pennsylvania Red Chips - Bulk (3/4in - 1 1/4in)	
	Size: 3/4in. Color: clean, purple crushed aggregate. Approx. coverage 100 sf/ton at 2in. depth.	
1003-В	Red Lava Nuggets - Bulk	
	Size: 3/4in 1 1/2in. Color: red. Lightweight and porous. Apx. 1300 lbs per cubic yard. Apx. coverage 450-500 sf/ton at 2in. depth.	
1266	Supersacks (1 Cubic Yard)	
	Nylon bag. Can hold up to 2000 lbs. (NON REFUNDABLE)	
1001-B1.5	Trap - Bulk (1 1/2in.)	

Size: 1.5in. Color: bluish- purple & light gray colored gravel. Approx. coverage 80- 100 sf/ton at 2in. depth.

Mulches

** All Products shown are considered Stock Items.**

Item#

Product Description

1114-BBL Double Processed Black Mulch - Bulk

 100% shredded hardwoods. Black.

Pavers Unilock

ltem#	Product Description
3660OH	Artline OH (93.25 SF) The long clean lines of Artline reflect an emerging trend to minimalist, modern outdoor designs. Available Colors: Birch, Fossil, Granite Fusion.
3741OH	Beacon Hill Flagstone OH NEW (116.57 SF)
	Beacon Hill Flagstone has a very natural appearance and is ideal for almost any landscape project you can imagine. Its soft blended colors and subtle surface design gives Beacon Hill Flagstone that relaxed historic look and feel. Available in three sizes for a random appearance. Available Colors: Birch, Granite Fusion, River Blend, Sierra, Walnut.
3739OH	Beacon Hill Smooth OH NEW (116.57 SF)
	Beacon Hill Flagstone has a very natural appearance and is ideal for almost any landscape project you can imagine. Its soft blended colors and smooth surface gives Beacon Hill Smooth Flagstone a more contemporary look and feel. Available in three sizes for a random appearance. Available Colors: Granite Fusion, Fossil and Opal.
3634OH	Brussels Paver - Half Stone OH (88.7 SF)
	The original tumbled paver of North America reflects the hues of quarried stone. Available Colors: Limestone, Sandstone, Sierra
3635OH	Brussels Paver - Standard Stone OH (88.6 SF) The original tumbled paver of North America reflects the hues of quarried stone. Available Colors: Limestone, Sandstone, Sierra
3636OH	Brussels Paver - XL Stone OH (76.56 SF)
	The original tumbled paver of North America reflects the hues of quarried stone. Available Colors: Limestone, Sandstone, Sierra
3640OH	Copthorne Paver OH (89.2 SF)
	Create a street paver look with consistent dimensions for easy, efficient installation. Available Colors: Basalt, Burgundy Red, Burnt Clay and Old Oak
3642OH	Courtstone Paver OH (98.3 SF)
	Bring a sense of Old World Europe to your design - ideal for driveways and accents. Available Colors: Basalt
3659OH	Holland Premier 4x8 OH (106.20 SF) Holland Premier with the Endura Color finish makes an excellent field paver for that classic look. It is also an ideal accent paver for other 6 cm paver choices. Available Colors: Dark Charcoal, Fossil, Granite Fusion, Mocha.

Pavers Unilock

Item#	Product Description
3691OH	IL Campo 4x8 (94.4 SF)
	Produced by a specialized manufacturing process, this paving stone features brushed irregular lines etched across each paver. Its a detailed look thats striking and inviting at the same time, and unlike any other paver you can buy. Available in a variety of dimensionally compatible units, this paving stone system gives you the ability to create an almost unlimited variety of geometric and random pattern designs. Available Colors: Dark Charcoal, Mocha
3731OH	Treo Premier Pavers OH (98.09 SF)
	Similar in appearance to Beacon Hill, but in a smaller format with the Endura Color. Stock: Sierra, River Blend

Pavers Hessit

** All Products shown are considered Stock Items.**

ltem#	Product Description
3545	Bavarian Tumbled Paver - Rectangle (87 SF)
	6 cm 8.25in. x 5.5in., 270 pcs/plt, 87 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color - Alleghany Slate-AS. 2300 lbs per plt. *Stock
3547	Bavarian Tumbled Paver - Small Square (91 SF)
	6 cm 5.5in. x 5.5in., 432 pcs/plt, 91 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore- LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color - Alleghany Slate-AS. 2440 lbs per plt. *Stock
3513	Dutch Cobble Paver - Rectangle (87 SF)
	6 cm. 8.25in. x 5.5in., 3.1 stones per sf, 87 sf per plt. *Stock Colors: Cedar Creek Red-CCR, Charcoal- C, Driftwood-DW, Gray-G, Granite Blend-GB, Indian Creek-IC, Lakeshore Blend-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek Brown-CCB, Desert Blend- DB, Additional Charge Colors: Alleghany Slate-AS, Multi-Slate-MS. 2600 lbs per plt. *Stock
3514	Dutch Cobble Paver - Small Square (91 SF)
	6 cm. 5.5in. x 5.5in., 4.75 stones per sf, 91 sf per plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend- LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek Brown-CCB, Charcoal- C, Desert Blend-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge Colors: Alleghany Slate-AS, Multi- Slate-MS. 2700 lbs per plt. *Stock
3522	La Coruna Paver - Jumbo (92 SF)
	Large format rectangles. 6.17in. x 9.27in. x 2.36in. Available Colors: Driftwood, Granite, Indian Creek, Lakeshore.
3523	La Coruna Paver - Square & Rectangle (92 SF)
	Random bundle of squares (6.17in. x 6.17in.) and rectangles (3.10in. x 6.17in.). Available Colors: Driftwood, Granite, Indian Creek, Lakeshore.
3504	Mission 1 Paver (103 SF)
	Overall Size: 3.875in. x 7.75in. *Stock Colors: Buff- B, Charcoal-C. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Bld-AB, Brown-BRN, Cedar Creek Brown-CCB, Cedar Creek Red-CCR, Desert Bld- DB, Dominion Bld-DOB, Driftwood Bld-DW,Gray-GR, Granite Bld-GB, Harvest Blend-H, Indian Creek-IC, Lakeshore Bld-LS, Orchard Bld-OB, Red #1-R1, Red #2- R2, Redwood Bld-RW, Sandstone Bld-SB, St. Clair Bld-SCB.

Additional Charge Colors: Alleghany Slate-AS, Multi-Slate-MS. 2900 lbs per plt. *Stk

Pavers County

ltem#	Product Description	
3550	Elements 4x8 Paver (88 SF)	
	Elements Paving Stones offer superior surface durability and a clean aesthetic with their smooth surface and slightly chamfered edges. Available Colors: Dream, Haven, Majestic, Oasis, Reflection, Reunion, Serenity, Timeless, Vision. (Not all colors are considered stock-check for availability)	
3583	Glow Path Elements Paver 4x8 (88 SF)	
	Glow Path Elements Paving Stones offer superior surface durability and a clean aesthetic with their smooth surface and slightly chamfered edges. Glow Path Element Pavers provide a subtle illumination that lasts up to 8 hours. The units glow lasts up to 20 years, but the integrity of the paver itself can last several more decades. Available Colors: Reflection and Vision	
3553	Grand Discover Paver (81.24 SF)	
	Discover Grand Pavers offer larger paving stone sizes to create a more modern vibe with the smooth surface. Available Colors: Aspire, Haven, Intention, Majestic, Reflection, Timeless.	
3557	Grand Vantage Paver (81.24 SF)	
	Vantage Grand Pavers are larger paving stones that offer a subtle textured surface giving a more traditional appearance. Available Colors: Aspire, Haven, Intention, Majestic, Reflection, Timeless.	
3552	Tranquility Paver (86.16 SF)	
	Tranquility Pavers are created with clean lines for a refined expression of style. Manufactured to withstand abrasion and high traffic use. Available Colors: Haven, Majestic, Oasis, Serenity, Timeless.	

Polymeric Sand ** All Products shown are considered Stock Items. **				
ltem#	Product Description			
SSAN PAVZ3 GRA	Pavermate Z3 Sand - Granite (50LB) 49 Bags			
	Polymeric Sand from SRW.			
SSAN PAVZ3 TAN	Pavermate Z3 Sand - Tan (50LB) 49 Bags			
	Polymeric Sand from SRW.			
3565OH	Polybind Dust 50 LB Bag			
	Unique mixture of polymers and sand. Once dust is set it becomes very firm and locks between stone joints. Recommended uses include pool decks, patios, footpaths, and any other pedestrian application. Available Colors: Beige, Gray			
1289-G	SEK/SB Jointing Sand 50 LB Gray			
	Jointing Sand Gray			
1289-T	SEK/SB Jointing Sand 50 LB Tan			
	Jointing Sand Tan			

Retaining Wall Unilock ** All Products shown are considered Stock Items.**

ltem#	Product Description
3630OH	Brussels Classic Double Fullnose OH (80 LF)
	The original tumbled paver cap of North America reflects the hues of quarried stone. Available Colors: Dark
	Charcoal, Limestone, Sandstone, Sierra.
3629OH	Brussels Classic Fullnose OH (80 LF)
	The original tumbled paver cap of North America reflects the hues of quarried stone. Available Colors: Dark Charcoal, Limestone, Sandstone, Sierra.
2219OH	Brussels Dimensional Small Taper OH (144 EA)
	Versatile tumbled wall stone used commonly for curved seat walls and firepits. Available Colors: Limestone,
	River, Sandstone, Sierra
2220OH	Brussels Dimensional Wall OH (108 EA)
	Versatile tumbled wall stone used commonly for seat walls, steps and outdoor kitchen housings. Available
	Colors: Limestone, River, Sandstone, Sierra
2216OH	Estate Wall 6 Bundle OH (24 SF)
	Versatile retaining wall stone. Can be installed as a tapered wall for retaining or completely upright for seat
	walls and columns. Available Colors: Granite, River, Sierra.
2215OH	Estate Wall 6 Corner Block OH (32 EA)
	Versatile retaining wall stone corner. Available Colors: Granite, River, Sierra.
2247OH	Ledgestone Closed End Coping OH (12 EA)
	Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 2 3/4in. x 12in. x 24in. Rock faced on 3 sides. 12 ea/plt. Available Colors: Buff, Grey.
2248OH	Ledgestone Fullnose Coping OH (16 EA)
	Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections
	are optimized. Size: 2 3/8in. x 12in. x 24in. Available Colors: Buff, Grey
2245OH	Ledgestone Pillar Caps OH (5 EA)
	Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 4in. x 24in. x 24in. 5 ea/plt. Available Colors: Buff, Grey.

Retaining Wall Unilock
** All Products shown are considered Stock Items. **

ltem#	Product Description
2246OH	Ledgestone Wall Coping OH (12 EA)
	Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 2 3/4in. x 12in. x 24in. 12 ea/plt. Available Colors: Buff, Grey
2253OH	Pisa2 Coping 12in OH (84 EA)
	Original true retaining wall coping stone for Unilock. Size: 2.75in. x 12in. x 12in. Available Colors: Granite, River Blend and Sierra
2252OH	Pisa2 Corner Wall Block OH (18 EA)
	Original true retaining wall stone for Unilock. Size: 6in. x 8in. x 12in. Available Colors: Granite, River, Sandstone, Sierra.
2254OH	PisaXL Wall Block (32 EA)
	A true retaining wall block in a larger size than its predecessor Pisa2. Size: 6in. x 16in. x 12in. Available Colors: Granite, River Blend and Sierra
2266OH-LB	U-Cara Sure Track Large Backer
	6in. x 7in. x 12in.
2265OH-SB	U-Cara Sure Track Standard Backer
	6in. x 8in. x 6in.
2267OH-UB	U-Cara Universal Base Unit
	19in. x 14in. x 2in.

Retaining Wall Hessit ** All Products shown are considered Stock Items.**

ltem#	Product Description
3526	Lancaster Tumbled Stone (108 EA)
	Available Colors: Buff, Cedar Creek Red, Driftwood, Granite, Indian Creek, Lakeshore, Prairie
3527	Lancaster Tumbled Wedge (144 EA)
	Available Colors: Buff, Cedar Creek Red, Driftwood, Granite, Indian Creek, Lakeshore, Prairie

Retaining Wall County

** All Products shown are considered Stock Items.**

Item# **Product Description** 3564 Crest Bullnose Paver (280 EA) Crest Bullnose are the ideal finish to any step, pillar, wall or pool. Available Colors: Haven, Oasis, Reflection, Serenity, Timeless, Vision. 3590 Integrity Retaining Wall Split face Corner 3 5/8x8x12 (60 EA) Integrity Retaining Wall System is a practical solution to many situations including multi-level terraces and slope protection. Split-face on 2 sides with positioning lip on the back. Size: 12in. depth x 8in. height x 9in. width. Stocked in Earth Blend, Old Ironside, Slate Blend and Timberwolf. 3591 Integrity Retaining Wall Splitface 12x8x18 (36 EA) Integrity Retaining Wall System is a practical solution to many situations including multi-level terraces and slope protection. Split-face on front side with positioning lip on the back. Size: 12in. depth x 8in. height x 18in. width. Stocked in Earth Blend, Old Ironside, Slate Blend and Timberwolf. 3565 Universal Straight Wall Cap (70 EA) Universal Straight Wall Cap can be used to finish the Integrity Retaining Wall System. Caps are split-faced on front and back and are tapered. Size: 14in. depth x 3in. height x 14-18in. width. Stocked in Earth Blend, Old Ironside, Slate Blend and Timberwolf.

ltem#	Product Description
CG00002	Caulking Gun - Premium (10 oz) 6 EA
CG00004	Caulking Gun - Premium (28 oz) 6 EA
CRETE	CRETE RAIL CONCRETE EDGING
	Crete-Rail is a strong yet flexible concrete edging that provides stability and structure to hardscape applications. It has a fast set time and its easy to use, just add water and mix. The polymer-modified formula and fiber reinforcement add strength while allowing for flexibility to withstand freeze/thaw fluctuation. Can be used with many applications.
7005408	DIGGER POSTHOLE 4FT YELO HNDL
BH9117	Dorado Silver
BH9187	Dorado Silver Mirror
BH943PFT	Dorado Smoke
7005952	FORK BEDDING 10-TINE ASH HNDL
6521280	FORK COMPOST 5TINE W/ D HDL 36IN
3572OH-GB	Gator Base (57.9 SF / Bundle) (5.79 SF PC) 23.5 in x 35.5 in = 5.79 sq ft, in thick, weight = 1.32 lbs each
300PT-9(L)	Gripster Rubber L
300PT-8(M)	Gripster Rubber M
300PT-10(XL)	Gripster Rubber XL
2300-LT	Gunn Cut Leather Palm
3805330	HAMMER BRICK 200Z STL 11IN HDL
453662	HAMMER CROSS PEIN 4LB WD HNDL
1754795	HAMMER DRLLNG 4LB WD 10IN HNDL

ltem#	Product Description
9350257	HAMMER ENG 3LB 16IN HKRY HNDL
2653178	HAMMER ENG 4LB 16IN FBGL HNDL
9951930	HAMMER ENG 4LB 16IN HICK HNDL
6807507	HAMMER ROCK PICK 140Z 11IN OAL
338095	HAMMER SLEDG 10LB HD FBG HDL36
5645460	HAMMER SLEDGE 10LB HD WD HDL36
6746879	HAMMER SLEDGE 12LB HD WD HDL36
4960134	HAMMER SLEDGE 6LB HD FBG HDL36
4343067	HAMMER SLEDGE 6LB HD WD HDL 36
9626169	HAMMER SLEDGE 8LB HD FBG HDL36
4044129	HAMMER SLEDGE 8LB HD WD HDL 36
378INT-9(L)	Ice Gripster L
378INT-8(M)	Ice Gripster M
378INT-10(XL)	Ice Gripster XL
1212109	Landscapers Select Wheelbarrow, Black, Lacquered Wood Handle, 6 Cu-Ft Heap, Poly, 16 In Pneumatic
BH1433AF	Maki
9337155	MATTOCK CUTTER 5LB HD HDL 36IN
8329633	MATTOCKS PICK 5LB HD FBG HDL36
SG2008-9(L)	Mechanics Type Glove L

ltem#	Product Description
SG2008-8(M)	Mechanics Type Glove M
SG2008-10(XL)	Mechanics Type Glove XL
PEPE	Perma Edge - Paver Edging
	Perma Edge is forumulated to be stronger than concrete but flexible enough to withstand frost heaves and moisture. Its over 700% more flexible than standard concrete and 40% more permeable. Perma edge uses non-porous aggregates. Water and moisture cannot get into the base of the product. It is easier and faster to install than standard plastic edging.
3100PHV-9(L)	Pig Grain Driver L
3100PHV-8(M)	Pig Grain Driver M
3100PHV-10(XL)	Pig Grain Driver XL
8446072	RAKE ASPHALT 14TINE 60IN HNDL
8446064	RAKE FORGED 14TINE 66IN WDHNDL
C10BJR-LT	Red Lined Brown Jersey
1607977	RUST-OLEUM INDUSTRIAL CHOICE 203027 Marking Paint, Semi-Gloss, Fluorescent Orange, 20 oz Aerosol Can
BH261016AF	Sawfish Green Mirror
BH2663AF	Sawfish Smoke
4708426	SCOOP GRAIN NO12ALUM 29IN HNDL
4708434	SHOVEL NO2 SQUARE PT WOOD HNDL
4708186	SHOVEL RND PT 30IN HDWD D-GRIP
4708343	SHOVEL RND PT 48IN FBRGL YLLW
4708350	SHOVEL RND PT 48IN HDWD HDL

ltem#	Product Description
4708178	SHOVEL SQ PT 30IN HDWD D-GRIP
5921218	SHOVEL SQ PT OPN BCK FIB HDL48
360792	SHOVEL TRENCHING FIB HDL 48 IN
3721	Snap-Edge 8ft (24 Pcs/Bundle)
3721-LP	Snap-Edge Low Profile 8ft (24 EA)
7091499	SOIL PROBE
8343188	SPADE DRAIN FIBERGLS HDL 29 IN
S47010500	SpeedCo Hay Hook, 11 in OAL, Steel
FCMST 10-50#SS	Spiral Spikes 10 (250 Per Box) 10 in. Spiral Spike. 250 spikes per box.
SSSFR XTR CTN	SRW Slit Foam Roller X-treme
60050803	StickyStone Gun
BH6103AF	Stinger
FCSTR COLLAR REFILL	String Along Collars / Stakes (48 Pack Refill Bag)
500NFT-T-9(L)	Tsunami Foam Nitrile L
500NFT-T-8(M)	Tsunami Foam Nitrile M
500NFT-T-10(XL)	Tsunami Foam Nitrile XL
BPPC 14	Value Blade - Hard Materials (14 inch)
BU 14	Value Blade - Universal General Purpose (14 inch)
34540	Vulcan Garden Spade Shovel, 7 in W X 11 in L

ltem#	Product Description
HB-DBM01	Vulcan Hammer Dead Blow Orange 32oz
7800444	Vulcan Rule Tape 16Ftx3/4In Sae/Met
7813058	Vulcan Rule Tape Magnetic Hk 25Ftx1In
7822497	Vulcan Rule Tape Magnetic Hk 33Ftx1In
7675341	Vulcan Rule Tape Open Reel 100Ftx30M
4540241	Vulcan Wheelbarrow, 6 Cu-Ft, Steel, 2 Wheels
6991897	Vulcan Wheelbarrow, Black, 6 Cu-Ft Heap, Steel, 16 In Flat Tire

Lighting

** All Products shown are considered Stock Items.**

Item#

Product Description

1298 12/2 Landscape Lighting Wire 500 Spool EZ Pull Box

TS-TSST-75 75 Watt Transformer with built in Timer

Adhesives, Cleaners, Sealers ** All Products shown are considered Stock Items.**

ltem#	Product Description
SSDG VOC CTN	DG - Dual Guard Specialty Seal - 1 Gal.
	Recommended for high traffic or commercial areas, this specialty sealer provides dual protection + enhancement for many different surfaces. Use on vertical or horizontal applications.
SSE CTN	EF - Efflorescence Cleaner 1 GAL.
	EF Efflorescence Paver Clean is a product which acts quickly to dissolve efflorescence (white mineral deposits). Prepares surface for sealer. Restores original paver color. Contains no muriatic or hydrochloric acid. Applications: Retaining Walls, Pavers, Brick, Masonry and should be used after spot treatments. Coverage: Up to 200 sf per gallon
SSPC HGX CTN	HGX - High Gloss Cure & Seal X-Treme Paver Seal 1 Gal
	HGX High Gloss Cure & Seal is a wet-look, high quality paver sealer that extends paver life. Solvent based. Protects any commercial or high traffic area from rust, dirt, pool chemicals, salt & everyday weathering. Stabilizes joint sand, prevents weed growth & ant infestation. Applications: Natural Stone, Exposed Aggregate & Colored Concrete. Not for use on Clay Pavers/Brick, Bluestone, Wetcast or structures under hydrostatic pressure. (Coverage is apx. 250 sf/gal. *May Vary*)
SSPS CTN	LG - Low Gloss Paver Seal 1 GAL. Wtr. B/Sand S.
	PS Paver Seal Penetrating/Invisible is an invisible/natural-looking penetrating sealer. Water based. Protects surfaces against the damaging effects of water intrusion, acid rain, deicing chemicals, freeze/thaw exposure, airborne dirt & smog. Interior/exterior use. Applications: Pavers, Retaining Walls, Travertine & Limestone. Not for use on Clay Pavers/Brick, Granite, Bluestone, Slate, Wetcast or structures under hydrostatic pressure. (Coverage is apx. 150 sf/gal. *May vary*)
SSPSPLUS CTN	PS - Paver Seal Penetrating/Invisible - 1 Gal
	PS Paver Seal Penetrating/Invisible is an invisible/natural-looking penetrating sealer. Water based. Protects surfaces against the damaging effects of water intrusion. Interior/exterior use. Applications: Vertical & Horizontal. Concrete, Retaining Walls, Bluestone, Cultured Stone, Sandstone, Slate, Granite, Clay. Not for use on Limestone, Marble or structures under hydrostatic pressure. (Coverage is apx. 200 sf/gal. *May vary*)
STONE S-HGX CTN	S-HGX High Gloss X-treme Premium Stone Sealer 1 GAL(4/Case)
	Coverage is apx. 250 sf/gal. (May Vary)
STONE S-PS CTN	S-PS Penetrating Premium Stone Sealer 1 GAL(4/Case)
	PS Penetrating Sealer offers the best paver protection from water intrusion, acid rain, deicing chemicals and freeze/thaw exposure. It is easy to apply and retains the original appearance of pavers.

	Adhesives, Cleaners, Sealers ** All Products shown are considered Stock Items.**
ltem#	Product Description
1288-5	Sb8700 Solvent Based Wet Look (5 Gallon)
	Acrylic sealer that will not yellow under exposure to sunlight. SB-8700 is a 2 in 1 product; it protects the substrate surface and stabilizes jointing sand at the same time. Can be applied immediately after paver installation, as it is a breathable and will not trap the naturally occurring efflorescence. Rain safe in 90 minutes.
AP 10	SRW Adhesive - 10 OZ
	Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze Permanent bond - Solvent- based - Interior/exterior use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. is 32 ft. Bead Size 3/8in. is 14 ft. 12 tubes per case.
A 28	SRW Adhesive - 28 OZ
	Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze Permanent bond - Solvent- based - Interior/exterior use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. is 89 ft. Bead Size 3/8in. is 35 ft. 12 tubes per case.
APU 10	SRW Rapid-Set Polyurethane - 10 OZ (12)
	One of the fastest curing adhesives on the market! It is specially formulated for landscape and construction projects and provides a fast, permanent bond to almost any material, even non- porous substrates in temperatures above 40 F. Great for dry or damp surfaces. High-temperature adhesive suitable for firepits and outdoor kitchens. Interior or exterior use. Application: Retaining Walls, Pavers, Brick, Pool copings, Firepits, Metals, Wood, Natural Stone, Concrete. Bead Size: 1/4in. is 32 ft. or 3/8in. is 14ft.
APU 28	SRW Rapid-Set Polyurethane - 28 OZ (12)
	One of the fastest curing adhesives on the market! It is specially formulated for landscape and construction projects and provides a fast, permanent bond to almost any material, even non- porous substrates in temperatures above 40 F. Great for dry or damp surfaces. High-temperature adhesive suitable for firepits and outdoor kitchens. Interior or exterior use. Application: Retaining Walls, Pavers, Brick, Pool copings, Firepits, Metals, Wood, Natural Stone, Concrete. Bead Size: 1/4in. is 89ft. or 3/8in. is 35ft.

600507989 StickyStone 20 oz Sausages

Fabric,Geo Grid

ltem#	Product Description
FCMST 620240	Fabric Staples 6in 11 Gauge (20 Per Bag)
	6 in. 11 gauge Steel Fabric Staples. 20 staples per bag. 12 bags/box.
GSRW 3450	GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll
FNW4 04100	SRW NW4 4OZ Weed Mat (4 X 100)
FNW4 06300	SRW NW4 4OZ Weed Mat (6 x 300)
GSRW U650	Universal Geogrid 6 X 50 (Bi-Directional)

Building Stone Products

Random Height

ltem#	Product Description
M415-TVC	Black Hills Rustic T/V Corners
M415-TV	Black Hills Rustic T/V Flats
M147	Brentwood Full Veneer
11147	Brentwood Full Veneer
	100% Split-face. Heights: 4in 10in. Lengths: Random. Color: Range of chocolate to light brown, buff & gray. Some pieces have a beautiful texture resembling wood rings on a tree
M147-TVC	Brentwood T/V Corners
M147-TV	Brentwood T/V Flats
M120-TVC	Crab Orchard T/V Corners
M120-TV	Crab Orchard T/V Flats
M210-TVC	Davenport Random Height Thin Veneer Corners
	Light tan to dark brown with some gray
M210-TV	Davenport Random Height Thin Veneer Flats
	Light tan to dark brown with some gray
M220-TVC	Eastern Weathered Fieldstone Castlerock T/V Corners
M220-TV	Eastern Weathered Fieldstone Castlerock T/V Flats
M214-TVC	Sterling Falls T/V Corners
M214-TV	Sterling Falls T/V Flats

Ledgestone

** All Products shown are considered Stock Items.**

ltem#	Product Description
S197-TVC S197-TV	Iron Mountain Sawn Ledge T/V Corners Iron Mountain Sawn Ledge T/V Flats 100% Bed-face. Natural back. Heights: 2in., 3in., 4in. Lengths: Random up to 24in. Color: Light to dark blues & browns
M218-TVC M218-TV	Urban Copper Ledge T/V Corners Urban Copper Ledge T/V Flats 100% Split-face. Heights: 3in 3.5in. Lengths: Random up to 24in. Color: Light tan, copper, brown with some dark veining
M216-TVC M216-TV	Urban Greige Ledge T/V Corners Urban Greige Ledge T/V Flats

 M216-TV
 Urban Greige Ledge T/V Flats

 100% Split-face. Heights: 3in. - 3.5in with 6in. - 8in. jumpers. Lengths: Random up to 24in. Color: Range for light to dark gray with some occasional brown tones.

Travertine Ledge

ltem#	Product Description
474-CC10	Travertine Tumbled 10 Inch T/V (Country Classic) 107.6 SF While Supplies Last
474-I10	Travertine Tumbled 10 Inch T/V (Ivory) 107.6 SF While Supplies Last
474-N10	Travertine Tumbled 10 Inch T/V (Noce) 107.6 SF While Supplies Last
474-CC12	Travertine Tumbled 12 Inch T/V (Country Classic) 118.36 SF While Supplies Last
474-I12	Travertine Tumbled 12 Inch T/V (Ivory) 118.36 SF While Supplies Last
474-N12	Travertine Tumbled 12 Inch T/V (Noce) 118.36 SF While Supplies Last
474-CC2	Travertine Tumbled 2 Inch T/V (Country Classic) 215.28 SF
474-12	Travertine Tumbled 2 Inch T/V (Ivory) 193.68 SF
474-N2	Travertine Tumbled 2 Inch T/V (Noce) 193.68 SF
477-CC2	Travertine Tumbled 2 Inch T/V Corners (Country Classic) 500 EA
477-12	Travertine Tumbled 2 Inch T/V Corners (Ivory) 500 EA
477-N2	Travertine Tumbled 2 Inch T/V Corners (Noce) 500 EA
474-CC4	Travertine Tumbled 4 Inch T/V (Country Classic) 204.44 SF
474-14	Travertine Tumbled 4 Inch T/V (Ivory) 204.44 SF
474-N4	Travertine Tumbled 4 Inch T/V (Noce) 204.44 SF
477-CC4	Travertine Tumbled 4 Inch T/V Corners (Country Classic) 500 EA
477-14	Travertine Tumbled 4 Inch T/V Corners (Ivory) 500 EA
477-N4	Travertine Tumbled 4 Inch T/V Corners (Noce) 500 EA
477-SI4	Travertine Tumbled 4 Inch T/V Corners (Silver) 500 EA

Travertine Ledge

ltem#	Product Description
474-CC6	Travertine Tumbled 6 Inch T/V (Country Classic) 193.68 SF
474-16	Travertine Tumbled 6 Inch T/V (Ivory) 193.68 SF
474-N6	Travertine Tumbled 6 Inch T/V (Noce) 193.68 SF
477-CC6	Travertine Tumbled 6 Inch T/V Corners (Country Classic) 500 EA
477-16	Travertine Tumbled 6 Inch T/V Corners (Ivory) 500 EA
477-N6	Travertine Tumbled 6 Inch T/V Corners (Noce) 500 EA

Manufactured Veneer

ltem#	Product Description
	Austin Stone Buckeye Corners - Handy Box 10LF Austin Stone Buckeye Flats - Handy Box 10SF
10300-TV	Austin Stone Buckeye Flats
10300-TVC	Austin Stone Buckeye T/V Corners
	Field Stone Blue Creek Corners - Handy Box 10LF
10301-TVCHB	
10301 1010	
10301-TV	Field Stone Blue Creek Flats
10301-TVC	Field Stone Blue Creek T/V Corners
10400	Heritage Series (Aspen) Full Veneer - 60 SF
10401	Heritage Series (Charleston) Full Veneer - 60 SF
10401	
10420	Lexington Series (Woodford) Full Veneer - 84 SF
10302-TVCHB	Pacific Ledge Blue Creek Corners - Handy Box 10LF
10302-TVHB	Pacific Ledge Blue Creek Flats - Handy Box 10SF
10302-TVC	Pacific Ledge Blue Creek T/V Corners
10302-TVC 10302-TV	Pacific Ledge Blue Creek T/V Flats
10305-TVHB	Pacific Ledge Pine Springs Flats - Handy Box 10SF
10305-TVCHB	Pacific Ledgestone Pine Springs Corners - Handy Box 10LF
10305-TV	Pacific Ledge Pine Springs T/V Flats
10305-TVC	Pacific Ledge Pine Springs T/V Corners

Building Stone Accessories

** All Products shown are considered Stock Items.**

Product Description

1802G-701RD Indiana Limestone Gray Sill 3in. x 48in. (4lf per pc. 60/ea plt)

2.25in. high x 3in. deep x 48in. long Honed top, Sawn ends, bottom & back. Face is Rock Face with a Drip Edge. Colors: Gray *Finishes: Antique Brush, Bushhammer, Polished

1802G-110RD Indiana Limestone Gray Sill 5.5in. x 48in. (4lf per pc. 36/ea per plt)

2.25in. high x 5.5in. deep x 48in long Honed top, Sawn ends, bottom & back. Face is Rock Face with a Drip Edge. Colors: Gray *Finishes: Antique Brush, Bushhammer, Polished

Masonry Supplies

** All Products shown are considered Stock Items.**

Item#

Product Description

5567 2.5 Ti-Lath (Paper Back) (250EA/Plt)

10 ea/bundle - 25 bundles/pallet

Conversion Charts & Reference Info.

AGGREGATE CHART

ASTM #	Size	Common L	lse	Description / Approximate		
2	2.5"-3"	Bases and filling in bad mud con	ditions	Size of baseballs and softballs		
4	1.5"	Mass concrete, railroad ballast, fi	ller stone	Size of golf balls		
57	1/4" - 1"	Concrete, asphalt base, fill		Size of a walnut		
8	3/8"	Asphalt, pipe bedding, drainage,	driveways	Size of a peanut		
9	1/4"	Ice control, roofing, drainage, roa	d topping	Size of a pencil eraser (pea)		
304	2" down	Base for roads, parking lots and	drives	Golf ball size down to dust,		
411	3/4" down	Road berms, topping for drives, p	parking lots, patios	Walnut size down to dust,		
703	1/4" down	Topping, screening, patios		1/4" to dust fines to level,		
Туре А	18" x 30"	Rip-Rap material		1		
Туре В	12" x 24"	Rip-Rap material		Reservoirs, ponds, dams. The more		
Туре С	6" x 18"	Rip-Rap material		water, the larger the stone should be		
Type D	3" x 12"	Rip-Rap material		7		
	Type A, B, C, D dun	nped rock filling conforms with OE	OOT Specification 317			
●Type A	18" x 30"					
	○ At least 85% larger	than 18" but less than 30"	∘ At least 50	0% larger than 24"		
	 Materials smaller th 	an 18" consisting predominantly of ro	ock spalls and fines and	d shall be free of soil		
●Туре В	12" x 24"					
	○ At least 85% larger	than 12" but less than 24"	∘ At least 50	0% larger than 18"		
	\circ Materials smaller th	an 12" consisting predominantly of ro	ock spalls and fines and	d shall be free of soil		
●Type C	6" x 18"					
	○ At least 85% larger	larger than 6" but less than 18" • At least 50% larger than 12"				
	\circ Materials smaller th	an 6" consisting predominantly of roc	k spalls and fines and	shall be free of soil		
●Type D	3" x 12"					
	∘ At least 85% larger	than 3" but less than 12"	 ○ At least 50 	○ At least 50% larger than 6"		
	 Materials smaller th 	an 3" consisting predominantly of roc	k spalls and fines and	shall be free of soil		
		Rule Of Ti	numb			
A cubic yard	of anything clean (2, 4	, 57, 8)	1.5 Tons			
A cubic yard	of anything w/dust(30	4, 411, and sands)	2 Tons			
A cubic yard	of rip-rap(Type A, B, 0	C, D)	1.5 Tons			
To Convert To Tons		To Tons	Table Inches To Feet (decimal)			
Square feet = length X width			1" = .0833	7" = .5833		
Take the length (in feet) and multiply that by the width (in feet)		r that by the width (in feet)	2" = .1667	8" = .6666		
To convert inches to feet see table at side			3" = .2500	9" = .7500		
Take this answer and divide by 27			4" = .3333	10" = .8333		
Then to figure	e tonnage multiply that	answer by one of the following:	5" = .4167	11" = .9166		
#2, 4, 57, 8, 9	9	Multiply by 1.5	6" = .5000	12" = 1.000		
304, 411, 703		Multiply by 2.0				
Type A, B, C,	. ,	Multiply by 1.9				

CONVERSION CHARTS

Useful Conversions

- Square Feet = Square Inches X .007
- Square Yards = Square Feet X .111 1 Square Yard = 9 Square Feet
- 1 Cubic Yard = 27 Cubic Feet

U.S. Gallons = Cubic Feet X 7.48

Cubic Feet = 1 U.S. Gallon X .13368

1 U.S. Gallon weighs 8.33 pounds

1 Acre = 43,560 Square Feet

Typical Home Yards = 5 to 7,000 sq.ft.

Bagged Gravel

1 Cubic Foot bag spread 1" thick covers 12 sq.ft

1/2 Cubic Foot bag spread 1" thick covers 6-9 sq.ft.

Formulas for Calculations

Area in Square Feet = Length X Width Triangle Area = Base Length X .5 Perpendicular Height Circle Area = Diameter ² X .7854 Circle Circumference = Diameter X 3.1416 Circle Diameter = Circumference X .31831 Cubic Volume = Length X Width X Depth

Coverage for Various Depths

ONE CUBIC YARD WILL COVER: 324 Square Feet at a 1" depth 162 Square Feet at a 2" depth 108 Square Feet at a 3" depth 81 Square Feet at a 4" depth 65 Square Feet at a 5" depth 54 Square Feet at a 6" depth

Converting Tonnage to Coverage for Various Materials (Weight to Volume)

<u>Material</u>	Pounds per Cubic Yard	<u>1 Ton Covers</u>
Limestone Aggregate	1900	111 Square Feet at 3" depth
Limestone Grade 8	2300	93 Square Feet at 3" depth
Meramec Rock	2000	108 Square Feet at 3" depth
Sand	2250	96 Square Feet at 3" depth
Landscaping Stone (most types) 2150	100 Square Feet at 3" depth
Lava Rock	1075	200 Square Feet at 3" depth
Limestone Dry Wallstone	NA	Wall 1 Foot High X 20 Feet Long
Sandstone Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Red Granite Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Brown Natural Wallstone	NA	Wall 1 Foot High X 25 Feet Long
Limestone Flagstone	NA	Walkway 3' Wide X 30 Feet Long
Sandstone Flagstone	NA	Walkway 3' Wide X 30 Feet Long

CONVERSION CHARTS

Quick Reference Guide

Aggregate - Coverage					
Approximate Coverage per Ton of Stone:					
Lava Chips	~	350 Sq. Ft.	-	2" Deep	
All Other Pebbles	~	100 Sq. Ft.	-	2" Deep	
1" to 4" Cobbles	~	60 Sq. Ft.	-	4" Deep	
Sq. Ft. Coverage per	Ton o	of Stone:			
1" Deep	\sim	200 Sq. Ft.			
2" Deep	\sim	100 Sq. Ft.			
3" Deep	~	70 Sq. Ft.			
4" Deep	~	50 Sq. Ft.			
5" Deep	~	40 Sq. Ft.			
6" Deep	~	36 Sq. Ft.			

Average weight for Boulders:						
12"	=	100 - 500	LBS			
24"	=	500 - 1000	LBS			
36"	=	2000 - 3000	LBS			
48"	=	4000 - 6000	LBS			
Average weight for S	Average weight for Slabs:					
6" Thick / 3' x 3'	=	750	LBS			
8" Thick / 3' x 3'	=	1000	LBS			
10" Thick / 3' x 3'	=	1250	LBS			
12" Thick / 3' x 3'	=	1500	LBS			
Average weight for Steps:						
7"x18"x36"	=	450	LBS			
7"x18"x48"	=	575	LBS			

Irregular Wall Stone

Average Wt. per cubic foot	=	150 to 170 lbs per cubic foot
8" Wide Wall	=	18 to 20 Sq. Face Ft./Ton
12" Wide Wall	=	13 to 15 Sq. Face Ft./Ton
15" Wide Wall	=	10 to 12 Sq. Face Ft./Ton
18" Wide Wall	=	8 to 10 Sq. Face Ft./Ton

Adhesive

Covarage: 1 Tube of Adhesive will cover 30 feet of stone using two parallel beads.

Building Veneer Stone					
4"	=	40 Sq. Ft. per Ton			
5"	=	35 Sq. Ft. per Ton			

	Mulch	
1 CY	=	135 Sq. Ft. at 2" Depth

		Bas	e Volum	e Chart		
		(in cubic	yards)		
Sq. Ft.	1"	2"	3"	4"	5"	6"
25	0.08	0.31	0.46	0.62	0.77	0.93
50	0.15	0.62	0.93	1.23	1.54	1.85
75	0.23	0.93	1.39	1.85	2.31	2.78
100	0.31	1.23	1.85	2.47	3.09	3.7
125	0.39	1.54	2.31	3.09	3.86	4.63
150	0.46	1.85	2.78	3.7	4.63	5.56
175	0.54	2.16	3.24	4.32	5.4	6.48
200	0.62	2.47	3.7	4.94	6.17	7.41
225	0.69	2.78	4.17	5.56	6.94	8.33
250	0.77	3.09	4.63	6.17	7.72	9.26
275	0.85	3.4	5.09	6.79	8.49	10.19
300	0.93	3.7	5.56	7.41	9.26	11.11

Cobbles			
5'	' to 10"	=	35 to 40 Sq. Ft./Ton
10)" to 15"	=	25 to 30 Sq. Ft./Ton

Cut Drywalls		
Coverage per pre-cut dywalls:		
6" Wide	=	28 to 30 Sq. Ft./Ton
8" Wide	=	18 to 20 Sq. Ft/Ton
12" Wide	=	13 to 15 Sq. Ft./Ton

Flagstone - Steppers		
Square foot coverage per ton of stone:		
3/4" to 1"	=	100 to 120 Sq. Ft./Ton
1" to 1 1/2"	=	90 to 100 Sq. Ft./Ton
1 1/2" to 2"	=	80 to 90 Sq. Ft./Ton

Polymeric Sand to Paver Joints

Coverage: 66 lbs. will cover 65 to 97 sq. ft. with narrow joints, or 22 to 43 sq. ft. with wide joints.

Spray Paver and Joint Sealer			
<u>Material</u>	Sq. Ft./Gallon		
Brick	150-200		
Stone	150-200		
Concrete Walls & Floors	150-200		
Pavers, Concrete & Clay	100-150		
Retaining Walls	100-300		

<u>Top Soil</u>			
1 CY	=	100 sq. Ft. at 3" Depth	

Section 34-2

DELIVERY RATES

Delivery	Rate
In Town Delivery Rate	\$125.00
Out of Town Delivery Rate	\$4.95 per 1 Mile
Placement/Moffit required our of town w/ Semi	\$125.00
Tailgate Charge	\$3.00 per Ton
Trip Bucket Charge	\$15.00

Estimated City Rates

City	Rate
Dayton, OH	\$188.50
Piqua, OH	\$326.50
Georgetown, OH	\$267.50
Mt. Orab, OH	\$208.00
Fayetteville, OH	\$163.50
Lawerenceburg, IN	\$158.50
Brookville, IN	\$198.00
Richmond, IN	\$247.50
Northern Kentucky	\$173.50
Alexndria, KY	\$148.50
Sparta, KY	\$321.50
Williamstown, KY	\$321.50

Maximum Delivery Capacities

Truck Description	Max. Weight Capacity
Tandem Axle Dump	14 Tons
Six Axle Flatbed Truck NO Moffet	21 Tons
Six Axle Flatbed Truck with Moffet	18 Tons
45' Flatbed Quad Semi-Trailer NO Moffet	25 Tons
45' Flatbed Quad Semi-Trailer with Moffet	22 Tons

NOTES	







www.SemcoOutdoor.com





OUR LOCATIONS

CORPORATE OFFICE

(800) 814-1072 50 Robinson Industrial Dr. Perryville, MO 63775 info@semcostone.com

CINCINNATI, OHIO

(513) 725-0070 11864 Chesterdale Road Cincinnati, OH 45246 infoOH@semcostone.com

COLUMBUS, OHIO

(614) 861-4668 6015 Taylor Road Columbus, OH 43230 infoOH@semcostone.com

KANSAS CITY, MO

(816) 318-1203 2515 Semco Drive Belton, MO 64012 infoKC@semcostone.com