


# LANDSCAPE STONE

# 2022 PRODUCT INFO GUIDE

COLUMBUS



**TOP PHOTO:**

Weathered Limestone / Sandstone  
Boulders and Ledgerrock

**MIDDLE PHOTO:**

Black Hills Rustic Flagstone

**BOTTOM PHOTO:**

Black Hills Rustic Machine Cut Steps





## ★ The Semco Promise ★

Semco Stone owns and operates our own quarries. We pride ourselves in providing a natural and quality product. Our diverse building stone collection has some of the most unique products you will find. The beauty of our products is they are made from natural stone, therefore variations should and can be expected. Even though colors in this brochure are as close to the actual stone as possible, photographic and printing techniques – and even actual viewing conditions – can alter perception of color.

Selections should be made from actual samples whenever possible, but even samples can vary from the delivered product simply because the beauty of natural stone is that each piece is unique. Semco Stone does the best we can to maintain consistent colors and textures. Communication is key with masons, contractors and your sales representative so that Semco can do our best to provide exactly what you need to complete your dream project.

As the largest distributor of natural stone products in the Midwest, at Semco Stone, we have earned our reputation through consistent products, advancements in technology, and quality and service that exceed industry standards, laying a solid groundwork for your success. We operate to ensure lasting satisfaction and something our customers can enjoy for years to come.

**"People don't buy what you do; they buy why you do it. And what you do simply proves what you believe."**





# Table of Contents

2022  
Landscape Stone

Prefix	Terms & Policies
	<b>NATURAL STONES</b>
Section 1	8" Drywall and Coping
Section 2	Natural Wall Stone
Section 3	Steppers
Section 4	Flagstone
Section 5	Pattern Flooring
Section 6	Cobbles
Section 7	Boulders
Section 8	Ledgerock
Section 9	Natural Stone Edging
Section 10	Natural Stone Steps
Section 11	Step Treads
Section 12	Stone Caps
	<b>OUTDOOR UPGRADES</b>
Section 13	Outdoor Living
Section 14	Aggregates
Section 15	Mulches
	<b>CONCRETE PAVERS</b>
Section 16	Pavers Unilock
Section 17	Pavers Hessit
Section 18	Pavers County Materials
	<b>CONCRETE WALLS &amp; COPING</b>
Section 19	Retaining Wall Unilock
Section 20	Retaining Wall Hessit
Section 21	Retaining Wall County Materials
	<b>ACCESSORIES</b>
Section 22	Accessories
Section 23	Lighting
Section 24	Polymeric & Jointing Sand
Section 25	Adhesives, Cleaners, Sealers
Section 26	Fabric & GeoGrid
	<b>CONVERSION CHARTS &amp; REFERENCE INFO.</b>
Section 27	Aggregate Chart
Section 28	Conversion Charts
Section 29	Delivery Rates

Phone: 614-861-4668 \* Fax: 614-861-4655  
[www.SemcoOutdoor.com/Columbus](http://www.SemcoOutdoor.com/Columbus) \* [infoOH@semcostone.com](mailto:infoOH@semcostone.com)

## TERMS & POLICIES

- Prices are subject to change without notice.
- Please call for current freight rates. Freight rates will include any fuel surcharges.
- For Direct Ship Prices, please contact your Semco Outdoor Sales Representative
- Freight Rate includes 30 minutes of unload time at site, extended time is subject to an additional fee.
- All quotes by Semco Outdoor are approximate amounts based on measurements given by the customer. We are not liable for any shortages or overages of material based on our quotes.
- Quotes are valid for 30 days. After 30 days project and/or material may need to be requoted.
- Prices do not include templates, patterns or engineering unless otherwise indicated.
- Special order or non-stock material - 50% non-refundable deposit prior to material being fabricated or brought into our yard - NO RETURNS.
- Stone products are a natural product and subject to the natural variances in color, size and quantity.
- Breakage up to 5% is considered normal with natural stone products.
- Discrepancies/damage must be reported within 5 business days of delivery.
- Warranty Policy: All products with warranties must be returned with a copy of the original invoice.
- Return Policy: All returns are subject to a 20% restocking fee. Discontinued material is not able to be returned. No returns after 30 days. Original receipt is required. A freight rate applies to any picked up returned material from jobsite.
- Accepted Payment Options: Cash, Check, Credit Card (American Express, Discover, MasterCard, Visa), or Check by Fax (please call for more details).
- Accounts without copies of proper tax exemption certificates on file will be assessed applicable taxes.

Phone: 614-861-4668 \* Fax: 614-861-4655  
www.SemcoOutdoor.com/Columbus \* infoOH@semcostone.com

## RETURN POLICY

1. All Returns including pallets must be completed no later than 60 days from date of Invoice.
2. Restock and Freight will be deducted from Return Credit.
3. Proof of Original Invoice must be provided to initiate return.
4. There are NO returns allowed on Non-Stock and Special-Order items.
5. Natural Stone must be in original packaging and in resaleable condition. All returned product is subject to a 20% Restock Fee
6. Concrete products are returnable in Full pallets only, in original packaging.
7. We do not accept returns of any bagged products, including Polymeric Sand.
8. Semco reserves the right to refuse any return not in saleable condition.
9. Only approved materials with pictures will be picked up from jobsites.
10. Materials picked up from jobsite will be charged a full Freight Charge regardless of the quantity picked up. All pick-ups are subject to additional charges if time on site is longer than 30 minutes.
11. It is our discretion if material is ready for pick up once on site.

Revised 1/10/2022

Phone: 614-861-4668 \* Fax: 614-861-4655  
[www.SemcoOutdoor.com/Columbus](http://www.SemcoOutdoor.com/Columbus) \* [infoOH@semcostone.com](mailto:infoOH@semcostone.com)

## 8 Inch Drywall

**\*\* All Products shown are considered Stock Items. \*\***

### Item#

### Product Description

#### **165C Baltic Buff 12 inch Coping (3in x 12in x 36in) EA**

Buff with brown swirls. Natural sandstone sawn top & bottom with split edges. Coping is 3in. thick x 12in. depth x 36in. length. 30 pcs/plt.

#### **165-6 Baltic Buff 8 inch Drywall (6in Thick)**

Buff with brown swirls. Natural sandstone available in 6in. thickness, sawn top & bottom with split edges. Depth of 8 in. and length of 12in. - 36in. Plt. Wt. 3200- 3300 lbs. Apx. 20 fc. ft./ton.

#### **142C Black Hills Rustic 12 inch Coping**

Multi earthtone-colored sandstone. Snapped front & back with natural beds. Coping averages 3.5in. - 4.5in thick x 12in depth x 12in. - 36in lengths. Plt.Wt. 3200-3800 lbs. Apx. 12-13 sf/ton.

#### **142 Black Hills Rustic 8 inch Drywall**

Multi earthtone-colored sandstone. Snapped front & back with natural beds. Heights average 3.5in. - 4.5in. and lengths of 12in. - 36in. Plt.Wt. 3200-3800 lbs. Apx. 20 fc. ft./ton.

#### **111 Blue Sandstone 8 inch Drywall**

Blue-gray sandstone 3in. - 4in. high X 8in. deep with lengths of 12in. - 36in. Plt.Wt. 3600-4000 lbs. Apx. 20 fc. ft./ton.

#### **115 Chilton 8 inch Drywall (2in-3in Thick)**

Blue-gray Limestone with lavender surfaces snapped 8in. depth x 2in. - 3in. thick x 12in - 36in. length. Plt.Wt. 3000-3200 lbs. Apx. 20 fc. ft./ton.

#### **155 Dublin 8 inch Drywall (3in-4in Thick)**

Warm buff colored limestone, 3in. - 5in. thick in random 12in. - 36in. lengths. Apx. Plt. Wt. 3500 lbs. Apx. 20 fc. ft./ton.

#### **101-2 Fond Du Lac 8 inch Drywall (2in-3in Thick)**

Buff to gray color. Natural layered, very dense limestone in 2in. - 3in. heights, random lengths. Apx.Pl.Wt. 4000 lbs. Apx. 18 fc. ft./ton.

#### **101-3 Fond Du Lac 8 inch Drywall (3-4 Thick)**

Buff to gray color. Natural layered, very dense limestone in 3in. - 4in. heights, random lengths. Apx.Pl.Wt. 4000 lbs. Apx. 18 sf/ton.

#### **166-6 Gunsmoke Gray 8 inch Drywall (6in Thick)**

Light gray with buff swirls. Natural sandstone available in 6in. thickness, sawn top & bottom with split edges. Depth of 8 in. and length of 12in. - 36in. Apx. Plt. Wt. 3200-3300 lbs. Apx. 20 fc. ft./ton.

#### **166C Gunsmoke Gray Coping (3in x 12in x 36in)**

Light gray with buff swirls. Natural sandstone sawn top & bottom with split edges. Coping is 3in. thick x 12in. depth x 36in. length. 30 pcs/plt.

## 8 Inch Drywall

**\*\* All Products shown are considered Stock Items. \*\***

### Item#

### Product Description

#### **2700F-102 Indiana Limestone Garden Wall (3in x 8in x Random)**

Creamy buff and gray colored limestone, sawn 3in. thick. 12in. to 24in. random lengths. Apx. Plt. Wt. 4000 lbs. Apx. 20 fc. ft./ton.

#### **2700F-103 Indiana Limestone Garden Wall (6in x 8in x Random)**

Creamy buff and gray colored limestone, sawn 6in. thick. 12in. to 24in. random lengths. Apx. Plt. Wt. 4000 lbs. Apx. 20 fc. ft./ton.

#### **159 Indiana Tumbled 8 inch Sawn Top & Bottom Drywall**

Creamy buff and gray colored limestone, sawn and tumbled 3in. and 6in. thicknesses 12in. - 24in. random lengths. Apx. Plt. Wt. 4000 lbs. Apx. 20 fc. ft./ton.

#### **102 Oakfield 8 inch Drywall**

Light buff colored limestone, textured beds with quartz pockets, 2in. - 3in. heights, random lengths. Apx. Plt. Wt. 4000 lbs. Apx. 18 fc. ft./ton.

#### **107-3 PA Bluestone 8in Drywall 3in thick**

Blue-gray color with some tan or rust with a snapped edge. Apx. Plt. Wt. 3500 lbs. Apx. 20 fc. ft./ton

#### **107-6 PA Bluestone 8in Drywall 6in thick**

Blue-gray color with some tan or rust with a snapped edge. Apx. Plt. Wt. 3500 lbs. Apx. 20 fc. ft./ton

#### **156 Sandy Creek 8 inch (3in - 4in Thick)**

Brown, tan & white colored sandstone, snapped 8in. deep & runs 2in. - 4in. thick, random lengths. Plt. Wt. 4000-4500 lbs. Apx. 20 fc. ft./ton.

#### **121 Scottsdale 8 inch Drywall**

Buff, tan & white colored sandstone, snapped 8in. deep & runs 3in. - 4in. heights, random lengths. Plt. Wt. 3000-3600 lbs. Apx. 20 fc. ft./ton.

#### **135 Summit Gray 8 inch Drywall**

Gray and brown in color, snapped 8in. x 4in. - 5in. x random lengths up to 36in. Apx. Plt. Wt. 3500-4000 lbs. Apx. 20 fc. ft./plt.

#### **135S Summit Gray 8 inch Drywall (3in and 6in Mixed)**

Gray and brown in color, snapped 8in. deep & sawn top & bottom in 3in. and 6in. heights, random lengths up to 36in. Apx. Plt. Wt. 3500- 4000 lbs. Apx. 20 fc. ft./plt.

#### **136S Wind River 8 inch Drywall (3in and 6in Mixed)**

Tan, pink, rust & dark brown in color, snapped 8in. x 3in. and 6in. x random lengths up to 36in. Apx. Plt. Wt. 3500-4000 lbs. Apx. 20 fc. ft./plt.

## Natural Wall

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**280 Blue Vein Thin Natural Wall**

Creamy buff limestone with occasional blue vein centered in the stone. 2in. - 4in. thick with diameters ranging between 12in. - 24in. Plt.Wt.Apx. 2200 lbs. Apx. 15 fc. ft./ton.

**207 California Creek Flats**

Green to gray in color with flat, smooth top & bottom & rounded edges. Irregular shapes averaging 1in. - 3in. thick & apx. 6in. - 16in. diameters. Plt.Wt. 2800-3300 lbs. Apx. 16 fc. ft./ton.

**227 Choctaw Tumbled Natural Wall (2in - 3in Thick)**

Light mocha brown with dark brown edges & highlights. Tumbled. Average thickness is 2in. - 3in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3000- 3500 lbs. Apx. 15 fc. ft./ton.

**227-U Choctaw Untumbled Natural Wall (2in - 3in Thick)**

Light mocha brown color with dark brown edges & highlights. Average thickness is 2in. - 3in. and is apx. 6in. - 24in. in diameter. Plt.Wt. 3000- 3700 lbs. Apx. 15 fc. ft./ton.

**256 Delaware Gray 3in Wall Stone**

White to gray in color. 2in. - 3in. thick with diameters ranging between 12in. - 24in. Plt.Wt. 2000-2500 lbs. Apx. 15 fc. ft./ton.

**241-U Hickory Gray Untumbled Natural Wall**

Medium to dark gray in color. 2in. - 3in. thick with diameters ranging between 12in. - 24in. Plt.Wt. 3000- 3800 lbs. Apx. 15 fc. ft./ton.

**215 New England Fieldstone**

This weathered stone has dark tones of greens, grays, browns & lavender with some lichens. Apx. 1in. - 3in. thick flat, irregular pieces. Average 6in. - 16in. diameters. Plt.Wt. 2600-3000 lbs. Apx. 16 fc. ft./ton.

**213 Old English Garden Stone Natural Wall**

Colors range from blue to blue/green. Rolled & tumbled irregular pieces presenting a very weathered look. Apx. 1.5in. - 2.5in. thick with average diameters of 10in. - 24in. Plt.Wt. 3400-3800 lbs. Apx. 15 fc. ft./ton.

**202 Semco Weathered Fieldstone Thick Natural Wall (3in - 5in Thick)**

Gray & brown mossy colored sandstone, some lichens, fairly flat. 3in. - 5in. thick. Irregular shapes with apx. 8in. - 18in. diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 fc. ft./ton.

**202-1 Semco Weathered Fieldstone Thin Natural Wall (1in - 3in Thick)**

Gray & brown mossy colored sandstone, some lichens, fairly flat. 1in. - 3in. thick. Irregular shapes with apx. 8in. - 18in. diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 fc. ft./ton.



## Natural Wall

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**281 Western Thin Natural Wall**

Buffy gold colored limestone with classic Ohio fossils. 2in. - 4in. average thick & apx. 12in. - 24in. diameters.  
Plt.Wt. 4000-4500 lbs. Apx. 15 sf/ton.

**251-U Wind River Untumbled Natural Wall (2in - 3in Thick)**

Orange/rust colors in irregular pieces with fairly flat beds. Apx. 2in. - 3in. thick and 12in. - 24in. length. Plt.Wt.  
2500-3000 lbs. Apx. 15 fc. ft./ton.

## Steppers

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**305**

**Chilton Steppers**

Gray, blue, burgundy & red in color, averaging 1in. - 2in. thick, & apx. 12in. - 20in. in diameter. Plt.Wt. 3800-4300 lbs. Apx. 90 sf/ton.

**301**

**Fond Du Lac Shims**

Small irregular pieces of buff to gray limestone, apx. 1/2in. - 1in. thick with average diameters of 6in. - 12in. Apx. Plt. Wt. 3000 lbs. Apx. 150 sf/ton.

**302**

**Fond Du Lac Steppers**

Buff to gray colored limestone. Averaging 1in. - 2in. thick, irregular pieces apx. 8in. - 18in. in diameter with naturally smooth beds. Plt.Wt. 3800- 4200 lbs. Apx. 90 sf/ton.

**330**

**Hickory Gray Steppers (1 inch)**

Medium to dark gray with a consistent 1in. thickness and diameters averaging between 12in. - 30in. Apx.Plt.Wt. 3000 lbs. Apx. 110-120 sf/ton.

**331**

**Hickory Gray Steppers (2 inch)**

Medium to dark gray with a consistent 2in. thickness and diameters averaging between 12in. - 30in. Apx.Plt.Wt. 3000 lbs. Apx. 80 sf/ton.

**316-B**

**Lannon Buff Steppers (1 1/2in - 3in Thick)**

Multi colors of brown, rust, orange, buff & gold. Apx. 1.5in. - 3in. thick and average diameters of 12in. - 24in. Plt.Wt. 3800-4300 lbs. Apx. 90 sf/ton.

**316-G**

**Lannon Grey Steppers (1 1/2in - 3in Thick)**

Multi colors of light to dark grey. Apx. 1.5in. - 3in. thick and average diameters of 12in. - 24in. Plt.Wt. 3800-4300 lbs. Apx. 90 sf/ton.

**303**

**Oakfield Steppers**

Light buff colored limestone, averaging 1in. - 2in. thick, irregular pieces apx. 8in. - 18in. in diameter. Highly textured bed with quartz pockets. Plt.Wt. 3800-4200 lbs. Apx. 90 sf/ton.

**306**

**Sandstone Steppers (1.5in - 2in) (Limited Availability)**

Multi colors of brown, rust, orange, buff & white. Apx. 1.5in. - 2in. thick and average diameters of 12in. - 24in. Plt.Wt. 3100-3700 lbs. Apx. 90 sf/ton.

**SAFG-1338**

**Stepping Stones - Castle Grey (18in x 24in x 1in) 60 EA**

A beautiful grey colored sandstone, with natural cleft finishes, ranging from light to dark grey with a hint of blue. Natural Surface with hand split edges. Apx. 24in. length x 18in. width x 1in. thick.

**SAFG-1339**

**Stepping Stones - Sunset Buff (18in x 24in x 1in) 60 EA**

A consistent rust colored sandstone with hints of red and dark brown. Natural Surface with hand split edges. Apx. 24in. length x 18in. width x 1in. thick.

## Flagstone

**\*\* All Products shown are considered Stock Items.\*\***

### Item#

### Product Description

#### 415-1 Black Hills Rustic Flagstone (1 inch)

Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses. 1in. - 1.5in. x 12in. - 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 110- 120 sf/ton.

#### 415 Black Hills Rustic Flagstone (2 inch)

Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses. 2in. - 2.5in. x 12in. - 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 80 sf/ton.

#### 415-SU1 Black Hills Rustic Standup Flagstone (1 inch)

Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses of 1in. - 1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.

#### 415-SU2 Black Hills Rustic Standup Flagstone (2 inch)

Tan, rust, brown with some black. A hard and very flat sandstone with consistent thicknesses of 1.75in - 2.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.

#### 419-SU2 Blue Sandstone Standup Flagstone (2 inch)

Gray to dark blue. A hard and very flat sandstone with consistent thicknesses of 1.75in. - 2.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. 80 sf/ton.

#### 422-SU1 Blue/Brown Standup Flagstone (1 inch)

Rust, brown to gray/blue. A hard and very flat sandstone with consistent thicknesses of 1in. - 1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.

#### 422-SU2 Blue/Brown Standup Flagstone (2 inch)

Rust, brown to gray/blue. A hard and very flat sandstone with consistent thicknesses of 1.75in. - 2.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. Apx. Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.

#### 429 Chilton Flagstone

A predominately gray limestone with red to lavender beds. Apx. 1.5in. - 2in. thick and diameters averaging 24in. - 36in. Plt.Wt. 3000-3800 lbs. Apx. 90 sf/ton.

#### 401 Fond Du Lac Flagstone

Buff to gray limestone with a smooth bed. 1.5in. - 2in. x large sheets averaging 20in. - 36in. diameters. Plt.Wt. 3500- 4200 lbs. Apx. 90 sf/ton.

#### 450 Hickory Gray Flagstone

Medium to dark gray irregular flagstone. 2in. - 2.5in. thick with diameters averaging 24in. - 40in. Plt.Wt. 3000-3500 lbs. Apx. 80 sf/ton.

## Flagstone

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**416-B Lannon Buff Flagstone (1 1/2in - 3in Thick)**

Multi colors of brown, rust, orange, buff & gold. Apx. 1.5in. - 3in. thick and average diameters of 24in. - 36in. Plt.Wt. 3000- 3800 lbs. Apx. 90 sf/ton.

**402 Oakfield Flagstone**

Light buff limestone, highly textured bed with quartz pockets. Apx. 2in. - 3in. thick, large sheets averaging 24in. - 40in. diameters. Plt.Wt. 3200- 3700 lbs. Apx. 90 sf/ton.

**407-2 Pennsylvania Blue Standup Irregular Flag - Full Color (2 inch)**

Full color. Irregular flagging 1.5in. - 2.5in. thick. Large stand up sheets. Apx. 24in. - 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 80 sf/ton.

**406 Sandstone Flagstone**

Multi colors of brown, rust, orange, buff & white. Apx. 1.5in. - 2in. thick large irregular sheets averaging 24in. - 48in. diameters. Apx.Pl.Wt. 3000 lbs. Apx. 90 sf/ton.

**411-2 Summit Gray Flagstone (2 inch)**

Sandstone, light gray with some brown. Very smooth consistent beds. 2in. - 2.5in. x 12in. - 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton.

**411-SU1 Summit Gray Standup Flagstone (1 inch)**

Sandstone, light gray with some brown. Very smooth consistent beds. 1in. - 1.75in. thick and sizes ranging from 2ft. x 2ft. up to 3ft. x 4ft. Plt.Wt. 3800-4500 lbs. Apx. 110-120 sf/ton.

**412-2 Wind River Flagstone (2 inch)**

Tan, pink, rust & dark brown in color with smooth beds. 2in. - 2.5in. x 12in. - 30in. diameter. Plt.Wt. 3800-4500 lbs. Apx.80 sf/ton.

**412-SU1 Wind River Standup Flagstone (1 inch)**

Tan, pink, rust & dark brown in color with smooth beds. 1in. - 1.5in thick and sizes ranging from 2ft. x 2ft. up to 3ft. x 4ft. Plt.Wt. 3800- 4500 lbs. Apx. 110-120 sf/ton.

## Pattern Flooring

**\*\* All Products shown are considered Stock Items. \*\***

Item#	Product Description
<b>CC-0002</b>	<b>CervaPave Silver Grey Porcelain (24in x 24in)</b> Premium outdoor paving. Porcelain in a blend of light and dark grey. 24in. x 24in. x 3/4in. (60cm x 60cm x 2cm)
<b>CC-0003</b>	<b>CervaPave Travertine Porcelain (24in x 24in)</b> Premium outdoor paving. Porcelain in a blend of buff, beige and rust. 24in. x 24in. x 3/4in. (60cm x 60cm x 2cm)
<b>SAFG-1340</b>	<b>Coping - Castle Grey (14in x 24in x 2in) 30 EA/Plt</b> A beautiful grey colored sandstone, ranging from light to dark grey, with a hint of blue. Shotblasted/Brushed finish, 3 sawn edges, 1 long edge bullnosed. 2ft. long x 14in. wide x 2in. thick. 30 pcs./plt., 2116 lbs./plt.
<b>SAFG-1341</b>	<b>Coping - Sunset Buff (14in x 24in x 2in) 30 EA/Plt</b> Beige to buff and light brown tones. Shotblasted/Brushed finish, 3 sawn edges, 1 long edge bullnosed. 2ft. long x 14in. wide x 2in. thick. 30 pcs./plt., 2006 lbs./plt.
<b>1550F-800</b>	<b>Indiana Limestone Full Color Pattern Flag- Mixed Sizes</b> VVariegated buff and gray colors. Smooth, sanded top with square sawn edges. 12x24, 24x24, and 24x36 sizes. Sold in a pattern. (NOT PATTERN #2)
<b>SAFG-1281</b>	<b>Pattern Flag - Castle Grey (24in x 36in) 168 SF</b> A beautiful grey colored sandstone, with natural cleft finish, ranging from light to dark grey, with a hint of blue. Natural top, hand split edges. 168 sf./plt. Plt.Wt. 1742 lbs.
<b>SAFG-1277</b>	<b>Pattern Flag - Castle Grey (7/8in French Pattern) 165 SF</b> A beautiful grey colored sandstone, with natural cleft finish, ranging from light to dark grey, with a hint of blue. Natural top, hand split edges. 165 sf./plt., 1741 lbs./plt.
<b>SAFG-1285</b>	<b>Pattern Flag - Castle Grey 7/8in (24in x 24in) 160 SF</b> A beautiful grey colored sandstone, with natural cleft finish, ranging from light to dark grey, with a hint of blue. Natural top, hand split edges. 160 sf./plt. Plt.Wt. 1676 lbs.
<b>SAFG-2703</b>	<b>Pattern Flag - Cloudy Black (24in x 36in) 168 SF</b> Predominately black to dark grey sandstone with minor brownish-yellow mottling. Natural Top with sawn edges. 168 sf./plt. Plt. Wt. 1742 lbs.
<b>SAFG-1273</b>	<b>Pattern Flag - Cloudy Black (7/8in French Pattern) 165 SF</b> Predominately black to dark grey sandstone with minor brownish-yellow mottling. Natural Top with sawn edges. Plt. Wt. 1742 lbs., 165 sf./plt. (48 pcs).

## Pattern Flooring

**\*\* All Products shown are considered Stock Items. \*\***

### Item#

### Product Description

#### **SAFG-2704 Pattern Flag - Sedona Rustic (24in x 36in) 168 SF**

Light to dark buff, browns and tans with a dark fossil-like movements. Natural top, sawn edges. 168 sf/plt., Plt. Wt. 1742 lbs.

#### **SAFG-1343 Pattern Flag - Sedona Rustic (7/8in French Pattern) 165 SF**

Light to dark buff, browns and tans with dark fossil- like movements. Natural top, sawn edges. 165 sf./plt., 2006 lbs./plt.

#### **SAFG-2705 Pattern Flag - Sierra Blue (24in x 36in) 168 SF**

Grey to blue sandstone with hues of charcoal and lavender. Has an aura of individuality and permanence. Natural top, sawn edges. 168 sf./plt., 1742 lbs./plt.

#### **SAFG-1276 Pattern Flag - Sierra Blue (7/8in French Pattern) 165 SF**

Grey to blue sandstone with hues of charcoal and lavender. Has an aura of individuality and permanence. Natural top, sawn edges. 165 sf./plt., 2006 lbs./plt.

#### **404 Pennsylvania Blue Sawn Pattern Flag - Full Color Range**

Full color range in blues and greens with brown, yellow and lilac accents. Natural cleft top. Sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6in. nominal increments). Apx. 1in. thick. Apx.Plt.Wt. 3200 lbs. Apx. 190-285 sf/plt. (sf. based on 1/2in. joints)

#### **404-p2 Pennsylvania Full Color Pattern #2 Bluestone (1 inch)**

VERY CONSISTENT SELECTED 1in. thick blue, green, brown variegated colors with natural cleft face. Sawn 4 sides prepalletized in classic Pattern #2. 200 sf/plt.

#### **404-TF1 Pennsylvania Full Color Sawn Thermal Top (1 inch)**

Blue, green, brown variegated colors with thermal finish on top, sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6 in. increments). Apx. 1 in. thick. Apx.Plt.Wt. 3200 lbs. Apx. 150- 250sf/plt.

#### **404-TF1-P2 Pennsylvania Full Color Sawn Thermal Top Pattern #2 (1 inch)**

Blue, green, brown variegated colors with thermal finish on top, sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6 in. increments). Apx. 1 in. thick & Apx.Plt.Wt. 3200 lbs. Apx. 150- 200sf/plt.

#### **472-CC Travertine Tumbled - Country Classic (16in x 16in) 235 sf**

16in. x 16in. Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 235 sf/plt.

#### **475-CC Travertine Tumbled - Country Classic (6in x 12in) 200 sf**

6in. x 12in. Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 1.25in. thick



## Pattern Flooring

**\*\* All Products shown are considered Stock Items.\*\***

### Item#

### Product Description

#### **473-CC Travertine Tumbled - Country Classic - Bullnose Coping 5cm (40 EA)**

Country Classic Tumbled Travertine Bullnose Coping has a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. 12in. x 24in. x 2in. 40 pcs./plt., 2080 lbs./plt

#### **470-CC Travertine Tumbled - Country Classic - French Pattern (176 SF)**

Country Classic Tumbled Travertine Pavers have a walnut background with a mixture of light gold, dark brown and light blue tones. There is significant movement throughout and a high variation can be expected. French Pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 176 sf./plt., 2816 lbs./plt.

#### **472-I Travertine Tumbled - Ivory (16in x 16in) 235 sf**

16in. x 16in. Ivory Tumbled Travertine Pavers are the lightest color we offer. Best described as Off-White, Beige or Tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. 1.25in. thick. 3760 lbs./plt.

#### **475-I Travertine Tumbled - Ivory (6in x 12in) 200 sf**

6in. x 12in. Ivory Tumbled Travertine Pavers are the lightest color we offer. Best described as off-white, beige or tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. 3200 lbs./plt.

#### **473-I Travertine Tumbled - Ivory - Bullnose Coping 5cm (40 EA)**

Ivory Tumbled Travertine Bullnose Coping is the lightest color we offer. Best described as off-white, beige or tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. 2in. x 12in. x 24in. 40pcs/plt. 2,080 lbs./plt.

#### **470-I Travertine Tumbled - Ivory - French Pattern (176 SF)**

Ivory Tumbled Travertine Pavers are the lightest color we offer. Best described as off-white, beige or tan in color. Although some variation in color is to be expected, it is overall very consistent throughout. Very popular item. French pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 1.25in. thick.

#### **472-N Travertine Tumbled - Noce (16in x 16in) 235 sf**

16in. x 16in. Noce Tumbled Travertine Pavers are dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. 1.25in. thick. 3760 lbs./plt.

#### **475-N Travertine Tumbled - Noce (6in x 12in) 200 sf**

Noce 6in. x 12in. Tumbled Travertine Pavers are dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. 1.25in. thick. 3200 lbs./plt.

#### **473-N Travertine Tumbled - Noce - Bullnose Coping 5cm (40 EA)**

Noce Tumbled Travertine Bullnose Coping is dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. 12in. x 24in. x 2in. 40 pcs./plt., 2,080 lbs./plt.

## Pattern Flooring

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**470-N Travertine Tumbled - Noce - French Pattern (176 SF)**

Noce Tumbled Travertine Pavers are dark brown in color. Although some variation in color is to be expected, it is overall very consistent throughout. French Pattern consists of 8x8, 8x16, 16x16, 16x24 sizes. 176 sf./plt., 2816 lbs./plt.

**472-SB Tumbled Marble - Sky Blue (16in x 16in) 235 sf**

Sky Blue Tumbled Marble has a polished blue-grey color. The tumbled finish gives texture to the marble. 16in. x 16in. 1.25in. thick. 3760 lbs./plt.

**473-SB Tumbled Marble - Sky Blue - Bullnose Coping 5cm (40 EA)**

Sky Blue Tumbled Marble Bullnose Coping has a polished blue-grey color. The tumbled finish gives texture to the marble. 12in. x 24in. x 2in. 40 pcs./plt., 2080 lbs./plt.

**470-SB Tumbled Marble - Sky Blue - French Pattern (176 SF)**

Sky Blue Tumbled Marble has a polished blue-grey color. The tumbled finish gives texture to the marble. French Pattern consists of 8x8, 8x16, 16x24 sizes. 176 sf/plt., 2816 lbs./plt.

## Cobbles

**\*\* All Products shown are considered Stock Items. \*\***

**Item#**

**Product Description**

**502 Canadian Colored Cobbles (3in - 9in)**

Multi-colored pinks, whites & grays. Round granite cobbles in 3in. - 9in. size. Plt.Wt. 3300-3700 lbs. Apx. 30 sf/ton.

**502-B Canadian Colored Cobbles Unsorted Bulk (4in - 8in)**

Multi-colored pinks, whites & grays. Round granite cobbles in 4in. - 8in. size. Plt.Wt. 3300-3700 lbs. Apx. 30 sf/ton.

**515 Grand Canyon Cobbles (Limited Availability)**

Unique lavender colored cobbles with smooth surface & tan swirls. 6in. - 8in. Plt.Wt. 3000-3500 lbs. Apx. 30 sf/ton.

**501 Kewanee Creek Flats**

Hand selected, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy, etc. Average size is 6in. - 12in. Plt.Wt. 2500-3500 lbs. Apx. 60 sf/ton.

**522-C1 Kewanee Skippers (1.5in - 3 inch)**

Hand selected, sorted by size, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy etc. 1.5in. - 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.

**522-C4 Kewanee Skippers (4in - 7in)**

Hand selected, sorted by size, naturally smooth, flat stones. A very colorful mix of red, white, black, gray, burgundy etc. 1.5in. - 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.

**504-C1 Mexican Beach Pebbles (1in - 2in)**

Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.

**504-1 Mexican Beach Pebbles (1in - 2in) 40 Bags/plt**

Hand selected, smooth, flat & rounded, black in color. Each 75 lb. bag covers apx. 3 sf depending on application. Sold by the bag - 40 bags per pallet.

**504-C2 Mexican Beach Pebbles (2in - 3in)**

Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.

**504-2 Mexican Beach Pebbles (2in - 3in) 40 Bags/plt**

Hand selected, smooth, flat & rounded, black in color. Each 75 lb. bag covers apx. 3 sf depending on application. Sold by the bag - 40 bags per pallet.

**504-C3 Mexican Beach Pebbles (3in - 5in)**

Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.

## Cobbles

**\*\* All Products shown are considered Stock Items. \*\***

### Item#

### Product Description

#### **504-3 Mexican Beach Pebbles (3in - 5in) 40 Bags/plt**

Hand selected, smooth, flat & rounded, black in color. Each 75 lb. bag covers apx. 3 sf depending on application. Sold by the bag - 40 bags per pallet.

#### **509-3 Mexican Rainbow Cobbles (3in - 6in)**

Rounded, multi-colored with grays, browns & burgundy. Some elongated pieces may be up to 18in. with diameters up to 10in. Plt.Wt. 2800-3200 lbs. Apx. 25-30 sf/ton.

#### **520 Sedona Cobbles (2.5in - 4in)**

Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 35 - 40 sf/ton.

#### **520-C6 Sedona Cobbles (4in - 12in)**

Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 30-35 sf/ton.

#### **517-M Tennessee River Flats - Medium (6in - 10in)**

Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.

#### **517-S Tennessee River Flats - Small (4in - 6in)**

Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.

#### **525-M Tennessee River Rounds - Medium (6in - 10in)**

Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.

#### **525-S Tennessee River Rounds - Small (4in - 6in)**

Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.

Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.

## Boulders

**\*\* All Products shown are considered Stock Items.\*\***

**Item# Product Description**

**660 Black Ice Boulders**

Black Obsidian. 98% volcanic glass, black in color. 12in. - 18in. diameters. Plt.Wt. 2400- 2800 lbs.

**696-BL-M Eastern Weathered Sandstone Boulders - Medium**

Light grey to light brown. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Apx.Plt.Wt. 3000 lbs.

**608-MB Glacier Boulders - Medium Bulk (18in - 24in)**

Pinks, whites, grays, multi- colored, smooth & round. Medium 18in. - 24in.

**661 Misty Green Boulders (14-24)**

Light mint green in color. 12 - 18 diameters. Apx. Plt. Wt. 2400- 2800 lbs.

**636-BL Mossy Mountain Boulders**

Blend of brown, tan, gray, green & some pink. Small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 2500-3000 lbs.

**616-B12 Ohio Boulders 12in Bulk**

Tan, brown and gray granite and limestone local boulders. Irregular shapes with smooth surfaces. Bulk only. Small, medium or large - PLEASE SPECIFY SIZE.

**616-B24 Ohio Boulders 24in Bulk**

Tan Brown & Gray granite and limestone local boulders. Irregular shapes with smooth surfaces. Bulk Only. Small, medium or large - PLEASE SPECIFY SIZE.

**616-B36 Ohio Boulders 36in Bulk**

Tan Brown & Gray granite and limestone local boulders. Irregular shapes with smooth surfaces. Bulk Only. Small, medium or large - PLEASE SPECIFY SIZE.

**602 Royal Gorge Boulders**

Pink with white quartz & mica all mingled together. 12in. - 18in. Plt.Wt. 2400-2800 lbs.

**663 Sandstone Boulders (18in - 30in) Bulk**

Light gray to brown sandstone boulders. Irregular shapes with smooth surfaces.

**615 Trap Boulders**

Dark blue-purple with shades of dark green & red, 8in. - 48in. Larger sizes available. Plt.Wt. 2600-3000 lbs.

**604-BL Weathered Limestone Boulders**

Light buff to cream to dark gray in color. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 2200-3800 lbs.

**609-BL Weathered Sandstone Boulders**

Mossy, light gray to brown with lichens on boulders. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt.Wt. 3200-4000 lbs.

## Ledgerrock

**\*\* All Products shown are considered Stock Items. \*\***

**Item#**

**Product Description**

**847 Antique Sandstone Foundation Block**

Original Antique hand hewn Ohio Sandstone harvested from century old buildings and barns. Mossy, brown sandstone 12in thick +/- . Apx. Plt. Wt. 2500 lbs.

**847-18 Chilton Winnebago (12in - 18in)**

Tan, rust and brown colored limestone, Up to 36in. thick in random 2ft. - 6ft. lengths. Apx. Plt. Wt. 2700 - 3600 lbs.

**861 Delaware Brown Slabs**

Warm gray to brown colored limestone, 8in. - 10in. thick in random 2ft. - 4ft. lengths. Apx. Plt. Wt. 4000 lbs.

**846-24 Delaware Grey Chunks 18in - 24in**

White to Gray colored limestone. Great for Benches, 18in. - 24in. thick in random 2ft. - 4ft. lengths. Apx. Plt. Wt. 4000 lbs.

**846 Delaware Grey Slabs**

White to Gray colored limestone, 6in. - 8in. thick in random 2ft. - 4ft. lengths. Apx. Plt. Wt. 4000 lbs.

**665 Delaware Grey Split 12in Slabs**

White to grey colored limestone. 18in. - 24in. thick, split 12in. deep and 2ft. - 4ft. lengths. Apx. Plt. Wt. 4000 lbs.

**855 Dublin Slabs**

Buff colored large premium slabs for signs etc. Normally 8in. - 9in. thick x 3ft. - 4ft. width. Lengths ranging from 4ft. up to 8ft. long

**666 Dublin Split 12in Slabs**

Warm buff colored limestone, 5in. - 7in. thick in random 12in. - 36in. lengths. Apx. Plt. Wt. 3500 lbs. Apx. 13 sf/ton.

**696-LL-M Eastern Weathered Sandstone Ledgerrock - Medium**

Light grey to light brown. Very weathered & natural looking. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Apx. Plt. Wt. 3000 lbs.

**636-LL Mossy Mountain Ledge**

Blend of brown, tan, gray, green & some pink. Small, medium or large - PLEASE SPECIFY SIZE. Apx. Plt. Wt. 2500-3000 lbs.

**604-LL Weathered Limestone Ledgerrock**

Light buff to cream to dark gray in color. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt. Wt. 3200-3800 lbs.

**609-LL Weathered Sandstone Ledge**

Mossy, light gray to brown with lichens. Palletized in small, medium or large - PLEASE SPECIFY SIZE. Plt. Wt. 3200-3800 lbs.



## Natural Stone Edging

**\*\* All Products shown are considered Stock Items. \*\***

**Item#**

**Product Description**

**747 Black Hills Rustic Tumbled Edging**

Multi-colored tumbled sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500- 4000 lbs. Apx. 110 lf/ton.

**747-U Black Hills Rustic Untumbled Edging**

Multi-colored sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random lengths. Plt.Wt. 3500-4000 lbs. Apx. 110 lf/ton.

**720 Fond Du Lac Tumbled Edging**

Gray to buff limestone. Machine cut and tumbled. 4in. x 4in. - 5in. x random lengths. Plt.Wt. 2800-3000 lbs. Apx. 120 lf/ton.

**701 Fond Du Lac Untumbled Edging**

Gray to buff limestone. Machine cut. 4in. x 4in. - 5in. x random lengths. Plt.Wt. 3500-4300 lbs. Apx. 120 lf/ton.

**716 Maple Hill Tumbled Edging**

Rustic looking sandstone with light tan & buff colors. Machine split and tumbled. Apx. 5in. x 5in. x random length Plt.Wt. 2800-3500 lbs. Apx. 120 lf/ton.

**740 Summit Gray Tumbled Edging (Limited Availability)**

Light gray sandstone with some brown. Machine split and tumbled. Apx. 3.5in. x 4.5in. x 6in. - 11in. Plt.Wt. 2800-3300 lbs. Apx. 130 lf/ton.

**740-U Summit Gray Untumbled**

Light gray sandstone with some brown. Machine split. Apx. 3.5in. x 4.5in. x 6in. - 11in. Plt.Wt. 2800-3300 lbs. Apx. 130 lf/ton.

**703 Wind River Tumbled Edging (Limited Availability)**

Antiqued rustic looking sandstone with tan, rust & black colors. Machine split and tumbled. 3.5in. x 4.5in. x 6in. - 11in. Apx.Plт.Wt. 3000 lbs. Apx. 130 lf/ton.

**703-U Wind River Untumbled Edging**

Antiqued rustic looking sandstone with tan, rust & black colors. Machine split. 3.5in. x 4.5in. x 6in. - 11in. Apx.Plт.Wt. 3000 lbs. Apx. 130 lf/ton.

## Natural Stone Steps

**\*\* All Products shown are considered Stock Items.\*\***

**Item#** **Product Description**

**871-4 Baltic Buff Sawn Steps 4 ft (8 Steps/plt) \*While Supplies Last\***

Buff sandstone with darker variegations. 8 steps per pallet. 6in. x 16in. x 4ft long. Sawn top and bottom and split on 4 sides. Apx.Plt.Wt. 3520 lbs.

**871-6 Baltic Buff Sawn Steps 6 ft (8 Steps/plt)**

Buff sandstone with darker variegation. 8 steps per pallet. 6in. x 16in. x 6ft long. Sawn top and bottom and split on 4 sides. Apx.Plt.Wt. 4000 lbs.

**814-48 Black Hills Rustic Machine Cut Steps 4 ft (8-10 Steps/plt)**

Multi-colored sandstone. 8 to 10 steps per pallet. Snapped front & back with natural beds. Apx. 6in. - 8in. x 16in. - 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.

**815 Black Hills Rustic Natural Slab Steps**

Multi-colored sandstone. Irregular shapes. Apx. 5in. - 7in. x 24in. - 36in. x 3ft - 5ft long. Plt.Wt. 3500-4200 lbs.

**SAFG-1424CG Castle Gray Steps 4 ft (6 Steps/plt)**

Dark blue-gray sandstone. 6 steps per pallet. Apx. 6in.+/- thick x 16in. x 4ft. long. Suede Surface, 3 edges rock faced & 1 long edge sawn. Apx.Plt.Wt. 2756 lbs.

**856 Dublin Split Steps 4 ft**

Warm Buff limestone. Very hard with highly textured beds. Apx. 5in. - 7in. thick x 16in. - 18in. deep x 4ft. long. Plt.Wt. 3500-4000 lbs.

**873-4 Gunsmoke Gray Sawn Steps 4 ft (8 Steps/plt) \*While Supplies Last\***

Gray sandstone with darker variegation. 8 steps per pallet. 6in. x 16in. x 4ft. long. Sawn top and bottom and split on 4 sides. Apx.Plt.Wt. 3520 lbs.

**873-6 Gunsmoke Gray Sawn Steps 6 ft (8 Step/plt)**

Gray sandstone with darker variegation. 8 steps per pallet. 6in. x 16in. x 6ft. long. Sawn top and bottom and split on 4 sides. Apx.Plt.Wt. 5280 lbs.

**2810-300 Indiana Limestone Full Color Steps 3 ft (6 Steps/plt)**

Full color blend of buff to dark gray. 6 steps per pallet. 6in. x 16in. x 3ft. long. Split on 4 sides. Apx.Plt.Wt. 1720 lbs.

**2810-301 Indiana Limestone Full Color Steps 4 ft (6 Steps/plt)**

Full color blend of buff to dark gray. 6 steps per pallet. 6in. x 16in. x 4ft long. Split on 4 sides. Apx.Plt.Wt. 2300 lbs.

**2810-302 Indiana Limestone Full Color Steps 5 ft (6 Steps/plt)**

Full color blend of buff to dark gray. 6 steps per pallet. 6in. x 16in. x 5ft. long. Split on 4 sides. Apx.Plt.Wt. 2880 lbs.

## Natural Stone Steps

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
-------	---------------------

<b>830-48B</b>	<b>Lannon Park Buff Step 4 ft (6 Steps/plt)</b>
----------------	---

Buff limestone with grey and rust variegation. 6 steps per pallet. 5in - 7in. x 18in. x 4ft long. Snapped front & back with natural beds. Apx.Plt.Wt. 3200 lbs.

<b>830-48G</b>	<b>Lannon Park Grey Step 4 ft (6 Steps/plt)</b>
----------------	---

Grey limestone. 6 steps per pallet. 5in - 7in. x 18in. x 4ft long. Snapped front & back with natural beds. Apx.Plt.Wt. 3200 lbs.

<b>810</b>	<b>Penn Bluestone Thermoaled Step 4 ft (8 Steps/plt)</b>
------------	--

Blue-green full color bluestone. Sawn and thermal treated. 6in. x 16in. x 48in. 8 Steps/plt. Apx. Plt.Wt. 3520 lbs.

<b>840-MC48</b>	<b>Summit Gray Machine Cut Steps 4 ft (8-10 Steps/plt)</b>
-----------------	--

Light gray sandstone with some brown. 8 to 10 steps per pallet. 5in. - 7in. x 18in. x 4ft long. Natural beds on top and bottom, machine split on 4 sides. Plt.Wt. 3400-4000 lbs.

<b>840S-MC48</b>	<b>Summit Gray Sawn T&amp;B M/C Steps 4 ft (8-10 Steps/plt)</b>
------------------	---

Sandstone, light gray with some brown. 8 to 10 steps per pallet. 6in. x 18in. x 4ft long. Sawn beds top and bottom, machine split 4 sides. Plt.Wt. 3900-4200 lbs.

<b>841-MC48</b>	<b>Wind River Machine Cut Steps 4 ft (8 Steps/plt)</b>
-----------------	--

Tan, pink, rust & dark brown in color. 5in. - 7in. x 18in. x 4ft long. Natural beds top and bottom, machine split 4 sides. Plt.Wt. 3400-4000 lbs.

<b>841S-MC48</b>	<b>Wind River Sawn T&amp;B M/C Steps (18in x 48in) - 8 Steps</b>
------------------	--

Tan, pink, rust & dark brown in color. 6in. x 18in. x 4ft long. Sawn beds top and bottom, machine split 4 sides. Plt.Wt. 3400-4000 lbs.

## Natural Stone Step Tread

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**SAFG-1301 Castle Grey Tread (12in x 48in)**

A beautiful grey sandstone ranging from light to dark grey, with a hint of blue. Natural cleft top and rock faced edges. 2in. x 12in. x 4ft. long. Can be purchased by the piece. 10 pcs./plt., 1147 lbs./plt.

**SAFG-1303 Castle Grey Tread (12in x 72in) 10 EA**

A beautiful grey sandstone ranging from light to dark grey, with a hint of blue. Natural cleft top and rock faced edges. 2in. x 12in. x 6ft. long. Can be purchased by the piece. 10 pcs./plt., 1676 lbs./plt.

**SAFG-1345 Sedona Rustic Tread (12x72) 10 EA**

Light to dark buff, browns and tans with dark fossil-like movements. Natural top, rock faced edges. 2in. x 12in. x 6ft. long. Can be purchased by the piece. 10 pcs./plt., 1676 lbs./plt.

**S139TREAD12x48 Weston Cream Tread (12x48x2.25) 18 EA**

Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. Apx. Plt.Wt. 2232 lbs./plt.

**S139TREAD14x48 Weston Cream Tread (14x48x2.25) 18 EA**

Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. Apx. Plt.Wt. 2610 lbs./plt.

## Natural Stone Cap

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
<b>S-674-MC24</b>	<b>Baltic Buff Cap (24in x 24in x 3in) 20 EA</b> Buff with darker variegation sandstone, 3in. x 12in.x 36in. Apx.Plt.Wt. 4000 lbs.
<b>S-675-MC24</b>	<b>Gunsmoke Gray Cap (24in x 24in x 3in) 20</b> Gray with darker variegation sandstone. 3in. x 12in. x 36in. Apx.Plt.Wt. 4000 lbs.
<b>2845-100</b>	<b>Indiana Limestone Full Color Wall Cap (12in x 47 5/8in x 2 1/4in)</b> Full color blend of buff to dark gray. 12 in. x 47 5/8 in. x 2.25 in.
<b>2845-101</b>	<b>Indiana Limestone Full Color Wall Cap (14in x 47 5/8in x 2 1/4in)</b> Full color blend of buff to dark gray. 14 in. x 47 5/8 in. x 2.25 in.
<b>2780-104R</b>	<b>Indiana Limestone Gray Cap 24in. x 24in. (12/ea plt)</b> Gray to light gray 24in. x 24in. x 2.25in. Only available with Sawn T/B and M/C Edges.
<b>2780-107R</b>	<b>Indiana Limestone Gray Cap 30in. x 30in. (12/ea plt)</b> Gray to Light Gray 30in. x 30in. x 2.25in. Only available with Sawn T/B and M/C edges.
<b>S-139C-MC24</b>	<b>Weston Cream Cap 24in. x 24in. (24/ea plt)</b> Light buff and cream 24in. x 24in. x 2.25in. Sawn top/bottom with machine cut edges. *Special order finishes: honed, polished, antique brush, bushhammer (Prices will vary with finish) 2969 lbs./plt. 24pcs/plt.

## Outdoor Living

**\*\* All Products shown are considered Stock Items. \*\***

Item#	Product Description
<b>FB4600</b>	<b>Basin - 46 inch Fountain Basin</b> 1,200 lb. weight capacity.
<b>5072-WL</b>	<b>Bubbling Boulder Kit - Weathered Limestone Boulder w/ Alabama Sunset Gravel</b> This easy to install natural stone water feature brings both beauty and a peaceful atmosphere to any patio, garden or outdoor living space. The kit includes everything you need; one 46in. fountain basin, one predrilled boulder, (three different stones to choose from), one 750 gph pump with 3/4in. inside diameter flex pipe, 8 - 1/2 cu.ft. bags of decorative gravel.
<b>SAFL1717-6</b>	<b>Chimney Extensions - Large Flue</b> 6in. tall. Fits 36in. - 48in. Contractor Series.
<b>SA-SQP</b>	<b>Fire Pit Square-42X15X17.5</b> Stone Age Manufacturing 42 Inch Square Outdoor Fire Pit Kit
<b>SA-LRP</b>	<b>Fire Pit-Large Round</b>
<b>SA-TRP</b>	<b>Fire Pit - Tall Round</b> 42in. width x 25in. tall, 36in. inside dia. 27 1/2 in. tall with feet.
<b>SA-S1001</b>	<b>Firebrick Splits Buff - 9in. x 4.5in. x 1.5 Thick</b> Splits, 9in. x 4.5in. x 1.25in. 4 lbs. 850 ea/pallet (plt qty as of 6/2019 888/ea)
<b>SAFG-2710</b>	<b>Firepit - Basalt Square</b> Basalt Fire Pit Outside Dimensions: 44in. width x 44in. length. Inside Dimensions: 28in. width x 28in. length. Overall Height: 18in.
<b>SAFG-2709</b>	<b>Firepit - Sunset Buff Square</b> Sunset Buff Fire Pit Outside Dimensions: 44in. width x 44in. length. Inside Dimensions: 28in. width x 28in. length. Overall Height: 18in.
<b>SA-48CN</b>	<b>Fireplace - Contractor Series 48 inch w/ Arched Lintel</b> Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold separately. 105 Firebrick required and 5 buckets of Mortar. Mortar quantity based on installation of firebrick and veneer. 109sf. of surface, including 26lf. corners. 2120 lbs.
<b>SA-APRM</b>	<b>Ready-Mix Mortar-5 GL BKT</b> High Temperature, Multi Purpose. 5 gal. bucket
<b>2556OH</b>	<b>Sunset Fire Pit Round -OH(Ring Only)</b>
<b>2557OH</b>	<b>Sunset Fire Pit Square -OH (Ring Only)</b>



## Construction Aggregate

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**1045-B Concrete Sand Brown - Bulk**

Coarse brown concrete reese sand. Apx. 4000 lbs per cubic yard

**1046-B Crushed Limestone #2 (2in - 3in) - Bulk**

Size: 2in. - 3in. Color: gray. Clean crushed limestone. Apx. 2700 lbs per cubic yard.

**1047-B Crushed Limestone #304 (1 1/2in) - Bulk**

Size: 1 1/2in. Color: gray. Crushed limestone 1.5in. down to dust. Apx. 4000 lbs per cubic yard compacted.

**1065-B Crushed Limestone #411 (3/4in) - Bulk**

Size: 3/4in. Color: gray. Crushed limestone 3/4in. down to dust. Apx. 4000 lbs per cubic yard compacted.

**1048-B Crushed Limestone #57 (3/4in) - Bulk**

Size: 3/4in. Color: gray. Clean crushed limestone. Apx. 3000 lbs per cubic yard.

**1050-B Crushed Limestone #8 (1/4in) - Bulk**

Size: 1/4in. Color: gray. Clean crushed limestone. Apx. 2400 lbs per cubic yard.

**1066-B Crushed Limestone #9 (1/8in - 3/16in) - Bulk**

Size: 1/8in. - 3/16in. Color: gray. Clean crushed limestone. Apx. 2700 lbs per cubic yard.

**1049-B Crushed Limestone Screenings (Dust - 1/4in) - Bulk**

Size: dust - 1/4in. Color: gray. Crushed limestone 1/4in. down to dust. Apx. 4000 lbs per cubic yard compacted.

**1017-B Mason Sand Brown - Bulk**

Fine brown mason reese sand. Apx. 4000 lbs. cubic yard.

**IBSTOCK12x12x18 Single Seam Bag w/ 2 Lift Straps (12in x 12in x 18in)**

Nylon bag with 2 handles. Can hold up to 125 lbs. (NON REFUNDABLE)

**3587 Stabilizer Solution-40 Lb [Includes Equipment & Labor]**

Stabilizer Mix for pathways and parking. Price includes mixing, minimum order and setup charge may apply.

**1266 Supersacks (1 Cubic Yard)**

Nylon bag. Can hold up to 2000 lbs. (NON REFUNDABLE)

## Decorative Aggregate

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
<b>1010-B</b>	<b>Alabama Sunset - Bulk</b> Size: 3/4in. Color: tan, brown, white, burgundy. Naturally rounded pebbles. Approx. coverage 100-120 sf/ton at 2in. depth.
<b>1004-B</b>	<b>Black Lava Nuggets (3/4in - 1 1/2in)- Bulk</b> Size: 3/4in. - 1 1/2in. Color: black. Light weight and porous. Apx. 1300 lbs per cubic yard. Apx. coverage 450-500 sf/ton at 2in. depth.
<b>1044-b</b>	<b>Brassfield Fines - Bulk (1/4in)</b>  Size: 5/16in. Color: Brass- gold, crushed limestone. Approx. coverage 100 sf/ton at 2in. depth
<b>1040-b</b>	<b>Crushed Brick Chips - Bulk (1in)</b>  Size: 1in. Color: Terra Cotta colored crushed brick. Approx. coverage 150 sf/ton at 2in. depth.
<b>1070-B</b>	<b>Decomposed Honey Granite - Bulk</b> Size: 3/8in. with fines, Color: Honey Orange. Decomposed Granite 3/8in. down to dust. Approx. 4000 lbs per cubic yard compacted. Approx. coverage 100 sf/ton at 1in. depth.
<b>1071-B</b>	<b>Decomposed Red Granite - Bulk</b> Size: 3/8in. with fines, Color: Red. Decomposed Granite 3/8in. down to dust. Approx. 4000 lbs per cubic yard compacted. Approx. coverage 100 sf/ton at 1in. depth.
<b>1024-B</b>	<b>Duck Lake Pebbles - Bulk</b> Size: 1/2in. - 1in. Color: Very colorful. Green, buff, blue & burgundy. Approx. coverage 100 sf/ton at 2in. depth.
<b>1061-B</b>	<b>Gravel #57 (3/4in) - Bulk</b> Size: 3/4in. Color: Buff, Tan, Gray. Clean naturally rounded gravel. Also knows as Washed River Gravel. Approx. 2700 lbs per cubic yard.
<b>1062-B</b>	<b>Gravel #8 (1/4in) - Bulk</b>  Size: 1/4in. Color: Buff, Tan, Gray. Clean naturally rounded gravel. Approx. 2700 lbs per cubic yard.
<b>1064-B</b>	<b>Maylen Black Chips - Bulk (3/4in - 2in)</b>  Size: 3/4in. - 2in. Color: Black sparkly colored crushed granite, Approx. coverage 100 sf/ton at 2in. depth.
<b>1013-B</b>	<b>Meramec C - Bulk</b> Size: 3/4in. - 1in. Color: brown & tan river rock. Approx. coverage 100 sf/ton at 2in. depth.

## Decorative Aggregate

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
<b>1072-B</b>	<b>Midnight Mist Granite Chips - Bulk</b> Size: 3/8in. with fines, Color: Dark Gray to Black. Approx. 4000 lbs per cubic yard compacted. Approx. coverage 100 sf/ton at 1in. depth
<b>1054-B</b>	<b>Nutmeg Nuggets - Bulk (1 1/4in)</b> Size: 1 1/4in. Color: pastel colors of black, gray, purple, buff. Naturally rounded. Approx. coverage 100 sf/ton at 2in. depth
<b>1060-B</b>	<b>Oversized Ohio Cobbles Unsorted (4in +) - Bulk</b> Oversize Ohio cobbles, unsorted. Ranging in sizes from 4in up to 12in. Color: Buff, Tan, Gray Cobbles, naturally rounded. Approx. 2700 lbs per cubic yard.
<b>1003-B</b>	<b>Red Lava Nuggets - Bulk</b> Size: 3/4in. - 1 1/2in. Color: red. Lightweight and porous. Apx. 1300 lbs per cubic yard. Apx. coverage 450-500 sf/ton at 2in. depth.
<b>1051-B</b>	<b>Walnut Cobbles - Bulk (1in - 2in)</b> Size 1.5in. Color: Brown & tan river pebbles, naturally rounded. Approx. coverage: 100 sq. ft./ton at 2in. depth.
<b>1058-B</b>	<b>Washed Ohio Cobbles (1in - 2in) - Bulk</b>  Size: 1in. - 2in. Color: Buff, Tan, Gray Cobbles, naturally rounded. Approx. 2700 lbs. per cubic yard.
<b>1059-B</b>	<b>Washed Ohio Cobbles (2in - 4in) - Bulk</b>  Size: 2in - 4in. Color: Buff, Tan, Gray Cobbles, naturally rounded. Approx. 2700 lbs. per cubic yard.

## Mulch

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**1114-BBL Double Processed Black Mulch - Bulk**

100% shredded hardwoods. Black.

## Unilock Pavers

**\*\* All Products shown are considered Stock Items.\*\***

### Item#

### Product Description

#### **3660OH Artline OH (93.25 SF)**

The long clean lines of Artline reflect an emerging trend to minimalist, modern outdoor designs. Available Colors: Birch, Fossil, Granite Fusion.

#### **3741OH Beacon Hill Flagstone OH NEW 116.57 SF**

Beacon Hill Flagstone has a very natural appearance and is ideal for almost any landscape project you can imagine. Its soft blended colors and subtle surface design gives Beacon Hill Flagstone that relaxed historic look and feel. Available in three sizes for a random appearance. Available Colors: Birch, Granite Fusion, River Blend, Sierra, Walnut.

#### **3739OH Beacon Hill Smooth OH NEW 116.57 SF**

Beacon Hill Smooth has a very natural appearance and is ideal for almost any landscape project you can imagine. Its soft blended colors and smooth surface gives Beacon Hill Smooth a more contemporary look and feel. Available in three sizes for a random appearance. Available Colors: Granite Fusion, Fossil and Opal.

#### **3647OH Boulevard Pavers OH (93 SF)**

Boulevard is a large scale paver with a smooth texture and a subtle rolled edge detail. The random bundle is comprised of two rectangular sizes and one square that share a 12in. dimension on one side. Boulevard is an excellent choice for patios, pool surrounds and walkways. Its dimensions are capable of handling vehicular loads so its also appropriate for driveways. Available colors: Granite Fusion, River and Sierra

#### **3619OH Bristol Valley OH (104.6 SF)**

The moderate surface texture brings a new, refined elegance to outdoor applications. Subtle color blends add to an appearance of natural stone. Available Colors: Bavarian Blend, Fossil, Steel Mountain \* New sizes coming soon.\*

#### **3634OH Brussels Paver - Half Stone OH (88.7 SF)**

The original tumbled paver of North America reflects the hues of quarried stone. Available Colors: Limestone, Sandstone, Sierra

#### **3635OH Brussels Paver - Standard Stone OH (88.6 SF)**

The original tumbled paver of North America reflects the hues of quarried stone. Available Colors: Limestone, Sandstone, Sierra

#### **3636OH Brussels Paver - XL Stone OH (76.56 SF)**

The original tumbled paver of North America reflects the hues of quarried stone. Available Colors: Limestone, Sandstone, Sierra

## Unlock Pavers

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
-------	---------------------

<b>3631OH</b>	<b>Camelot Large Rectangle 6 x 9 (98.96 SF)</b>
---------------	---

If you want a cobblestone look with a slight variation you will appreciate Camelot. Each paver in this multi-paver system is slightly rounder than your typical cobblestone- style paver. The result is something reminiscent of cobblestone but with a distinctive point of difference. Available Colors: Granite, River and Sierra

<b>3632OH</b>	<b>Camelot Square 6x6 (92.40 SF)</b>
---------------	--------------------------------------

If you want a cobblestone look with a slight variation you will appreciate Camelot. Each paver in this multi-paver system is slightly rounder than your typical cobblestone- style paver. The result is something reminiscent of cobblestone but with a distinctive point of difference. Available Colors: Granite, River and Sierra

<b>3640OH</b>	<b>Cophthorne Paver OH (89.2 SF)</b>
---------------	--------------------------------------

Create a street paver look with consistent dimensions for easy, efficient installation. Available Colors: Basalt, Burgundy Red, Burnt Clay and Old Oak

<b>3642OH</b>	<b>Courtstone Paver OH (98.3 SF)</b>
---------------	--------------------------------------

Bring a sense of Old World Europe to your design. Ideal for driveways and accents. Available Colors: Basalt

<b>3659OH</b>	<b>Holland 4x8 OH (106.2 SF)</b>
---------------	----------------------------------

Classic 4x8 paver. Makes an excellent field paver for that classic look. It is also an ideal accent paver for other 6 cm paver choices. Available colors: Charcoal, River, Rustic Red and Sierra

<b>3659OH</b>	<b>Holland Premier 4x8 OH (106.20 SF)</b>
---------------	---

Holland Premier with the Endura Color finish makes an excellent field paver for that classic look. It is also an ideal accent paver for other 6 cm paver choices. Available Colors: Dark Charcoal, Fossil, Granite Fusion, Mocha.

<b>3691OH</b>	<b>IL Campo 4x8 (94.4 SF)</b>
---------------	-------------------------------

Produced by a specialized manufacturing process, this paving stone features brushed irregular lines etched across each paver. Its a detailed look thats striking and inviting at the same time, and unlike any other paver you can buy. Available in a variety of dimensionally compatible units, this paving stone system gives you the ability to create an almost unlimited variety of geometric and random pattern designs. Available Colors: Dark Charcoal, Mocha

<b>2315OH</b>	<b>Mattoni Paver - OH 89.28 SF</b>
---------------	------------------------------------

Mattoni reinterprets classic Roman brick with a modern spin. The surface of Mattoni is antiqued for a distressed, timeworn appearance. The slim format is ideal for curved garden paths, authentic country gardens and classic herringbone patterns, as well as commercial and vehicular applications. Available colors: Cocoa Brown, Dark Charcoal, Granite Fusion and Sable Blend



## Unilock Pavers

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**3671OH Richcliff Paver OH (90.3 SF)**

The embossed surface texture of this paver is cast from natural stone to ensure a random natural appearance.  
Available Colors: Dawn Mist, Pebble Taupe, Smoke Shale

**3685OH Series 70mm 4x8 (106.20 SF)**

Series specialized manufacturing process creates a striking visual effect with the surface granite particles and also results in an extremely durable paver. Available Colors: Golden Tan, Onyx Black.

**3689OH Town Hall OH (88.41 SF)**

With Unilocks ever increasing focus on permeable pavers, Town Hall has been designed to satisfy both traditional and permeable installation methods while maintaining a historical worn and distressed appearance. Available Colors: Basalt, Burgundy Red, Burnt Clay and Old Oak

## Hessit Pavers

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**3545 Bavarian Tumbled Paver - Rectangle (87 SF)**

6 cm 8.25in. x 5.5in., 270 pcs/plt, 87 sq.ft./plt. \*Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color: Alleghany Slate-AS. 2300 lbs per plt. \*Stock

**3547 Bavarian Tumbled Paver - Small Square (91 SF)**

6 cm 5.5in. x 5.5in., 432 pcs/plt, 91 sq.ft./plt. \*Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge Color: Alleghany Slate-AS. 2440 lbs per plt. \*Stock

**3513 Dutch Cobble Paver - Rectangle (87 SF)**

6 cm. 8.25in. x 5.5in., 3.1 stones per sf, 87 sf per plt. \*Stock Colors: Cedar Creek Red-CCR, Charcoal- C, Driftwood-DW, Gray-G, Granite Blend-GB, Indian Creek-IC, Lakeshore Blend-LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek Brown-CCB, Desert Blend-DB, Additional Charge Colors: Alleghany Slate-AS, Multi-Slate-MS. 2600 lbs per plt. \*Stock

**3514 Dutch Cobble Paver - Small Square (91 SF)**

6 cm. 5.5in. x 5.5in., 4.75 stones per sf, 91 sf per plt. \*Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend- LS. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek Brown-CCB, Charcoal- C, Desert Blend-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge Colors: Alleghany Slate-AS, Multi- Slate-MS. 2700 lbs per plt. \*Stock

**3504 Mission 1 Paver (103 SF)**

Overall Size: 3.875in. x 7.75in. \*Stock Colors: Buff- B, Charcoal-C. Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Bld-AB, Brown-BRN, Cedar Creek Brown-CCB, Cedar Creek Red-CCR, Desert Bld- DB, Dominion Bld-DOB, Driftwood Bld-DW,Gray-GR, Granite Bld-GB, Harvest Blend-H, Indian Creek-IC, Lakeshore Bld-LS, Orchard Bld-OB, Red #1-R1, Red #2- R2, Redwood Bld-RW, Sandstone Bld-SB, St. Clair Bld-SCB. Additional Charge Colors: Alleghany Slate-AS, Multi-Slate-MS. 2900 lbs per plt. \*Stock

## County Materials Pavers

**\*\* All Products shown are considered Stock Items. \*\***

Item#	Product Description
-------	---------------------

<b>3550</b>	<b>Elements 4x8 Paver (88 SF)</b>
-------------	-----------------------------------

Elements Paving Stones offer superior surface durability and a clean aesthetic with their smooth surface and slightly chamfered edges. Available Colors: Dream, Haven, Majestic, Oasis, Reflection, Reunion, Serenity, Timeless, Vision. (Not all colors are considered stock-check for availability)

<b>3583</b>	<b>Glow Path Elements Paver 4x8 (88 SF)</b>
-------------	---

Glow Path Elements Paving Stones offer superior surface durability and a clean aesthetic with their smooth surface and slightly chamfered edges. Glow Path Element Pavers provide a subtle illumination that lasts up to 8 hours. The units glow lasts up to 20 years, but the integrity of the paver itself can last several more decades. Available Colors: Reflection and Vision

<b>3553</b>	<b>Grand Discover Paver (81.24 SF)</b>
-------------	--

Discover Grand Pavers offer larger paving stone sizes to create a more modern vibe with the smooth surface. Available Colors: Aspire, Haven, Intention, Majestic, Reflection, Timeless.

<b>3557</b>	<b>Grand Vantage Paver (81.24 SF)</b>
-------------	---------------------------------------

Vantage Grand Pavers are larger paving stones that offer a subtle textured surface giving a more traditional appearance. Available Colors: Aspire, Haven, Intention, Majestic, Reflection, Timeless.

<b>3552</b>	<b>Tranquility Paver (86.16 SF)</b>
-------------	-------------------------------------

Tranquility Pavers are created with clean lines for a refined expression of style. Manufactured to withstand abrasion and high traffic use. Available Colors: Haven, Majestic, Oasis, Serenity, Timeless.

## Unilock Walls and Copings

**\*\* All Products shown are considered Stock Items. \*\***

Item#	Product Description
-------	---------------------

<b>3630OH</b>	<b>Brussels Classic Double Fullnose OH (80 LF)</b>
---------------	--

The original tumbled paver cap of North America reflects the hues of quarried stone. Available Colors: Dark Charcoal, Limestone, Sandstone, Sierra.

<b>3629OH</b>	<b>Brussels Classic Fullnose OH (80 LF)</b>
---------------	---

The original tumbled paver cap of North America reflects the hues of quarried stone. Available Colors: Dark Charcoal, Limestone, Sandstone, Sierra.

<b>2219OH</b>	<b>Brussels Dimensional Small Taper OH (144 EA)</b>
---------------	---

Versatile tumbled wall stone used commonly for curved seat walls and firepits. Available Colors: Limestone, River, Sandstone, Sierra

<b>2220OH</b>	<b>Brussels Dimensional Wall OH (108 EA)</b>
---------------	--

Versatile tumbled wall stone used commonly for seat walls, steps and outdoor kitchen housings. Available Colors: Limestone, River, Sandstone, Sierra,

<b>2216OH</b>	<b>Estate Wall 6 Bundle OH (24 SF)</b>
---------------	--

Versatile retaining wall stone. Can be installed as a tapered wall for retaining or completely upright for seat walls and columns. Available Colors: Granite, River, Sierra.

<b>2215OH</b>	<b>Estate Wall 6 Corner Block OH (32 EA)</b>
---------------	--

Versatile retaining wall stone corner. Available Colors: Granite, River, Sierra.

<b>2247OH</b>	<b>Ledgestone Closed End Coping OH (12 EA)</b>
---------------	--

Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 2 3/4in. x 12in. x 24in. Rock faced on 3 sides. 12 ea/plt. Available Colors: Buff, Grey.

<b>2248OH</b>	<b>Ledgestone Fullnose Coping OH (16 EA)</b>
---------------	--

Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 2 3/8in. x 12in. x 24in. Available Colors: Buff, Grey

<b>2245OH</b>	<b>Ledgestone Pillar Caps OH (5 EA)</b>
---------------	---

Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 4in. x 24in. x 24in. 5 ea/plt. Available Colors: Buff, Grey.

## Unilock Walls and Copings

**\*\* All Products shown are considered Stock Items. \*\***

Item#	Product Description
-------	---------------------

<b>2246OH</b>	<b>Ledgestone Wall Coping OH (12 EA)</b>
---------------	--

Ledgestone is Unilocks universal coping system that is turning heads with its remarkably natural appearance. Featuring pitched edges and two color options to work interchangeably with any wall, the design selections are optimized. Size: 2 3/4in. x 12in. x 24in. 12 ea/plt. Available Colors: Buff, Grey

<b>2223OH</b>	<b>Lineo Pillar Unit OH (72 EA)</b>
---------------	-------------------------------------

Contemporary column option. Size: 8in x 16in x 4in. Pieces can be used for columns or corners on free standing walls. Available Colors: Granite Blend, Sierra.

<b>2222OH</b>	<b>Lineo Wall Unit OH (29.92 FCFT)</b>
---------------	--

Contemporary seat wall option. Sold in random length bundles. Available Colors: Granite Blend, Sierra.

<b>2253OH</b>	<b>Pisa2 Coping 12in OH (84 EA)</b>
---------------	-------------------------------------

Original true retaining wall coping stone for Unilock. Size: 2.75in. x 12in. x 12in. Available Colors: Granite, River Blend and Sierra

<b>2252OH</b>	<b>Pisa2 Corner Wall Block OH (18 EA)</b>
---------------	---

Original true retaining wall stone for Unilock. Size: 6in. x 8in. x 12in. Available Colors: Granite, River, Sandstone, Sierra.

<b>2254OH</b>	<b>PisaXL Wall Block (32 EA)</b>
---------------	----------------------------------

A true retaining wall block in a larger size than its predecessor Pisa2. Size: 6in. x 16in. x 12in. Available Colors: Granite, River Blend and Sierra

<b>2266OH-LB</b>	<b>U-Cara Sure Track Large Backer</b>
------------------	---------------------------------------

6in. x 7in. x 12in.

<b>2265OH-SB</b>	<b>U-Cara Sure Track Standard Backer</b>
------------------	--

6in. x 8in. x 6in.

<b>2267OH-UB</b>	<b>U-Cara Universal Base Unit</b>
------------------	-----------------------------------

19in. x 14in. x 2in.

## Hessit Walls and Copings

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
-------	---------------------

<b>3526</b>	<b>Lancaster Tumbled Stone (108 EA)</b>
-------------	---

Available Colors: Buff, Cedar Creek Red, Driftwood, Granite, Indian Creek, Lakeshore, Prairie

<b>3527</b>	<b>Lancaster Tumbled Wedge (144 EA)</b>
-------------	---

Available Colors: Buff, Cedar Creek Red, Driftwood, Granite, Indian Creek, Lakeshore, Prairie

## County Materials Walls and Copings

**\*\* All Products shown are considered Stock Items.\*\***

### Item#

### Product Description

#### **3564 Crest Bullnose Paver 280 EA**

Crest Bullnose are the ideal finish to any step, pillar, wall or pool. Available Colors: Haven, Oasis, Reflection, Serenity, Timeless, Vision.

#### **3549 Summit Stone Landscape Medium Units Smooth 160 EA**

Summit Stone Landscape Units are great for most outdoor living construction projects including fireplaces, kitchens, grills, seat walls, pillars and so much more. Available Colors: Haven, Hush, Reflection, Solace, Timeless, Vision. (Not all colors are considered stock, check for availability)

#### **3584 Tribute Retaining Wall Splitface 12x6x16 36 EA**

Tribute Retaining Wall System features solid block with multiple pin grooves on the top that allow for the unit to be used as a retaining or freestanding wall. Units can be split in half in the field to construct pillars or other wall accents. Size: 12in. depth x 6in. height x 16in. width (tapered). Stocked in Earth Blend, Old Ironside, Slate Blend and Timberwolf.

#### **3586 Tribute Retaining Wall Splitface Corner 12x6x8 72 EA**

Tribute Retaining Wall System features solid block with multiple pin grooves on the top that allow for the unit to be used as a retaining or freestanding wall. Corner units are split- faced on 2 sides. Size: 12in. depth x 6in. height x 8in. width. Stocked in Earth Blend, Old Ironside, Slate Blend and Timberwolf.

#### **3565 Universal Straight Wall Cap 70 EA**

Universal Straight Wall Cap can be used to finish the Tribute Retaining Wall System. Caps are split- faced on front and back and are tapered. Size: 14in. depth x 3in. height x 14-18in. width. Stocked in Earth Blend, Old Ironside, Slate Blend and Timberwolf.

## Accessories

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
CG00001	<b>Caulking Gun - Economy (10 oz.) 24 EA</b>
CG00002	<b>Caulking Gun - Premium (10 oz) 6 EA</b>
CG00004	<b>Caulking Gun - Premium (28 oz) 6 EA</b>
PS10-10BL	<b>Pro Steel Edging (4in x 10ft) 10 GA (1/8) Black</b> 1/8in x 4in x 10ft with 4 Spikes per piece.
PS10-10BR	<b>Pro Steel Edging (4in x 10ft) 10 GA (1/8) Brown</b> 1/8in x 4in x 10ft with 4 Spikes per piece.
PS10-10GR	<b>Pro Steel Edging (4in x 10ft) 10 GA (1/8) Green</b> 1/8in x 4in x 10ft with 4 Spikes per piece.
PS3/16-10BR	<b>Pro Steel Edging (4in x 10ft) 10 GA (3/16) Brown</b> 3/16in x 4in x 10ft with 4 Spikes per piece.
708-B	<b>Pro Steel Edging (4in x 10ft) 14 GA (1/16) Black</b> 1/16in x 4in x 10ft with 4 Spikes per piece.
708OH-G	<b>Steel Edging (4in X 10ft) 14GA (1/16) Green</b> 1/16in x 4in x 10ft with 4 Spikes per piece. 20 Pcs Bundle
767-G	<b>Steel Edging (4in x 10ft) 10GA (3/16) Greeg</b> 3/16in x 4in x 10ft with 4 Spikes per piece. 20 Pcs Bundle
3721	<b>Snap-Edge 8ft (24 Pcs/Bundle)</b>
3721-LP	<b>Snap-Edge Low Profile 8ft (24 EA)</b>
FCMST 10-50#SS	<b>Spiral Spikes 10 (250 Per Box)</b> 10 in. Spiral Spike. 250 spikes per box.
FCSTR COLLAR REFILL	<b>String Along Collars / Stakes (48 Pack Refill Bag)</b>
PRAIL UNIV	<b>Universal Paver Rail</b>



## Accessories

**\*\* All Products shown are considered Stock Items.\*\***

Item#	Product Description
-------	---------------------

<b>BPPC 14</b>	<b>Value Blade - Hard Materials (14 inch)</b>
----------------	---

<b>BU 14</b>	<b>Value Blade - Universal General Purpose (14 inch)</b>
--------------	--

<b>CRETE</b>	<b>Crete Rail Concrete Edging</b>
--------------	-----------------------------------

Crete-Rail is a strong yet flexible concrete edging that provides stability and structure to hardscape applications. It has a fast set time and its easy to use, just add water and mix. The polymer-modified formula and fiber reinforcement add strength while allowing for flexibility to withstand freeze/thaw fluctuation. Can be used with many applications.

## Lighting

**\*\* All Products shown are considered Stock Items. \*\***

Item#	Product Description
-------	---------------------

1298	12/2 Landscape Lighting Wire 500 Spool EZ Pull Box
------	--

1295	Integra 12V Power Supply 150W Resin, Photocell, Timer
------	---

1294	Integra 12V Power Supply 60W Resin, Photocell, Timer
------	--

1291	Integral II600 Carbon Led/2400K (10 Per Case)
------	---

1293	Integral II600 Platinum Led/2400K (10 Per Case)
------	---

1297	Integral II600 Sandstone Led/2400K (10 Per Case)
------	--

1292	Integral II600 Textured Bronze Led/2400K (10 Per Case)
------	--

## Polymeric and Jointing Sands

**\*\* All Products shown are considered Stock Items.\*\***

**Item#**

**Product Description**

**SSAN PAVZ3 Pavermate Z3 Sand (50LB)**

Polymeric Sand from SRW 49 bags per pallet. Available Colors: Black, Granite and Tan

**3574OH Polybind Complete Sand G2 (50 LB)**

Polymeric Sand from Alliance. 56 bags per pallet. Available Colors: Ivory White, Jet Black, Nevada Tan and Oxford Grey.

**3565OH Polybind Dust (50 LB)**

Unique mixture of polymers and sand. Once dust is set it becomes very firm and locks between stone joints. Recommended uses include pool decks, patios, footpaths, and any other pedestrian application. Available Colors: Beige, Gray

**1289 Jointing Sand (50 LB)**

Jointing Sand from SEK Surebond. Recommended for joints up to 3/4in. Available Colors: Gray and Tan.

**WETLOK WetLok Permeable Sand**

WetLok is a self-curing jointing material for all types of paving projects with joints sizes of 3/16in. to 5in. WetLok is a quick and easy way to ensure a permanent joint with no need for special machinery or equipment. Available Colors: Black, Granite and Tan

## Adhesives, Cleaners and Sealers

**\*\* All Products shown are considered Stock Items.\*\***

<b>Item#</b>	<b>Product Description</b>
--------------	----------------------------

<b>SSE CTN</b>	<b>EF - Efflorescence Cleaner 1 GAL.</b>
----------------	--

EF Efflorescence Paver Clean is a product which acts quickly to dissolve efflorescence (white mineral deposits). Prepares surface for sealer. Restores original paver color. Contains no muriatic or hydrochloric acid. Applications: Retaining Walls, Pavers, Brick, Masonry and should be used after spot treatments. Coverage: Up to 200 sf per gallon

<b>SSPC HGX CTN</b>	<b>HGX - High Gloss Cure &amp; Seal X-Treme Paver Seal 1 Gal</b>
---------------------	--

<b>SSPC HGX 5GAL</b>	<b>HGX - High Gloss Cure &amp; Seal X-Treme Paver Seal 5 Gal</b>
----------------------	--

HGX High Gloss Cure & Seal is a wet-look, high quality paver sealer that extends paver life. Solvent based. Protects any commercial or high traffic area from rust, dirt, pool chemicals, salt & everyday weathering. Stabilizes joint sand, prevents weed growth & ant infestation. Applications: Natural Stone, Exposed Aggregate & Colored Concrete. Not for use on Clay Pavers/Brick, Bluestone, Wetcast or structures under hydrostatic pressure. (Coverage is apx. 250 sf/gal. \*May Vary\*)

<b>SSPSPLUS CTN</b>	<b>PS - Paver Seal Penetrating/Invisible - 1 Gal</b>
---------------------	--

<b>SSPSPLUS 5GAL</b>	<b>PS - Paver Seal Penetrating/Invisible - 5 Gal</b>
----------------------	--

PS Paver Seal Penetrating/Invisible is an invisible/natural-looking penetrating sealer. Water based. Protects surfaces against the damaging effects of water intrusion. Interior/exterior use. Applications: Vertical & Horizontal. Concrete, Retaining Walls, Bluestone, Cultured Stone, Sandstone, Slate, Granite, Clay. Not for use on Limestone, Marble or structures under hydrostatic pressure. (Coverage is apx. 200 sf/gal. \*May vary\*)

<b>1288</b>	<b>Sb8700 Solvent Based Wet Look (1 Gallon)</b>
-------------	---

<b>1288-5</b>	<b>Sb8700 Solvent Based Wet Look (5 Gallon)</b>
---------------	---

Acrylic sealer that will not yellow under exposure to sunlight. SB-8700 is a 2 in 1 product; it protects the substrate surface and stabilizes jointing sand at the same time. Can be applied immediately after paver installation, as it is a breathable and will not trap the naturally occurring efflorescence. Rain safe in 90 minutes.

<b>AP 10</b>	<b>SRW Adhesive - 10 OZ</b>
--------------	-----------------------------

Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze - Permanent bond - Solvent- based - Interior/exterior use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. is 32 ft. Bead Size 3/8in. is 14 ft. 12 tubes per case.

<b>A 28</b>	<b>SRW Adhesive - 28 OZ</b>
-------------	-----------------------------

Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze - Permanent bond - Solvent- based - Interior/exterior use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. is 89 ft. Bead Size 3/8in. is 35 ft. 12 tubes per case.

## Fabrics and GeoGrids

**\*\* All Products shown are considered Stock Items. \*\***

**Item#**

**Product Description**

**FCMST 620240 Fabric Staples 6in 11 Gauge (20 Per Bag)**

6 in. 11 gauge Steel Fabric Staples. 20 staples per bag. 12 bags/box.

**FNW4 03050 FNW4 4OZ Weed Mat (3 X 50)**

**FNW4 04100 SRW NW4 4OZ Weed Mat (4 X 100)**

**FNW4 06300 SRW NW4 4OZ Weed Mat (6 x 300)**

**GSRW U350 Universal Geogrid 3 X 50 (Bi-Directional)**

**GSRW U650 Universal Geogrid 6 X 50 (Bi-Directional)**



# CONVERSION CHARTS

## Useful Conversions

Square Feet = Square Inches X .007

Square Yards = Square Feet X .111

1 Square Yard = 9 Square Feet

1 Cubic Yard = 27 Cubic Feet

U.S. Gallons = Cubic Feet X 7.48

Cubic Feet = 1 U.S. Gallon X .13368

1 U.S. Gallon weighs 8.33 pounds

1 Acre = 43,560 Square Feet

Typical Home Yards = 5 to 7,000 sq.ft.

## Bagged Gravel

1 Cubic Foot bag spread 1" thick covers 12 sq.ft

1/2 Cubic Foot bag spread 1" thick covers 6-9 sq.ft.

## Formulas for Calculations

Area in Square Feet = Length X Width

Triangle Area = Base Length X .5 Perpendicular Height

Circle Area = Diameter <sup>2</sup> X .7854

Circle Circumference = Diameter X 3.1416

Circle Diameter = Circumference X .31831

Cubic Volume = Length X Width X Depth

## Coverage for Various Depths

*ONE CUBIC YARD WILL COVER:*

324 Square Feet at a 1" depth

162 Square Feet at a 2" depth

108 Square Feet at a 3" depth

81 Square Feet at a 4" depth

65 Square Feet at a 5" depth

54 Square Feet at a 6" depth

## Converting Tonnage to Coverage for Various Materials (Weight to Volume)

<u>Material</u>	<u>Pounds per Cubic Yard</u>	<u>1 Ton Covers</u>
Limestone Aggregate	1900	111 Square Feet at 3" depth
Limestone Grade 8	2300	93 Square Feet at 3" depth
Meramec Rock	2000	108 Square Feet at 3" depth
Sand	2250	96 Square Feet at 3" depth
Landscaping Stone (most types)	2150	100 Square Feet at 3" depth
Lava Rock	1075	200 Square Feet at 3" depth
Limestone Dry Wallstone	NA	Wall 1 Foot High X 20 Feet Long
Sandstone Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Red Granite Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Brown Natural Wallstone	NA	Wall 1 Foot High X 25 Feet Long
Limestone Flagstone	NA	Walkway 3' Wide X 30 Feet Long
Sandstone Flagstone	NA	Walkway 3' Wide X 30 Feet Long

# CONVERSION CHARTS

## Quick Reference Guide

### Aggregate - Coverage

*Approximate Coverage per Ton of Stone:*

Lava Chips	~	350 Sq. Ft.	-	2" Deep
All Other Pebbles	~	100 Sq. Ft.	-	2" Deep
1" to 4" Cobbles	~	60 Sq. Ft.	-	4" Deep

*Sq. Ft. Coverage per Ton of Stone:*

1" Deep	~	200 Sq. Ft.
2" Deep	~	100 Sq. Ft.
3" Deep	~	70 Sq. Ft.
4" Deep	~	50 Sq. Ft.
5" Deep	~	40 Sq. Ft.
6" Deep	~	36 Sq. Ft.

### Boulders - Outcropping - Slabs

*Average weight for Boulders:*

12"	=	100 - 500	LBS
24"	=	500 - 1000	LBS
36"	=	2000 - 3000	LBS
48"	=	4000 - 6000	LBS

*Average weight for Slabs:*

6" Thick / 3' x 3'	=	750	LBS
8" Thick / 3' x 3'	=	1000	LBS
10" Thick / 3' x 3'	=	1250	LBS
12" Thick / 3' x 3'	=	1500	LBS

*Average weight for Steps:*

7"x18"x36"	=	450	LBS
7"x18"x48"	=	575	LBS

### Irregular Wall Stone

Average Wt. per cubic foot	=	150 to 170 lbs per cubic foot
8" Wide Wall	=	18 to 20 Sq. Face Ft./Ton
12" Wide Wall	=	13 to 15 Sq. Face Ft./Ton
15" Wide Wall	=	10 to 12 Sq. Face Ft./Ton
18" Wide Wall	=	8 to 10 Sq. Face Ft./Ton

### Adhesive

Coverage: 1 Tube of Adhesive will cover 30 feet of stone using two parallel beads.

### Building Veneer Stone

4"	=	40 Sq. Ft. per Ton
5"	=	35 Sq. Ft. per Ton

### Mulch

1 CY	=	135 Sq. Ft. at 2" Depth
------	---	-------------------------

### Base Volume Chart

(in cubic yards)

Sq. Ft.	1"	2"	3"	4"	5"	6"
25	0.08	0.31	0.46	0.62	0.77	0.93
50	0.15	0.62	0.93	1.23	1.54	1.85
75	0.23	0.93	1.39	1.85	2.31	2.78
100	0.31	1.23	1.85	2.47	3.09	3.7
125	0.39	1.54	2.31	3.09	3.86	4.63
150	0.46	1.85	2.78	3.7	4.63	5.56
175	0.54	2.16	3.24	4.32	5.4	6.48
200	0.62	2.47	3.7	4.94	6.17	7.41
225	0.69	2.78	4.17	5.56	6.94	8.33
250	0.77	3.09	4.63	6.17	7.72	9.26
275	0.85	3.4	5.09	6.79	8.49	10.19
300	0.93	3.7	5.56	7.41	9.26	11.11

### Cobbles

5" to 10"	=	35 to 40 Sq. Ft./Ton
10" to 15"	=	25 to 30 Sq. Ft./Ton

### Cut Drywalls

*Coverage per pre-cut drywalls:*

6" Wide	=	28 to 30 Sq. Ft./Ton
8" Wide	=	18 to 20 Sq. Ft./Ton
12" Wide	=	13 to 15 Sq. Ft./Ton

### Flagstone - Steppers

*Square foot coverage per ton of stone:*

3/4" to 1"	=	100 to 120 Sq. Ft./Ton
1" to 1 1/2"	=	90 to 100 Sq. Ft./Ton
1 1/2" to 2"	=	80 to 90 Sq. Ft./Ton

### Polymeric Sand to Paver Joints

Coverage: 66 lbs. will cover 65 to 97 sq. ft. with narrow joints, or 22 to 43 sq. ft. with wide joints.

### Spray Paver and Joint Sealer

<u>Material</u>	<u>Sq. Ft./Gallon</u>
Brick	150-200
Stone	150-200
Concrete Walls & Floors	150-200
Pavers, Concrete & Clay	100-150
Retaining Walls	100-300

### Top Soil

1 CY	=	100 sq. Ft. at 3" Depth
------	---	-------------------------



## DELIVERY RATES

Delivery	Rate
In Town Delivery Rate	\$150.00
<b>Out of Town Delivery Rate</b>	<b>\$5.05 per 1 Mile</b>
Placement/Moffet required our of town w/ Semi	\$150.00
<b>Tailgate Charge</b>	<b>\$3.00 per Ton</b>
Trip Bucket Charge	\$15.00

## Estimated City Rates


City	Rate
Blacklick	\$75.00
<b>Buckeye Lake</b>	<b>\$187.50</b>
Chillicothe	\$300.00
<b>Circleville</b>	<b>\$187.50</b>
Delaware	\$187.50
<b>Gahanna</b>	<b>\$75.00</b>
Granville	\$150.00
<b>Johnstown</b>	<b>\$150.00</b>
Lancaster	\$187.50
<b>London</b>	<b>\$187.50</b>
Marion	\$225.00
<b>Marysville</b>	<b>\$187.50</b>
Mount Vernon	\$225.00
<b>Newark</b>	<b>\$187.50</b>
Pataskala	\$150.00
<b>Pickerington</b>	<b>\$150.00</b>
Sunbury	\$150.00

## Maximum Delivery Capacities

Truck Description	Max. Weight Capacity
Tandem Axle Dump	14 Tons
<b>Six Axle Flatbed Truck NO Moffet</b>	<b>21 Tons</b>
Six Axle Flatbed Truck with Moffet	18 Tons
<b>Four Axle Flatbed NO Moffet</b>	<b>14 Tons</b>
Four Axle Flatbed with Moffet	11 Tons
<b>34' Flatbed Quad Semi-Trailer NO Moffet</b>	<b>25 Tons</b>
34' Flatbed Quad Semi-Trailer with Moffet	22 Tons
<b>45' Flatbed Quad Semi-Trailer NO Moffet</b>	<b>25 Tons</b>
45' Flatbed Quad Semi-Trailer with Moffet	22 Tons







[www.SemcoOutdoor.com](http://www.SemcoOutdoor.com)

## OUR LOCATIONS

### CORPORATE OFFICE

(800) 814-1072  
50 Robinson Industrial Dr.  
Perryville, MO 63775  
[info@semcostone.com](mailto:info@semcostone.com)

### CINCINNATI, OHIO

(513) 725-0070  
11864 Chesterdale Road  
Cincinnati, OH 45246  
[infoOH@semcostone.com](mailto:infoOH@semcostone.com)

### COLUMBUS, OHIO

(614) 861-4668  
6015 Taylor Road  
Columbus, OH 43230  
[infoOH@semcostone.com](mailto:infoOH@semcostone.com)

### KANSAS CITY, MO

(816) 318-1203  
2515 Semco Drive  
Belton, MO 64012  
[infoKC@semcostone.com](mailto:infoKC@semcostone.com)