

# **CUSTOM CUT STONE**













# CUSTOM CUT NATURAL STONE

**UNIQUE**: The diversity of natural stone products from Semco Outdoor encourages limitless design potential. Aesthetically, what you do with the stone is as varied as your imagination.

**QUALITY**: Semco Outdoor prides ourselves on providing high-quality natural stone products and we are committed to delivering the best.

**INNOVATIVE**: Nothing provides that unique look like natural stone, from exterior stone cladding, to window or door surrounds, profiles to straight cuts, inlined or curved cuts, holes & laser engravings. Semco Outdoor is ready to make your project a reality with natural stone.

**VALUE**: Utilizing natural stone is now more affordable than ever due to advancing stone quarrying and processing technology that has improved efficiency over the years. The value in natural stone is more than a monetary measure. It involves longevity, ease of maintenance, permanence and stability that far exceed initial investment.

























Let us help your firm meet its Continuing Professional Education requirements. Our program is open to architects throughout the entire United States. Contact us today to schedule a presentation by one of our trained professionals.

Our Semco Outdoor continuing education program gives
Architects and Designers a behindthe-scenes look at the Sandstone and Limestone Quarrying process.
The topics we will discuss can help you determine where natural stone is a good fit. The presentation is approved through AIA, LACES, IDCEC and NKBA for one HSW Learning Unit.

CUSTOM CUT NATURAL STONE

YOUR SOURCE FOR NATURAL STONE

### **HEARTHSTONES & MANTLES**

Hearthstones and Mantles by Semco Stone are the final touch to your masterpiece. A natural stone hearth can enhance your fireplace design both in character and texture. Hearthstones and Mantles can be custom cut and finished to your specifications. Contact your sales representative for more information.



### **CAPS & COPING**

Caps and Coping are the perfect complement to our natural stone veneers. Available either snapped or sawn they give your project the finished detail for countless applications. The possibilities are endless from pool surrounds to the finishing touch on columns, piers, entrance monuments, staircases and more. Caps and Coping are available in various finishes.









SEE PAGE 10 AND 11 FOR FINISHES AND DECORATIVE EDGE OPTIONS



## **KEYSTONES**

Keystones give the finishing touch to doors or other masonry openings to enrich the overall finish of your project. The sides can be sawn or snapped for a formal, rustic, contemporary or classic appearance. Keystones are available in various finishes.



## **SILLS**

Sills can be used under windows and at the top of a stone waines coat. Our sills can be custom cut and finished to your specifications, as pictured left. Our standard sills are sawn on the top, bottom, ends and back with your choice of snapped or sawn-face. Sills are available in various finishes.



### QUOINS

Quoins give the finishing touch to corners or entryways and complement any of our veneer blends. Each piece has a snapped face and end. The top and bottom of the Quoins are available as sawn or snapped. Quoins are available in various finishes.



# **TRIMSTONES**

Trimstones are precut stones used to stack either around or above windows and doors. They can be utilized either horizontally or vertically. Each piece has a snapped face and ends, and are sawn on top and bottom. Both heights are available in full veneer or ThinCut $^{TM}$ .



# **STEPS & TREADS**

Whether used for an indoor staircase, or exterior entrance, Semco Stone can produce custom Steps and Treads to complete your natural stone project. Steps and Treads can be custom cut and finished to your specifications, contact your sales representative for more information.

SEE PAGE 10 AND 11 FOR FINISHES AND DECORATIVE EDGE OPTIONS


CUSTOM CUT NATURAL STONE

YOUR SOURCE FOR NATURAL STONE

# NATURAL STONE COUNTERTOPS

Hearthstones and Mantles by Semco Stone are the final touch to your masterpiece. A natural stone hearth can enhance your fireplace design both in character and texture. Hearthstones and Mantles can be custom cut and finished to your specifications. Contact your sales representative for more information.

**Brentwood Polished Countertop** 












Brentwood Leather Finish Countertop

Gunsmoke Gray Countertop





# MONUMENTAL SIGNS

We all know first impressions are important. Semco Stone has created hundreds of great first impressions for neighborhoods, corporate offices and retail stores across the country. We are experienced in producing custom designed monuments, memorials and entrance signs for many unique projects over the years.

Semco Stone has a wide variety of colors, sizes and shapes that can help your project standout. Semco Stone will custom cut to your specifications. Contact your sales representative for more information. See page 10 and 11 for finish options.

This breathtaking Memorial Wall located in Perryville, Missouri was designed to remember those who have served or are serving and those who paid the ultimate price for the freedoms we enjoy today. A beautiful tribute to the Perry County Veterans featuring Custom Cut Brentwood Polished Stone and Weston Cream stone caps. A beautiful tribute to military men and women from generations past as well as those in the future.



Contact your sales representative for more information about how Semco Stone can help you with any custom cut projects.



Semco Stone's Brentwood can meet the needs of your lifestyle and the demands of your inspiration, and offers a perfect balance of performance and beauty in both indoor and outdoor applications.

Brentwood Slabs are available in 1 1/4" and 2" thickness. The slabs are available in a variety of heights and lengths. This stone can be custom cut to your specifications. Brentwood is a Quartzite Sandstone, when sawn it has the elegant look of a detailed woodgrain. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs & more!

Available in 5 Finishes: Polished, Honed, Antique Brush, Bushhammer & Sandblasted Available in 6 Edge Treatments: Machine-Split, Rock Face, Full Bullnose, Half Bullnose, Bevel and Ogee

### BRENTWOOD TRANSFORMS ANY OUTDOOR SPACE INTO WOW-WORTHY






### SEMCO STONE ALSO OFFERS SLABS IN THE FOLLOWING COLORS:



See page 10 & 11 for finish options. Contact your sales representative for more information.







# LIVE SLAB INVENTORY IS NOW ON-LINE!

Each of our Brentwood slabs are unique, so we make it convenient for you to browse our selection of Brentwood slabs on-line.

Please visit SemcoStone.com and under products choose Brentwood Stone. There will be two choices of 11/4" and 2" thickness. Contact your Semco Sales Representative for more details!

### **Tenax Poultice Powder:**

Poultice Powder utilizes a stain process reversal technique, that draws the stain out of the stone. Designed to remove stains such as oil, grease, wine, tea, coffee, and other stains out of stone.

#### **Proseal Ultra Premium Sealer:**

Proseal Ultra Premium Stone Sealer is rated by fabricators as one of the best granite, marble, stone sealers to be used on natural stone. No other sealer will penetrate and protect as well as

## Ager Tiger Color Enhancer/Sealer:

Ager Tiger by Tenax is a fantastic sealer against oil, graffiti, and household stains. Ager Tiger provides an excellent "wet" effect stone enhancement and sealer on natural stone and is VOC Compliant! See before and after below.






YOUR SOURCE FOR **NATURAL STONE** 9

NATURAL STONE SLABS & SEALERS

# **SEMCO STONE CUSTOM CUT SLABS**

The diversity of natural stone products from Semco Stone encourages limitless design potential. However when using a natural product color variations may occur. Selections should be made from actual samples whenever possible. To have a custom project quoted or for more information contact your sales representative.



# **DECORATIVE**EDGES >>>

Choose from six popular edge profiles to reflect your taste & style or we can customize a profile for your project.

**ROCK FACE** 



MACHINE-SPLIT



OGEE



BEVEL



HALF BULLNOSE



FULL BULLNOSE















#### **ALL PHOTOS:**

Veneer: Chestnut Hill Castlerock and Willowbrook Brown Castlerock Caps & Treads: Custom Cut Baltic Buff

### PROJECT BY:

All photos on page 142 are courtesy of Copper Leaf Interior Design



#### TOP LEFT

Custom Cut Brentwood | Project By: Bauer Falls

BOTTOM LEFT
Custom Cut Brentwood Hearth
and Brentwood Random Height veneer

Rockport Blend Tumbled Dimensional veneer and Custom Blue River Hearth

**CUSTOM CUT** NATURAL STONE CUSTOM CUT NATURAL STONE

# **BALTIC BUFF** | FINISHES





Sawn Finish

Honed Finish

Polished Finish

BUSHHAMMER FINISH ALSO AVAILABLE JUST NOT PICTURED ABOVE

# **ASTM SPECIFICATIONS**

AST	M	C	97

OVEN DRY DENSITY: 154.4 lb/ft<sup>3</sup> SSD DENSITY: 142.7 lb/ft<sup>3</sup>

SPECIFIC GRAVITY: 2.16 ABSORPTION: 5.93%

#### ASTM C 99

MODULUS OF RUPTURE:

Perpendicular & Dry 950 psi Parallel & Dry 500 psi Perpendicular & Wet 710 psi Parallel & Wet 410 psi

#### ASTM C 170

COMPRESSIVE STRENGTH:

Perpendicular & Dry 12,900 psi Parallel & Dry 7,500 psi Perpendicular & Wet 11,100 psi Parallel & Wet 7,000 psi

#### ASTM C 153

Initial Mass (Average): 217.15 Mass after 1,000 revolutions (Average): 199.53 Index Abrasion Resistance (Average): 4.51

CLASS I SANDSTONE CLASS I SANDSTONE CLASS I SANDSTONE

#### ASTM C 153

ABRASION RESISTANCE OF DIMENSION STONE SUBJECTED TO FOOTTRAFFIC USING A ROTARY PLATFORM:

CLASS I SANDSTONE Initial Mass (Average): 217.15 Mass after 1,000 revolutions (Average): 199.53 CLASS I SANDSTONE CLASS I SANDSTONE Index Abrasion Resistance (Average): 4.51

#### ASTM C 666

FREEZE/THAW TESTING: These results are available upon request. It is a long report so did not include on this particular page due to lack of space.

# **BRENTWOOD** | FINISHES







Sawn Finish

Honed Finish

Polished Finish





Antique Brush Finish

Bushhammer Finish

### ASTM SPECIFICATIONS

#### ASTM C 97

DENSITY: 151.55 lb/ft<sup>3</sup> SPECIFIC GRAVITY: 2.429 ABSORPTION: 1.81%

CLASS II QUARTZITIC SANDSTONE

CLASS III QUARTZITE

#### ASTM C 99

MODULUS OF RUPTURE: 1,554 psi CLASS III QUARTZITE

10.71 Mpa

#### ASTM C 170

COMPRESSIVE STRENGTH: 11,403 psi CLASS III QUARTZITE

78.61 Mpa

#### ASTM C 241

ABRASION RESISTANCE: 52.58

CLASS III QUARTZITE

### ASTM C 880

FLEXURAL STRENGTH:

Perpendicular: 3,065 psi Parallel: 21.13 Mpa

# **CEDAR RIDGE** | FINISHES

Sawn Finish











DOVE GRAY | FINISHES



Sawn Finish

Polished Finish





Antique Brush Finish

Bushhammer Finish





Antique Brush Finish

Bushhammer Finish

# ASTM SPECIFICATIONS

#### ASTM C 97

SPECIFIC GRAVITY: 2.62 ABSORPTION: 2.22%

#### ASTM C 170

COMPRESSIVE STRENGTH:

Perpendicular Area 4.512 Parallel

Area 4.424

PS 8,390 PS 11,556

#### ASTM C 880

FLEXURAL STRENGTH:

Perpendicular: 1,053 psi Parallel: 7.26 Mpa

# ASTM SPECIFICATIONS

#### ASTM C 97

DRY WEIGHT: 1025.7 g SSD WEIGHT: 1045.3 g WET WEIGHT: 641.7 g DENSITY: 158.6 lbs/ft<sup>3</sup> ABSORPTION: 1.91%

#### ASTM C 99

MODULUS OF RUPTURE: 1,500 PARALLEL MODULUS OF RUPTURE: 1,680 PERPENDICULAR

#### ASTM C 170

COMPRESSIVE STRENGTH: 11,960 psi

# GUNSMOKE GRAY | FINISHES





Sawn Finish

Honed Finish

Polished Finish

BUSHHAMMER FINISH ALSO AVAILABLE JUST NOT PICTURED ABOVE

# **ASTM SPECIFICATIONS**

ASTM C 97

SPECIFIC GRAVITY: 2.121 ABSORPTION: 6.13%

ASTM C 99

MODULUS OF RUPTURE: 801 psi

ASTM C 170

COMPRESSIVE STRENGTH: 8,138 psi

# INDIANA LIMESTONE | FINISHES







Sawn Finish

Honed Finish

Polished Finish







Bushhammer Finish

# **ASTM SPECIFICATIONS**

ASTM C 97

SPECIFIC GRAVITY: 2.27 lb/ft<sup>3</sup> ABSORPTION: 4.84%

ASTM C 99

MODULUS OF RUPTURE

DRY CONDITION

Parallel: 784 psi Perpendicular: 843 psi WET CONDITION

Parallel: 727 psi Perpendicular: 653 psi

ASTM C 170

COMPRESSIVE STRENGTH

DRY CONDITION

Parallel: 5845 psi Perpendicular: 6581 psi WET CONDITION
Parallel: 4693 psi
Perpendicular: 5735 psi

ASTM C 241

ABRASION RESISTANCE

DRY CONDITION

Parallel: 7.1%

Perpendicular: 7.0%

ASTM C 880

FLEXURAL STRENGTH

DRY CONDITION

Parallel: 706 psi Perpendicular: 716 psi WET CONDITION

Parallel: 556 psi Perpendicular: 544 psi

# SILVERDALE | FINISHES

# WESTON CREAM | FINISHES













Sawn Finish

Honed Finish

Polished Finish

Honed Finish Polished Finish





Antique Brush Finish

Bushhammer Finish





Antique Brush Finish

Bushhammer Finish

## ASTM SPECIFICATIONS

#### ASTM C 97

DENSITY: 134.19 SPECIFIC GRAVITY: 2.151 lb/ft3 ABSORPTION: 7.51%

#### ASTM C 99

MODULUS OF RUPTURE: 822 psi (5.67 MPa)

#### ASTM C 170

COMPRESSIVE STRENGTH: 5047 psi (34.79 MPa)

#### ASTM C 241

ABRASION RESISTANCE: 3.18

#### ASTM C 880

FLEXURAL STRENGTH: 725 psi (5.00 MPa)

# ASTM SPECIFICATIONS

#### ASTM C 97

DENSITY: 135.61 lb/ft<sup>3</sup> SPECIFIC GRAVITY: 2.173 ABSORPTION: 6.51%

#### ASTM C 99

MODULUS OF RUPTURE: 883 psi 6.09 Mpa

#### ASTM C 170

COMPRESSIVE STRENGTH: 5,686 psi 39.20 Mpa

#### ASTM C 241

ABRASION RESISTANCE: 5.06

#### ASTM C 880


FLEXURAL STRENGTH:

Perpendicular: 1,053 psi Parallel: 7.26 Mpa

















**TOP LEFT**Sunset Buff Coping

### **TOP RIGHT**

Dove Gray Coping & Travertine Treads

**BOTTOM LEFT**Custom Cut Indiana Limestone Buff

## **BOTTOM RIGHT**

Mountain Ridge Ledge

TOP: Blue River Countertop

**MIDDLE RIGHT:** Brentwood Countertop Project By: Steve Hayes Design

BOTTOM LEFT: Drystack Rockport Random Height

BOTTOM RIGHT: Indiana Limestone Firepit Caps & Pennsylvania Blue Pattern Flag Project By: Hidden Creek Landscaping

**CUSTOM CUT** NATURAL STONE 23 **CUSTOM CUT** NATURAL STONE



# **OUR LOCATIONS**

# >>> CORPORATE OFFICE

(800) 814-1072 50 Robinson Industrial Dr. Perryville, MO 63775 info@semcostone.com

# >>> CINCINNATI, OHIO

(513) 725-0070 11864 Chesterdale Road Cincinnati, OH 45246 infoOH@semcostone.com

# >>> COLUMBUS, OHIO

(614) 861-4668 6015 Taylor Road Columbus, OH 43230 infoOH@semcostone.com

# >>> KANSAS CITY, MO

(816) 318-1203 2515 Semco Drive Belton, MO 64012 infoKC@semcostone.com

# CUSTOM. QUALITY. SEMCO OUTDOOR.





